

	T	T (222)	I
ALFAMINO INFANT (Nestle Health Science)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11% kcals)
USE: A nutrionally complete <u>infant formula</u> (amino-based, hypoallergenic) intended	Documentation form.	6 cans/case	- Free amino acids, L-
for <u>infants</u> with <u>cow's milk protein allergy, multiple food allergies and</u>		Reconstituted: 94 fl oz	Carnitine
malabsorption/maldigestion, eosinophilic GI disorders and short bowl syndrome.			
Contains DHA and ARA. Contains free amino acids. Lactose-free and gluten free.		Standard dilution 20 kcal/ fl oz	Fat (45% kcals)
		1 (4.7g) unpacked level scoop	- MCT, (vegetable oils:
Per 100 kcals (5 fl oz): 2.8 g pro, 5 g fat, 11 g CHO, 1.8 mg iron		added to 1 fl oz water makes 1 fl	Soybean oil, high oleic
		OZ	sunflower and high 2-
Osmolality: 330 mOsm/kg			palmitic vegetable oil) m.
			Alpina oil, C. Cohnii oil
CAUTION: Use as directed by a healthcare professional.			
			CHO (44% kcals)
			- Corn syrup solids,
			Potato starch,
			maltodextrin
ALFAMINO JUNIOR (Nestle Health Science)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional- amino-based,	Documentation form.	6 cans/case	- Free amino acids
hypoallergenic) intended for children ages 1-13 with cow's milk protein allergy,		Reconstituted: 62 fl oz	
multiple food allergies and malabsorption/maldigestion, eosinophilic GI disorders			Fat (38% kcals)
and short bowl syndrome. Contains free amino acids. Lactose-free and gluten free.		Standard dilution 30 kcal/ fl oz	MCT, Soybean oil, mono
		3 (5.2g) unpacked level scoops	and diglycerides
Per 240kcal (8oz) 7.8 g pro, 10 g fat, 29.4 g CHO		added to 2 fl oz water makes 2.5 fl	
		OZ	CHO (49% kcals)
Osmolality: 590 mOsm/kg			- Corn syrup solids,
			Potato starch,
CAUTION: Use as directed by a healthcare professional.			Maltodextrin
Applied Nutrition Corporation –has products that are WIC eligible. Please call the		1-50g bottle	
State Office for clarification if a prescription is received for any of these products.			
Website for more information on the products listed below:			
http://www.medicalfood.com/products.php			
Pure Amino Acid Power:			
#0120A L-Arginine			
#0130G Glycine			
#0140I L-Isoleucine			
#0150L L-Leucine			
#0160T L-Tyrosine			
#0170V L-Valine			



ARGINAID (Nestle Health Science)	Not WIC Approved.	9.2 g (0.32 oz) packet powder	Protein (72% kcals)
USE: A <u>medical food (Nutritional) for older children and adults</u> (wound healing oral		56 packets/case	- L-Arginine
supplement/tube feed) with burn injuries, pressure ulcers, venous stasis ulcers or			
other chronic wounds. Contains supplemental levels of L-Arginine, Nitrogen, and		Mix one packet with 6-8 fl oz	Fat (0% kcals)
vitamins C and E. Kosher, lactose-free, sugar-free, may be suitable for gluten-free		water.	- None
diets.			
			CHO (28% kcals)
Per 9.2 g: 25 kcals, 4.5 g L-Arginie, 1.4 g Nitrogen, 0 g fat, 2 g CHO, 0 mg iron			- Citric acid, malic acid
(0.15 kcals/ml when mixed with 237 ml water.			
Osmolality: 170 mOsm/kg (when mixed with 237mL water)			
Elavors: orango chorry			
Flavors: orange, cherry			
CAUTION: For use only under medical supervision. Made in same plant with soy,			
milk, egg and wheat products. Phenylketonurics: contains phenylalanine. THIS			
PRODUCT IS ONLY APPROPRIATE FOR USE IN INDIVIDUALS GREATER THAN 3 YEARS			
OLD.			
ARGINAID EXTRA (Nestle Health Science)	Not WIC Approved.	8 fl oz (237 ml) brik RTF	Protein (17% kcals)
(Previously RESOURCE ARGINAID EXTRA)		27 brik/case	- Whey protein isolate,
USE: A <u>medical food</u> (Nutritional) for <u>older children and adults</u> (wound healing oral			Milk, L-Arginine
supplement) with burn injuries, pressure ulcers, venuous ulcers or other chronic			
wounds. Contains high levels of nitrogen, and phosphorus. supplemental levels of L-			Fat (0% kcals)
Arginine, zinc and vitamins C and E. Kosher, Lactose-free, low-residue, and gluten-			- None
free diets.			
			CHO (83% kcals)
Per 8 oz: 250 kcals (1.06 kcals/ml), 10.5 g pro, 0 g fat, 52 g CHO, 3.6 mg iron			- Sugar, phosphoric acid,
Compalality 4240 mg Compiler			malic acid
Osmolality: 1340 mOsm/kg			
Flavors: orange burst			
Therefore out to			
CAUTION: For use only under medical supervision. High-nitrogen and phosphorous			
content may not be appropriate for individuals with kidney disease.			



Toddler Formula BABY'S ONLY ORGANIC DAIRY FORMULA (Nature's One)	Not WIC approved.	12.7 oz	Protein 12%
(Previously BABY'S ONLY ORGANIC DAIRY WITH DHA & ARA)	Not wie approved.	1 can = 84 fl oz reconstituted	- orgainic nonfat milk,
Use: A nutritionally complete, milk based <u>infant and exempt formula</u> for Toddlers 1		1 can - 64 ii 62 reconstituted	organic soy lecithin
year of age and older. Contains Alpha-Linolenic and Linoleic Fatty Acids that the		Packets: 1 pkt = 4 fl oz	organic soy recitimi
body converts to DhA and ARA.		reconstituted	Fat 44%
body converts to blin and nin.		1 (8.5g) unpacked level scoop	- high oleic sunflower oil,
Per 5 fl oz: 100 kcals 3 g pro, 5 g fat, 11 g CHO, 20% iron		added to 2 fl oz water makes 2 fl	high oleic safflower oil,
1 C 3 11 02: 100 Reals 3 & pro, 3 & rat, 11 & erro, 20/8 iron		OZ	coconut oil, soybean oil
		02	coconat on, soybean on
CAUTION: For toddlers only, use as directed by a healthcare professional.			CHO 44%
			- lactose, brown rice
			syrup
Toddler Formula BABY'S ONLY ORGANIC DAIRY FORMULA	Not WIC approved.	12.7 oz	Protein 10%
BABY'S ONLY ORGANIC DARIY WITH DHA, ARA, Choline, and Lutein. (Nature's One)		1 can = 84 fl oz reconstituted	- milk protein
Use: A nutritionally complete, milk based <u>infant and exempt formula</u> for toddlers 1			concentrate, egg lecithin
year of age and older.		Packets: 1 pkt = 4 fl oz	
		reconstituted	Fat 45%
Per 4 fl oz: 80 kcals, 2 g pro, 4 g fat, 9 g CHO, 15% iron		1 (8.5g) unpacked level scoop	- high oleic sunflower oil
		added to 2 fl oz water makes 2 fl	and safflower oil,
		OZ	coconut oil, soybean oil
CAUTION: For toddlers only, use as directed by a healthcare professional.			
			CHO 45%
			- lactose, brown rice
			syrup
BABY'S ONLY ORGANIC DHA & ARA TODDLER LACTORELIEF FORMULA (Nature's	Not WIC approved.	12.7 oz can	Protein 10%
one)		1 can = 84 fl oz reconstituted	- milk protein
Use: A nutritionally complete, soy-based <u>Toddler and exempt formula</u> for toddlers 1			concentrate, orgainic egg
year of age and older.		Packets: 1 pkt = 4 fl oz	lecithin
		reconstituted	
Per 4 fl oz: 80 kcals, 2 g pro, 4.5 g fat, 9 g CHO, 15% iron		1 (8.5g) unpacked level scoop	Fat 50%
		added to 2 fl oz water makes 2 fl	- high oleic sunflower oil,
CAUTION: For toddlers olny, use as directed by a healthcare professional.		OZ	coconut oil, soybean oil
			CHO 45%
			- brown rice syrup



BABY'S ONLY ORGANIC SOY Toddler FORMULA (Nature's one) Use: A nutritionally complete, soy-based toddler and exempt formula for toddlers 1 year of age and older.	Not WIC approved.	12.7 oz can 1 can = 84 fl oz reconstituted 1 (8.5g) unpacked level scoop	Protein 10% - soy protein concentrate Fat 45%
Per 100 kcals: 2.5 g pro, 5.6 g fat, 11.2 g CHO, 15% iron		added to 2 fl oz water makes 2 fl oz	- high oleic sunflower oil, coconut oil, soybean oil
CAUTION: For toddlers only, use as directed by a healthcare professional.			CHO 45% - brown rice syrup
BCAD 1 (Mead Johnson) USE: An isoleucine-, leucine- and valine-free infant formula with iron, (metabolic) for infants and toddlers with maple syrup urine disease (MSUD) or other inborn errors of branched chain amino acid metabolism. Contains higher levels of B vitamins (for cofactor production) than standard infant formulas, choline. Vanilla scent. Halal. DHA and ARA. Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron Osmolality: 330 mOsm/kg CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use.	Approved with Medical Documentation form.	16 oz (454 g) can powder 6 cans/case 1 scoop powder = 4.5 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician	Protein (13% kcals) - Amino acids (without isoleucine, leucine, valine) Fat (47% kcals) - Vegetable oil (palm olein (44%), coconut (19.5%), soy (19.5%), and high-oleic sunflower oils (14.5%)) DHA and ARA (2.5%) CHO (40% kcals) - Corn syrup solids, modified corn starch
BCAD 2 (Mead Johnson) USE: An isoleucine-, leucine- and valine-free medical food iron fortified (Nutritional) for children and adults with maple syrup urine disease (MSUD) or other inborn errors of branched chain amino acid metabolism. Contains higher levels of protein than BCAD 1. Fortified with vitamins and minerals. Suitable for lactose intolerant, Halal. Vanilla scent. Per 100 g: 410 kcals, 24 g pro, 8.5 g fat, 57 g CHO, 12.2 mg iron CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use.	Approved with Medical Documentation form.	16 oz (454 g) can powder 6 cans/case 1 scoop powder = 14.5 g Reconstituted amount unavailable. Intake dependent on age, body weight and medical condition. Follow Rx as directed by physician	Protein (24% kcals) - Amino acids (without isoleucine, leucine, valine) Fat (19% kcals) - Soy oil CHO (57% kcals) - Corn syrup solids, sugar, modified corn starch



BENECALORIE (Nestle Health Science)	Approved with Medical	1.5 oz (41.3 g) cup powder	Protein (9% kcals)
USE: A high-calorie and protein <u>medical food</u> (Nutritional) for <u>older children and</u>	Documentation form.	24 cups/case	- Calcium caseinate
adults with increased energy requirements, fluid-restricted diets, volume sensitivity,			(milk)
malnutrition. Suitable for kosher, lactose-free, low-residue, cholesterol-free, and		Stir contents of single serving cup	
gluten-free diets.		into foods or beverages.	Fat (91% kcals)
			- High Oleic Sunflower
Flavor: Unflavored			Oil, mono and
			diglycerides
Per 1.5 oz: 330 kcals (7.5 kcals/ml), 7 g pro, 33 g fat, 0 g CHO, 0 mg iron			
			CHO (0% kcals)
CAUTION : For use under medical supervision. Not intended as a sole source of			- None
nutrition. Not for individuals with galactosemia. Not for parenteral use.			
			Additive
			- Sucralose
BENEPROTEIN INSTANT PROTEIN POWDER (Nestle Health Science)	Approved with Medical	6-8 oz powder canister (32	Protein (100% kcals)
(Previously RESOURCE BENEPROTEIN)	Documentation form.	servings /canister)	- Whey protein isolate
USE: A high protein <u>medical food</u> (Nutritional) for <u>children greater than 3 years of</u>		6 canisters/case	(milk), soy lecithin
age and adults with protein calorie malnutrition, on dialysis or in need of extra			
protein in their diet. Suitable for kosher, lactose-free, gluten-free, and low residue		7 g (0.25oz) powder packet	Fat (0% kcals)
diets.		75 packets/case	- None
Flavor: Unflavored		Mix one unpacked level scoop (7g)	CHO (0% kcals)
		or 1 packet with 2-4oz water.	- None
Per 1 scoop (7g): 25kcal, 6g pro, 0g fat, 0g CHO			
CAUTION: For use under medical supervision. Not intended as a sole source of			
nutrition. Not for indivduals with galactosemia.			



BOOST - ORIGINAL (Nestle Health Science)	Approved with Medical	Institutional:	Protein (17% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>inadequate oral</u>	Documentation form.	8 fl oz (237 ml) brik pak	- Milk protein
intake, reduced appetite, malnutrition, general oral supplement needs,		27 brik pak/case	concentrate, soy protein
supplemental or interim sole source of nutrition. Suitable for Kosher, lactose-free,			isolate
low-residue and gluten-free diets.		Retail: (orginial)	
		8 fl oz (237 ml) can RTF	Fat (15% kcals)
Per 8 oz: 240 kcals (1 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron		24 cans/case (4 – 6 packs)	- Canola oil, high oleic sunflower oil, corn oil
Osmolality: 625 mOsm/kg		(2-12 packs available for Vanilla	•
, , , ,		and Chocolate)	CHO (68% kcals)
Flavors: chocolate, vanilla, strawberry		,	- Corn syrup solids, sugar
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
indivduals with galactosemia. (Contains milk and soy)			
BOOST CALORIE SMART (Nestle Health Science)	Not WIC Approved.	8 fl oz (237 ml) can RTF	Protein (33% kcals)
USE: A medical food (Nutritional) for older children and adults with inadequate oral		24 cans/case (4- 6 packs)	- Milk protein
intake, supplement needs, and/or increased protein needs. Kosher, lactose-free,		, , , , , , , , , , , , , , , , , , , ,	concentrate, soy protein
cholesterol-restricted, and gluten-free.			isolate
Per 8 oz: 190 kcals, 16 g pro, 7 g fat, 16 g CHO, 4.5 mg iron			Fat (33% kcals)
			- Canola oil, high oleic
Flavors: Rich chocolate, very vanilla			sunflower oil, corn oil
, ,			,
CAUTION: For use only under medical supervision. Not for indivduals with			CHO (34% kcals)
galactosemia.			- Tapioca dextrin,
			fructose
			Additive
			- Sucralose



<u></u>			
BOOST GLUCOSE CONTRTOL (Nestle Health Science)	Approved with Medical	Institutional:	Protein (23-33% kcals)
USE: A carbohydrate-controlled <u>medical food</u> (Nutritional- diabetic oral	Documentation form.	8 fl oz (237 ml) carton RTF	- Sodium caseinates
supplement) for older children and adults with diabetes or glucose intolerance.		27 cartons/case	(milk), L-Arginine, L
Contains fiber for good gut health and a combination of essential nutrients to			Carnitine, Taurine
support bone health. Suitable for kosher, halal, lactose-free, and gluten-free diets.		Retail:	
		8 fl oz (237 ml) bottles	Fat (33-44% kcals)
Per 8 oz: 190-250 kcals (0.8-1.06 kcal/ml), 14-16 g pro, 7-12 g fat, 16-20 g CHO, 3.6-4.5 mg iron		4 – 6 packs/case or 2-12 packs/case	- Canola oil
Per carton: 250kcals (1.06kcal/ml), 14g pro, 12g fat, 23g CHO, 3.6mg iron		pucks/ case	CHO (33-34% kcals)
Per bottle: 190kcals (0.8kcal/ml), 16g pro, 7g fat, 16g CHO, 4.5mg iron			- Tapioca dextrin,
Osmolality: 400 mOsm/kg (institutional)			fructose, corn syrup
Osmolanty. 400 mosm, kg (institutional)			solids, FOS (Soy fiber)
Flavors: vanilla, chocolate, strawberry			301103, 1 03 (30) 11861)
Travors. varinia, criocolate, strawberry			Additive
CAUTION: For use only under medical supervision. Not for indivduals with			- Sucralose
galactosemia. (Contains milk and soy.)			
BOOST HIGH PROTEIN DRINK (Nestle Health Science)	Approved with Medical	Institutional:	Protein (25% kcals)
BOOST HIGH PROTEIN READY-TO -DRINK (RETAIL)	Documentation form.	8 fl oz (237 ml) brik pak	- Milk protein
USE: A high-protein medical food (Nutritional) for older children and adults with		27 cans/case	concentrate, calcium and
increased protein requirements, reduced appetite, malnutrition, general oral		,	sodium caseinates
supplement, and supplemental or interim sole source nutrition. Contains		Retail:	
antioxidants and essential nutrients to help build and maintain bone health.		8 fl oz (237 ml) bottles	Fat (22% kcals)
Suitable for kosher, lactose-free, low-residue, and gluten-free diets.		4 – 6 packs/case or 2-12	- Canola oil, high oleic
, , , , ,		packs/case	sunflower oil, corn oil
Per 8 oz: 240 kcals (1 kcal/ml), 15 g pro, 6 g fat, 33 g CHO, 4.5 mg iron		. ,	ŕ
		Also comes in 17.7 oz powder cans	CHO (53% kcals)
Osmolality: 650-690 mOsm/kg		(chocolate) – not WIC approved.	- Corn syrup solids, sugar
, , , ,		,	
Flavors: vanilla			
Retail flavors: Vanilla, strawberry, chocolate			
CAUTION: For use only under medical supervision. Not for indivduals with			
galactosemia.			



POOCT VID ECCENTIALS (North Hoolth Science)	Approved with Medical	Dotaile	Ductain (120/ keels)
BOOST KID ESSENTIALS (Nestle Health Science)	Approved with Medical	Retail:	Protein (12% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional- pediatric oral supplement)	Documentation form.	8.25 fl oz (244 ml) RTF	- sodium and calcium
for <u>children ages 1-13</u> <u>with inadequate oral intake, increased energy needs,</u>		4 Cartons/pack (4 packs/case)	caseinates (milk), whey
malnutrition, weight maintenance, and supplemental of interim sole-source		(with probiotic straw)	protein concentrate
nutrition. Contains antioxidants, and essential vitamins and minerals. Suitable for			
Lactose-free, gluten-free, kosher, and low-residue diets.		Institutional:	Fat (34% kcals)
		8 fl oz (237 ml) brik pak	- High oleic sunflower oil,
Per 237 mL: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 32 g CHO, 3 mg iron		27 brik paks/case	soybean oil, MCT
Osmolality: 550-600 mOsm/kg			CHO (54% kcals)
			- Sugar, maltodextrin
Flavors: vanilla, chocolate			
			Additive
Note: Not recommended for enteral use due to osmolality. Nutren Junior a suitable			
alternative for an enteral supplement.			- Stevia leaf extract
alternative for all effect at supplement.			Stevia fear extract
CAUTION: Not for parenteral use or for individuals with galactosemia, contains milk			
and soy.			
BOOST KID ESSENTIALS 1.0 (Nestle Health Science)	Approved with Medical	8 fl oz (237 ml) brik pak	Protein (12% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional- pediatric oral supplement)	Documentation form.	27 brik paks/case	- milk protein
· · · · · · · · · · · · · · · · · · ·	Documentation form.	27 blik paks/case	•
for <u>children ages 1-13</u> <u>with inadequate oral intake, increased energy needs,</u>			concentrate, taurine, L-
malnutrition, weight maintenance. Contains antioxidants, and essential vitamins and			carnitine
minerals for bone health. Suitable for Lactose-free, gluten-free, kosher, and low-			(2()
residue diets. Contains milk.			Fat (34% kcals)
			- Canola oil
Per 237 mL: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 32 g CHO, 2.7 mg iron			
			CHO (54% kcals)
Osmolality: 450-475 mOsm/kg			- Brown Rice syrup
Flavors: vanilla, chocolate, strawberry			
CAUTION: Not for parenteral use or for individuals with galactosemia.			



BOOST KID ESSENTIALS 1.5	Approved with Medical	8 fl oz (237 ml) carton	Protein (11% kcals)
BOOST KID ESSENTIALS 1.5 with FIBER (Nestle Health Science)	Documentation form.	27 cartons/case	- milk protein
USE: A nutritionally complete <u>medical food</u> (Nutritional- pediatric oral/enteral			concentrate, L-Carnitine
support) for children ages 1-13 with inadequate oral intake, increased energy needs,			
volume intolerance, shortened feeding schedules, and malnutrition. With fiber			Fat (45% kcals)
contains all the reasons above and bowel management. Suitable for lactose-free,			- Canola oil, soybean oil,
gluten-free, and kosher diets.			MCT
Per 237 mL: 360 kcals (1.5 kcal/ml), 10 g pro, 18 g fat, 39 g CHO, 4 mg iron			CHO (44% kcals)
Fiber per 237 mL: 360 kcals (1.5kcal/mL), 10 g pro, 18 g fat, 41 g CHO, 4 mg iron, 2 g			- Brown rice syrup, sugar
fiber			Pea fiber (with fiber)
Osmolality: 620-650 mOsm/kg			
Flavors: chocolate, strawberry, vanilla			
Fiber Flavor: Vanilla			
CAUTION: Not for parenteral use or for individuals with galactosemia, contains milk			
and soy.			
BOOST PLUS (Nestle Health Science)	Approved with Medical	Institutional:	Protein (15% kcals)
BOOST PLUS READY-TO-DRINK (RETAIL)	Documentation form.	8 fl oz (237 ml) carton	- Milk protein
USE: A high-calorie and protein medical food (Nutritional) for older children and		27 cartons/case	concentrate, calcium and
adults with inadequate oral intake, increased protein and energy needs, fluid			sodium caseinates, soy
restriction, volume intolerance, malnutrition, weight maintenance, and		Retail:	protein isolate
supplemental or interim sole source nutrition. Suitable for kosher, lactose-free, low-		8 fl oz (237 ml) can RTF	
residue, and gluten-free diets.		24 cans/case (4 - 6 packs)	Fat (35% kcals)
			- Canola oil, high oleic
Per 8 oz: 360 kcals (1.5 kcal/ml), 14 g pro, 14 g fat, 45 g CHO, 4.5 mg iron		2-12 packs available for Vanilla	sunflower oil, corn oil
		and Chocolate	
Osmolality: 670 mOsm/kg			CHO (50% kcals)
			- Corn syrup solids,
Flavors: vanilla, chocolate, strawberry			sugar, FOS, inulin
CAUTION: For use only under medical supervision. Not for individuals with			
galactosemia. Not for Pareneral use.			



BOOST Nutritional PUDDING (Nestle Health Science)	Approved with Medical	5 oz cup	Protein (12% kcals)
USE: A high-calorie medical food (Nutritional) for older children and adults with	Documentation form.	48 cans/case	- Milk protein
malnutrition, fluid restriction, dysphagia. Suitable for kosher, lactose-free, low-			concentrate, sodium and
residue, gluten-free diets.			calcium caseinates
, , , , , , , , , , , , , , , , , , , ,			
Per 5 oz: 240 kcals (1.6kcals/ml), 7 g pro, 9 g fat, 33 g CHO, 2.7 mg iron			Fat (32% kcals)
Tel 5 del 2 lo kodis (Elokodis/ IIII), 7 g p. 6, 5 g lact, 55 g el 16, 217 llig il oli			- Canola oil, high oleic
Flavors: vanilla, chocolate			sunflower oil, corn oil
Tiavois. Vailila, chocolate			samower on, com on
CAUTION: For use only under medical supervision. Not for individuals with			CHO (56% kcals)
galactosemia. May contain soy and contains milk ingredients.			- Sugar, maltodextrin,
galactosethia. May contain soy and contains think highedients.			modified corn starch,
			corn syrup solids
			(chocolate only)
			Additive
			- Stevia leaf extract
BOOST VHC (Nestle Health Science)	Approved with Medical	8 fl oz (237 ml) carton	- Stevia leaf extract Protein (16% kcals)
USE: A very high-calorie medical food (Nutritional) for older children and adults	Approved with Medical Documentation form.	8 fl oz (237 ml) carton 27 cartons/case	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium
	1	, ,	- Stevia leaf extract Protein (16% kcals)
USE: A very high-calorie medical food (Nutritional) for older children and adults	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium
USE: A very high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>increased energy needs</u> , fluid restrictions, volume sensitivity, and malnutrition.	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated
USE: A very high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>increased energy needs, fluid restrictions, volume sensitivity, and malnutrition.</u> Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated
USE: A very high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>increased energy needs, fluid restrictions, volume sensitivity, and malnutrition.</u> Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein
USE: A very high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>increased energy needs, fluid restrictions, volume sensitivity, and malnutrition.</u> Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-residue diets.	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein Fat (50% kcals)
USE: A very high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults</u> with <u>increased energy needs, fluid restrictions, volume sensitivity, and malnutrition.</u> Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-residue diets.	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein Fat (50% kcals)
 USE: A very high-calorie medical food (Nutritional) for older children and adults with increased energy needs, fluid restrictions, volume sensitivity, and malnutrition. Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-residue diets. Per 8 oz: 530 kcals (2.25 kcal/ml), 22 g pro, 26 g fat, 52 g CHO, 35% iron 	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein Fat (50% kcals) - Canola oil, corn oil CHO (34% kcals)
 USE: A very high-calorie medical food (Nutritional) for older children and adults with increased energy needs, fluid restrictions, volume sensitivity, and malnutrition. Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-residue diets. Per 8 oz: 530 kcals (2.25 kcal/ml), 22 g pro, 26 g fat, 52 g CHO, 35% iron 	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein Fat (50% kcals) - Canola oil, corn oil
USE: A very high-calorie medical food (Nutritional) for older children and adults with increased energy needs, fluid restrictions, volume sensitivity, and malnutrition. Vitamin and mineral fortified. Suitable for kosher, lactose-free, gluten-free, low-residue diets. Per 8 oz: 530 kcals (2.25 kcal/ml), 22 g pro, 26 g fat, 52 g CHO, 35% iron Osmolality: 950 mOsm/kg	1	, ,	- Stevia leaf extract Protein (16% kcals) - Calcium-potassium caseinate (milk), isolated soy protein Fat (50% kcals) - Canola oil, corn oil CHO (34% kcals)



BOOST BREEZE (Nestle Health Science)	Approved with Medical	8 fl oz (237 ml) carton	Protein (14% kcals)
(Previously RESOURCE BREEZE)	Documentation form.	27 cartons/case	- Whey protein isolate
USE: A <u>medical food</u> (Nutritional- clear liquid oral supplement) for <u>older children</u>			(Milk), L-Cysteine
and adults with clear-liquid diet, fat malabsorption, and malnutrition. Suitable for			
Kosher, halal, lactose-free, low-residue, gluten-free diets.			Fat (0% kcals)
			- None
Per 8 oz: 250 kcals (1.06 kcals/ml), 9 g pro, 0 g fat, 54 g CHO, 2.7 mg iron			
			CHO (86% kcals)
Osmolality: 750 mOsm/kg			- Sugar, corn syrup
Flavors: orange, peach, wildberry, variety			
CAUTION : For use under medical supervision. Not for individuals with			
galactosemia.			
BRIGHT BEGINNINGS SOY PEDIATRIC DRINK (Perrigo Nutritionals)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (12% kcals)
(Formerly know as PBM Product)	Documentation form.	24 cans/case	- Soy protein isolate, L-
USE: A nutritionally complete, soy-based <u>medical food</u> (Nutritional - pediatric oral			Carnitine
supplement/tube feed) for children ages 1-12 with lactose intolerance and may be			
suitable for cow's milk allergy. Kosher, pareve, lactose-free, gluten-free, plant-			Fat (45% kcals)
based protein, vegetarian diets. Contains prebiotics and DHA.			- High oleic safflower or
			sunflower oil, soy oil,
Per 8 oz: 240 kcals, 7 g pro, 12 g fat, 26 g CHO, 3 g fiber			MCT oil, DHA, omega-3,
			Mono and Diglycerides
Flavors: vanilla			
			CHO (43% kcals)
CAUTION: For use only under medical supervision. Not for individuals with			- Sugar (Sucrose),
galactosemia.			maltodextrin (Corn),
			scFos, oligofructose,
			inulin



CALCILO XD (Abbott Nutrition)	Approved with Medical	13.2 oz (375 g) can powder	Protein (9% kcals)
USE: A nutritionally complete, low-calcium, vitamin-D free infant formula	Documentation form.	6 cans/case	- Whey protein
(metabolic) for infants with hypercalcemia (as may occur with Williams syndrome,		Reconstituted: 96 fl oz	concentrate, sodium
osteopetrosis, primary neonatal hyperparathyroidism or when a low-calcium,			caseinate (milk), L-
vitamin D-free formula is needed). Supplemented with L-carnitine and taurine.		Standard dilution = 20 kcals/oz:	Carnitine
Eliminates the need to prepare a modular formula. Iron-fortified. Kosher, Halal,		1 scoop (8.6 g) powder to 2 fl oz	
Lactose-free, Gluten free.		water.	Fat (50% kcals)
			- Coconut oil, corn oil
Per 100 g: 513 kcals, 11.4 g pro, 28.7 g fat, 52.3 g CHO, 9.2 mg iron		1 scoop (unpacked level) = 8.6 g	
			CHO (41% kcals)
Osmolality: 190 mOsm/kg			- Corn syrup
CAUTION: For use only under strict medical supervision. Must only be given to			
infants whose calcium and/or Vitamin D intake must be severely restricted. Not for			
parenteral use.			
CARNATION BREAKFAST ESSENTIALS NUTRITIONAL DRINK (READY-TO-DRINK)	Approved with Medical	8 fl oz bottle RTD (237 ml)	Protein (17% kcals)
(Nestle Health Science)	Documentation form.	6-pack bottles	- Milk protein
USE: A milk-based medical food (Nutritional) for older children and adults with			concentrate, soy protein
<u>inadequate oral intake or weight maintenance issues</u> . Rich in vitamins and minerals.			
		12-pack bottles (8oz) in vanilla and	isolate
Kosher, Gluten-free, suitable for lactose intolerance.		12-pack bottles (8oz) in vanilla and chocolate.	isolate
		1	isolate Fat (15% kcals)
		1	
Kosher, Gluten-free, suitable for lactose intolerance.		1	Fat (15% kcals)
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g		1	Fat (15% kcals) - Vegetable oil (Canola,
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g		1	Fat (15% kcals) - Vegetable oil (Canola, high oleic sunflower, corn)
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron Flavors: classic french vanilla, rich milk chocolate, creamy strawberry		1	Fat (15% kcals) - Vegetable oil (Canola, high oleic sunflower,
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron Flavors: classic french vanilla, rich milk chocolate, creamy strawberry CAUTION: Contains Milk and Soy. For use only under medical supervision. Not		1	Fat (15% kcals) - Vegetable oil (Canola, high oleic sunflower, corn)
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron Flavors: classic french vanilla, rich milk chocolate, creamy strawberry		1	Fat (15% kcals) - Vegetable oil (Canola, high oleic sunflower, corn) CHO (68% kcals)
Kosher, Gluten-free, suitable for lactose intolerance. Per 8 fl oz (serving size one bottle): 240 kcals (1.0 kcal/ml), 10 g pro, 4 g fat, 41 g CHO, 4.5 mg iron Flavors: classic french vanilla, rich milk chocolate, creamy strawberry CAUTION: Contains Milk and Soy. For use only under medical supervision. Not		1	Fat (15% kcals) - Vegetable oil (Canola, high oleic sunflower, corn) CHO (68% kcals)



CARNATION BREAKFAST ESSENTIALS LIGHT START READY-TO-DRINK	Approved with Medical		Protein (33% kcals)
(Nestle Health Science)	Documentation form.	8 fl oz bottle RTD (237 ml)	- Milk protein
(Previously CARNATION BREAKFAST ESSENTIALS NO SUGAR ADDED READY-TO-		24 cans/case (4 - 6 packs)	concentrate, soy protein
DRINK)			isolate, calcium and
USE: A milk-based medical food (Nutritional) for older children and adults with			sodium caseinate (Milk)
<u>inadequate oral intake or weight maintenance issues.</u> Contains fiber to support			
digestive health, and rich in vitamins and minerals. Suitable for kosher, lactose-			Fat (23% kcals)
intolerance, gluten free, cholesterol-restricted, and calorie-restricted diets.			- Canola, high oleic
			sunflower oil, corn oil
Per 1 bottle (237ml): 150 kcals (0.6kcal/mL), 13 g pro, 4 g fat, 17 g CHO, 4.5 mg iron			
			CHO (44% kcals)
Flavors: rich milk chocolate, café mocha			- corn syrup, FOS, Inulin
CAUTION: For use only under medical supervision. Not for tube feeding. Not for			Additive
parenteral use. Not for individuals with galactosemia.			- Sucralose
CARNATION BREAKFAST ESSENTIALS LIGHT START POWDER (Nestle Health	Approved with Medical	1 packet (20 g)	Protein (34% kcals)
Science)	Documentation form.	8 packets/box	- Nonfat milk
USE: A milk-based medical food (Nutritional) for older children and adults for the		8 boxes/case	
management of inadequate oral intake and weight management. Rich in vitamins			Fat (4% kcals)
and minerals. Suitable for kosher, cholesterol-restricted, calorie-restricted, and fat-		Chocolate – 7.05 oz cans	-
modified diets when prepared with fat-free milk.		12 cans/case	
		10 servings/can	CHO (62% kcals)
Per 9 fl oz (1 packet + 8 fl oz nonfat milk): 150 kcals, 13 g pro, 0.5 g fat, 24 g CHO, 4			- Inulin, maltodextrin,
g fiber, 4.5 mg iron			soy lecithin
Flavors: rich milk chocolate, classic french vanilla, variety (strawberry)			Additives
			- Sucralose, acesulfame
CAUTION: For use only under medical supervision. Not for tube feeding. Not for			potassium
parenteral use. Not for individuals with galactosemia. Contains milk and soy, and			
process on equipment with wheat.			



CARNATION BREAKFAST ESSENTIALS POWDER (Nestle Health Science)	Approved with Medical	1 packet (36 gm)	Protein (23% kcals)
USE: A milk-based medical food (Nutritional) for older children and adults with	Documentation form.	10 packets/box	- Nonfat milk
<u>inadequate oral intake and weight maintenance.</u> Rich in vitamins and minerals.		6 boxes/case	
Suitable for cholesterol-restricted, fat-modified and Kosher diets when prepared			Fat (3% kcals)
with fat-free milk.		Rich Milk Chocolate only:	-
		17.7 oz can	
Per 9 fl oz (1 packet + 8 fl oz nonfat milk): 220 kcals, 13 g pro, 0.5 g fat, 39 g CHO,		6 cans/case	CHO (74% kcals)
4.5 mg iron		,	- Sugar, maltodextrin,
			lactose, soy lecithin
Flavors: classic french vanilla, rich milk chocolate, dark chocolate, classic chocolate			
malt, strawberry sensation, and variety pack			
CAUTION: For use only under medical supervision. Not for tube feeding. Not for			
parenteral use. Not for individuals with galactosemia. Contains milk and soy, and			
process on equipment with wheat.			
COMPLEAT (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A medical food (Nutritional - blenderized tube feed) for older children and	Documentation form.	24 cans/case	- Milk protein
adults who require long-term tube feeding regimen who prefer a formula containing			concentrate, chicken
real food ingredients, may help address feeding intolerances in individuals with		1000 ml closed system container	powder, pea protein
developmental disabilities, and malnutrition. Formulated with chicken, peas,		6 containers/case	isolate
carrots, tomatoes, green beans, peaches, and cranberry juice. Lactose-free, gluten-		,	
free. No corn or soy ingredients.			Fat (34% kcals)
			- Canola oil, chicken
Per 250 ml: 265 kcals (1.06 kcals/ml), 12 g pro, 10 g fat, 34g CHO, 2 g fiber, 3.5 mg			powder
iron			
			CHO (48% kcals)
Osmolality: 450 mOsm/kg water			- Brown rice syrup, fruit
Osmolality: 450 mOsm/kg water			- Brown rice syrup, fruit and vegetable blend,
Osmolality: 450 mOsm/kg water CAUTION: For use only under medical supervision. Not for parenteral use. Not for			



COMPLEAT PEDIATRIC (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (15% kcals)
USE: A medical food (Nutritional - pediatric blenderized tube feed) for children ages	Documentation form.	24 cans/case	- Chicken, milk protein
1-13 with abnormal bowel function, feeding intolerance in children with special		,	concentrate, pea protein
health needs and / or developmental disabilities, support normal growth, and			isolate
malnutrition. Formulated with traditional foods, including chicken, fruit, vegetables			Isolate
and cranberry juice. Lactose-free, gluten-free.			Fat (34% kcals)
and cranberry juice. Eactose-free, gluteri-free.			- Canola oil, MCT oil,
Per 250 ml: 250 kcals (1 kcal/ml), 9.5 g pro, 9.5 g fat, 34 g CHO, 2g fiber, 3.5 mg iron			chicken
Per 250 III. 250 kcais (1 kcai/IIII), 9.5 g pro, 9.5 g lat, 54 g Cho, 2g liber, 5.5 liig iron			CHICKEH
Osmolality: 400 mOsm/kg water			CHO (51% kcals)
Osmolality. 400 mosm/kg water			` '
CAUTION: For use only under modical supervision. Not for individuals with			- Brown rice syrup, fruit
CAUTION: For use only under medical supervision. Not for individuals with			and vegetable puree,
galactosemia. Not for parenteral use. Not for individuals with galactosemia.			cranberry juice, FOS,
			inulin (pea fiber)
		0.45 (1. /050 1) 0.75	5 (200(1 1)
COMPLEAT PEDIATRIC REDUCED CALORIE (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (20% kcals)
USE: A <u>medical food</u> (Nutritional - pediatric blenderized tube feed) for <u>children ages</u>	Documentation form.	24 cans/case	- Chicken, milk protein
1-13 with who require long-term tube feeding regimen who prefer a formula			concentrate, pea protein
containing real food ingredients, disproportionate weight gain associated with			isolate, L-Carnitine
individuals with developmental disabilities, feeding intolerance in children with			
special health needs or developmental disabilities, reduced calorie needs, and bowel			Fat (29% kcals)
management. Formulated with traditional foods, including chicken, fruit, vegetables			- Chicken, canola, MCT
and cranberry juice. Lactose-free, gluten-free.			oil
Per 250 ml: 150 kcals (0.6 kcal/ml), 7.5 g pro, 5 g fat, 22 g CHO, 2.5 g fiber, 3.5 mg			CHO (51% kcals)
iron			- fruit and vegetable
			blend, cranberry juice
Osmolality: 310 mOsm/kg water			brown rice syrup, FOS,
			inulin, (Pea Fiber, gum
CAUTION: For use only under medical supervision. Not for individuals with			acacia [soluble fiber])
galactosemia. Not for parenteral use.			-



COMPLETE AMINO ACID MIX (Nutricia Advanced Medical Nutrition)	Approved with Medical	7 oz (200 g) can powder	Protein (100% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>children and adults</u> with <u>intractable</u>	Documentation form.	2 cans/case	- Amino acids
malabsorption, feeding difficulties in post-operative conditions, chronic intestinal			
diseases, short bowel syndrome following intestinal resection, conditions in which a		Recommended dilution: 5 g	Fat (0% kcals)
nutritionally complete feed is not suitable or a modular approach is required and		powder to 100 ml (~3 fl oz) water,	- None
conditions where an oligoallergenic diet is indicated. Contains a balanced mixture of		fruit juice or other formula.	
essential and non-essential amino acids. May be used in enteral formulas to			CHO (0% kcals)
supplement increased protein needs. Best served as a chilled drink or added to soft,		1 Tbsp powder = 9.5 g	- None
moist foods. Unflavored.			
		Reconstituted amount	
Per 100 g: 328 kcals, 82 g pro, 0 g fat, 0 g CHO		unavailable.	
		Intake dependent on age, body	
Osmolality: 360 mOsm/kg		weight and medical condition.	
		Follow Rx as directed by physician	
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use.			
COMPLEX ESSENTIAL MSD DRINK MIX (Applied Nutrition Corp/ Nutricia Advanced	Approved with Medical	16 oz (454 g) can powder	Protein (26% kcals)
Medical Nutrition)	Documentation form.	4 cans/case	- L-Amino acids
USE: A <u>medical food</u> (Nutritional) for <u>children and adults</u> with <u>maple syrup urine</u>			
disease (MSUD). Valine, leucine, and isoleucine free. Fortified with vitamins and		Reconstituted 91 fl oz	Fat (27% kcals)
minerals, omega-3 fatty acids, and soluble fiber. Intended as the primary source of			- Safflower oil, canola oil,
protein nutrition and a significant source of calories in the management of MSUD.		Standard dilution: 1 scoop	soybean oil, coconut oil,
		powder to 7 fl oz water.	flaxseed oil
Per 40 g: 152 kcals, 10 g pro, 5 g fat, 19 g CHO			
		1 scoop powder = 40 g	CHO (47% kcals)
Flavors: vanilla			- Sugar, modified food
			starch, dextrin,
CAUTION: For use only under strict medical supervision. Not intended as a sole			maltodextrin
source of nutrition.			



COMPLEX MSD AMINO ACID BLEND (Applied Nutrition Corp /Nutricia)	Approved with Medical	16 oz (454 g) can powder	Protein (100% kcals)
USE: A medical food (Nutritional) for children and adults with maple syrup urine	Documentation form.	4 cans/case	- Amino acids
disease (MSUD). A vitamin/mineral supplement may be necessary. Can be added to			7
foods and drinks normally consumed or to traditional MSUD formula to increase		1 scoop 12.4 g	Fat (0% kcals)
protein content. Unflavored.			- None
		1 TBSP 9.8 g	
Per 12.4 g: 40 kcals, 10 g pro, 0 g fat, 0 g carbohydrate		, and the second	CHO (0% kcals)
		36 servings per can	- None
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition.		Add one serving to single portion	
		of low protein food or beverage.	
		Not to be used with plain water.	
COMPLEX JUNIOR MSD DRINK MIX (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (10% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>children</u> with <u>maple syrup urine disease</u>	Documentation form.	4 cans/case	- L-Amino acids
(MSUD). Fortified with vitamins and minerals. Intended as the primary source of		Reconstituted 94 fl oz (20	
protein nutrition and a significant source of calories in the management of MSUD.		kcals/oz)	Fat (53% kcals)
			- canola oil, safflower oil,
Per 100 g: 494 kcals, 13 g pro, 29 g fat, 46 g CHO		Reconstituted 65.9 fl oz (30 kcal/fl	coconut oil, soybean oil,
		oz)	C Cohnii oil, high loeic
CAUTION: For use only under strict medical supervision. Not intended as a sole			sunflower oil
source of nutrition.		1 scoop powder = 8.5 g	
		1 Tbsp = 8.4	CHO (37% kcals)
			- Corn syrup solids,
		(20 kcal/fl oz) 1 scoop (8.5 g)	maltodextrin, modified
		powder to 2 fl oz water	corn starch, glucose
		(30 kcal/fl oz) 12.2 g powder to 2	syrup solid
		fl oz water	
CYCLINEX - 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (6% kcals)
USE: A nonessential amino-acid free <u>infant formula and medical food (Nutritional)</u>	Documentation form.	6 cans/case	- L-Amino acids
for <u>infants</u> and toddlers with <u>urea cycle disorders</u> , gyrate atrophy of the choroid and			
retina, or HHH syndrome. Supplemented with L-carnitine and taurine. Contains		Reconstituted: 102 fl oz	Fat (43% kcals)
additional vitamins and minerals to compensate for nutrient losses due to nitrogen-			- High oleic safflower oil,
scavenger medications. Lactose-free, gluten-free, Halal.		Standard dilution = 20 kcals/oz:	coconut oil, soy oil
		Follow Rx as directed by physician.	
Per 100 g: 510 kcals, 7.5 g pro, 24.6 g fat, 57 g CHO, 10 mg iron		1	CHO (45% kcals)
0 11: 275 0 // 1201 1/9		1Tbsp powder = 8 g	- Corn syrup solids
Osmolality: 275 mOsm/kg at 20 kcal/fl oz			
CAUTION. For use only under strict readictly remaining. Not intended			
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use.			



CYCLINEX - 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (14% kcals)
USE: A nonessential amino-acid free <u>medical food</u> (Nutritional) for <u>children and</u>	Documentation form.	6 cans/case	- L-Amino acids
adults with urea cycle disorders, gyrate atrophy of the choroid and retina, or HHH			
syndrome. Supplemented with L-carnitine and taurine. Contains additional		Reconstituted: 88 fl oz	Fat (35% kcals)
vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger		(20kcals/oz)	- High oleic safflower oil,
medications. Halal, gluten-free, lactose-free			coconut oil, soy oil
		Standard dilution = 30 kcals/oz:	
Per 100 g: 440 kcals, 15 g pro, 17 g fat, 45 g CHO, 17 mg iron		Follow Rx as directed by physician.	CHO (41% kcals)
			- Corn syrup solids
Osmolality: 1015 mOsm/kg at 30 kcal/fl oz		1Tbsp powder = 8 g	
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use.			
DIABETISOURCE AC (Nestle Health Science)	Not WIC Approved.	8.45 fl oz (250 ml) can RTF	Protein (20% kcals)
USE: A <u>medical food</u> (Nutritional - diabetic tube feed) for <u>older children and adults</u>		24 cans/case	- Soy protein, L-arginine,
with <u>diabetes</u> , <u>glucose</u> intolerance, stress induced hyperglycemia, and diabetes with			L-Carnitine
wounds. Suitable for Kosher, lactose-free, and gluten-free diets.		1000 ml closed system container	
		6 containers/case	Fat (44% kcals)
Per 250 ml: 300 kcals (1.2 kcal/ml), 15 g pro, 14.7 g fat, 25 g CHO, 3.8 g fiber, 3.6 mg			- Canola oil, Fish oil
iron		1500 ml closed system container	(anchovy, sardine)
		4 containers/case	
Osmolality: 450 mOsm/kg water			CHO (36% kcals)
			- Corn syrup, fructose,
CAUTION: For use only under medical supervision. Not for parenteral use.			fruit and vegetable puree
			tapioca dextrin, FOS,
			maltodextrin, orange
			juice (soy fiber)



DIABETISHIELD (Nestle Health Science)	Not WIC Approved.	8 fl oz (237 ml) briks	Protein (19% kcals)
USE: A <u>medical food</u> (Nutritional - clear liquid diabetic oral supplement) for <u>older</u>		27 briks/case	- Whey protein isolate
children and adults with diabetes, glucose intolerance or stress-induced			(milk), L-arginine
hyperglycemia. Added arginine, chromium, and vitamins C and E. Suitable for			
kosher, lactose-free, fat-free, low residue, and gluten-free diets.			Fat (0% kcals)
			- None
Per 8 oz: 150 kcals (0.63 kcals/ml), 7 g pro, 0 g fat, 30 g CHO, 2.7 mg iron			
			CHO (81% kcals)
Osmolality: 380 mOsm/kg water			- Corn syrup,
			maltodextrin, invert
Flavors: mixed berry			sugar
CAUTION : For use under medical supervision. Not for individuals with			Additive
galactosemia. Not for parenteral use.			- Sucalose
ELECARE (for Infants) (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (15% kcals)
USE: A nutritionally complete <u>infant formula (0-12 months) and medical food</u>	Documentation form.	6 cans/case	- Amino acids
(Nutritional) (elemental, hypoallergenic oral supplement/tube feed) for infants who			
can't tolerate intact or hydrolyzed proteins. Infants with protein maldigestion,		Reconstituted: 95 fl oz (20	Fat (43% kcals)
malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI		kcal/oz)	- High oleic safflower oil,
disorders, GI-tract impairment, or other conditions in which an amino acid-based			MCT, soy oil, DHA, ARA
<u>diet is required.</u> Lactose-free, galactose-free, fructose-free, milk protein-free, soy		Standard dilution = 20 kcals/oz	
protein-free, gluten-free. Contains DHA and ARA in an unflavored form.		(infants): 1 scoop (9.4 g) powder	CHO (42% kcals)
In 100 1751 115 00 f 51 00 0 1		to 2 fl oz water.	- Corn syrup solids
Per 100 g: 475 kcals, 14.5 g pro, 23 g fat, 51 g CHO, 8.4 mg iron			
Oans alality 250 m2 Oans /lea		Standard dilution = 30 kcals/oz	
Osmolality:350 mOsm/kg		(children): 4 scoops (37.6 g)	
L Flavores, unflavored		powder to 5 fl oz water.	
Flavors: unflavored			
CAUTION: For use only under strict medical supervision. Do not heat Elecare			



<u>~</u>	1	T	,
ELECARE JR (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (15% kcals)
USE: A nutritionally complete <u>medical food (Nutritional)</u> (elemental, hypoallergenic	Documentation form.	6 cans/case	- Free L-Amino acids
oral supplement/tube feed) for children over 1 year with protein maldigestion,			
malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI		Reconstituted: 62 fl oz (30	Fat (43% kcals)
disorders, GI-tract impairment, or other conditions in which an amino acid-based		kcal/oz)	- High oleic safflower oil,
<u>diet is required.</u> Lactose-free, galactose-free, fructose-free, milk protein-free, soy			MCT, soy oil
protein-free, gluten-free.		Standard dilution = 30 kcals/oz	
		4 scoops (38 g) powder to 5 fl oz	CHO (42% kcals)
Per 100 g: 469 kcals, 14.3 g pro, 22.7 g fat, 49.3 g CHO, 8.3 mg iron		water =final volume 6 fl oz.	- Corn syrup solids
Osmolality:		6 scoops (57g) to 7.5 fl oz – final	Additive
590 mOsm/kg		volume 9 fl oz.	- Acesulfame Potassium,
Flavors, unflavored vanilla abasalata hazara			phenylalanine
Flavors: unflavored, vanilla, chocolate, banana			
CAUTION: For use only under strict medical supervision. Do not heat Florers			
CAUTION: For use only under strict medical supervision. Do not heat Elecare unflavored mixture. Not for parenteral use.			
Enfagrow NeuroPro Toddler Nutrition Drink- Natural Milk (Mead Johnson)	Not Idaho WIC	32oz Ready to Drink Plastic Bottle	
PREVIOUS: ENFAGROW PREMIUM TODDLER NEXT STEP NATURAL MILK	approved.	4 per case	
Use: Enfagrow Premium Toddler formula is a nutritious alternative to milk and has the	approved.	8 fl oz Readty to use bottle (6	
DHA to help support brain development. It has iron, vitamin C and vitamin E, and over		pack)	
25 nutrients to help support growth and development. For ages 1-3.		pack)	
Des Feet 400 hards 0.00 mm. F.0 of fet 40 Fm 0110 4 Fm misses		24oz powder can	
Per 5oz: 100 kacls, 2.6g pro, 5.3g fat, 10.5g CHO, 1.5mg iron		32oz powder can	
Flavors: Vanilla		0202 post del 0011	
ENFAGROW NeuroPro GENTLEASE TODDLER TRANSITIONS (Mead Johnson)	Not Idaho WIC	20 oz can powder	Protein (10% kcals)
Previously: Enfagrow Toddler Transition Gentlease	approved.	6 cans/case	- Partially hydrolyzed
USE: A milk-based <u>infant formula</u> for <u>older infants and toddlers 9-18</u> with <u>fussiness</u>			nonfat milk and whey
or gas. Contains partially hydrolyzed proteins. Provides a more appropriate balance		Reconstituted: 141 fl oz	protein concentrate
of nutrients for children over age one than infant formula. DHA, ARA. Iron-fortified.			solids (soy)
Gluten-free.		Standard dilution = 22 kcals/oz:	
		3 scoops (26.4 g) powder to 6 oz	Fat (48% kcals)
Per 100 kcals: 2.6 g pro, 5.3 g fat, 10.5 g CHO, 1.5 mg iron		water.	- Vegetable oil (palm
			olein, soy, coconut and
Osmolality: 230 mOsm/kg		32 fl oz can, 8 fl oz, 2 fl oz RTF	high oleic sunflower oils),
			DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.			
			CHO (42% kcals)
			- Corn syrup solids



Enfagrow NeuroPro Toddler Transition (Mead Johnson)	Not Idaho WIC	20 oz can powder	Protein (10% kcals)
Previously: ENFAGROW PREMIUM TODDLER TRANSITIONS	approved.	6 cans/case	(20% whey, 80% casein)
USE: A milk-based infant formula for older infants and toddlers 9-18 months with	пристем.	0 33.13/ 3333	- Nonfat milk
no special nutritional requirements. Provides a more appropriate balance of		Reconstituted: 141 fl oz	1 to mac mink
nutrients for children over age one than infant formula. DHA, ARA. Iron-fortified.		Neconstituted 1111102	Fat (48% kcals)
Gluten-free, Non-GMO.		30 oz boxes powder	- Vegetable oil (palm
		4 boxes/case	olein, soy, coconut and
Per 100 kcals: 2.6 g pro, 5.3 g fat, 10.8 g CHO, 1.5mg iron		Reconsituted: 188 fl oz	high oleic sunflower oils),
		Reconstructed: 100 H 02	DHA, ARA
Osmolality: 270 mOsm/kg		Standard dilution = 22 kcals/oz:	שות, הוות
		3 scoops (26.4 g) powder to 6 oz	CHO (42% kcals)
CAUTION: Evaluate if formula is mixed, used, and stored properly.		water.	- Corn syrup solids,
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		water.	lactose
Enfagrow NeuroPro Toddler Nutrition Drink- Vanilla (Mead Johnson)	Not Idaho WIC	24 oz can powder	Protein (15% kcals)
Previously: ENFAGROW NEXT STEP VANILLA	approved.	6 cans/case	- Nonfat milk
USE: A milk-based infant formula for toddlers 1-3 years with no special nutritional	approveu.	o cans/case	- Normat mink
requirements. Provides a more appropriate balance of nutrients for children over		Reconsituted: 130 fl oz	Fat (35% kcals)
age. DHA and prebiotics. Iron-fortified. Gluten-free.		Reconstituted. 130 H 02	- Vegetable oil (palm
		Standard dilution:	olein, soy, coconut and
Per 160 kcals: 6 g pro, 6 g fat, 20 g CHO, 2.5 mg iron		4 scoops (36 g) powder to 6 flo oz	high oleic sunflower oils),
		water	DHA
		Water	DHA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		Available in RTF 8 fl oz plastic	CHO (50% kcals)
		bottle 6-pack (48 fl oz)	- Corn syrup solids,
		Bottle o-pack (46 II 02)	lactose
ENFAGROW TODDLER NEXT STEP NATURAL MILK FLAVOR (Mead Johnson)	Not Idaho WIC	24 oz can powder	Protein (15% kcals)
(Previously ENFAGROW PREMIUM OLDER TODDLER NATURAL MILK)	approved.	6 cans/case	- Nonfat milk
USE: A milk-based infant formula for toddlers 1-3 years with no special nutritional	approveu.	o cans/case	- Normat mink
requirements. Provides a more appropriate balance of nutrients for children over		Reconsituted: 130 fl oz	Fat (35% kcals)
age one. DHA, prebiotics. Iron-fortified. Gluten-free, Non-GMO.		Reconstituted. 130 H 02	- Vegetable oil (palm
age one. Driz, predicties. Iron-fortified. Glatefi-fiee, Nort-Givio.		Standard dilution:	olein, soy, coconut and
Per 100 kcals: 3.7 g pro, 3.9 g fat, 13.1 g CHO, 1.56 mg iron		4 scoops (36 g) powder to 6 flo oz	high oleic sunflower oils),
rei 100 κcais. 3.7 g μιο, 3.3 g iat, 13.1 g cπο, 1.30 iiig iioli		water.	DHA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		water.	DITA
CAOTION. Evaluate il formula is mixeu, useu, anu storeu property.		Available in RTF 8 fl oz plastic	CHO (50% kcals)
		bottle 6-pack (48 fl oz)	- Corn syrup solids,
		DULLIE 0-PACK (40 II UZ)	· ·
			lactose



ENFAGROW TODDLER TRANSITIONS Soy (Mead Johnson)	Not Idaho WIC	20 oz can powder	Protein (13% kcals)
USE: A soy-based infant formula (lactose-free) for older infants and toddlers 9-18	approved.	6 cans/case	- Soy protein isolate,
months with lactose intolerance, galactosemia, cow's milk protein allergy. Provides			amino acids
a more appropriate balance of nutrients for children over age one than infant		Reconstituted: 135 fl oz	
formula. DHA, ARA. Iron-fortified. Gluten-free, galactose-free, sucrose-free.			Fat (40% kcals)
		Standard dilution = 22 kcals/oz:	- Vegetable oil (palm
Per 100 kcals: 3.3 g pro, 4.4 g fat, 11.8 g CHO, 2 mg iron		3 scoops (27.9 g) powder to 6 fl oz	olein, soy, coconut and
		water.	high oleic sunflower oils),
Osmolality: 230 mOsm/kg			DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.			CHO (47% kcals)
			- Corn syrup solids
ENFAMIL AR (Mead Johnson)	Not Idaho WIC	12.9 oz (366 g) can powder	Protein (10% kcals)
USE: A milk-based <u>infant formula</u> (thickened) for <u>infants</u> with <u>reflux or in need of a</u>	approved.	6 cans/case	(20% whey, 80% casein)
thickened infant formula. Thickened with added rice starch. DHA, ARA. Iron-			- Nonfat milk
fortified. Gluten-free.	This is the same as	Reconstituted: 91 fl oz	
	Similac for Spit-up.		Fat (46% kcals)
Per 100 kcals: 2.5 g pro, 5.1 g fat, 11.3g CHO, 1.8 mg iron		Standard dilution = 20 kcals/oz:	- Vegetable oil (palm
	The 8 oz ready-to- use	1 scoop (9 g) powder to every 2 fl	olein, soy, coconut and
Osmolality:	was d/c 9/2019	oz water.	high oleic sunflower oils),
Powder – 230 mOsm/kg			DHA, ARA
Liquid – 240 mOsm/kg			
			CHO (44% kcals)
CAUTION: For use only under medical supervision.			- Rice starch, lactose,
			maltodextrin
ENFAMIL D-VI-SOL (Mead Johnson)	Not WIC approved.	1 2/3 fl oz (50 ml) bottle	Not Applicable
USE: <u>Vitamin D supplement</u> for <u>infants and children</u> . Provides 400 IU per dose.		12 bottles/case	
Gluten free, lactose free, sugar free			
		1 ml = 400 IU	
CAUTION: As with all vitamin products, do not exceed recommended dose. The			
bottle should be kept out of reach of children.			



Enfamil NeuroPro EnfaCare (Mead Johnson)	Approved with Medical	12.8 oz can powder	Protein (11% kcals)
USE: A milk-based infant formula (premature) for premature infants with high	Documentation form.	6 cans/case	(60% whey, 40% casein)
calorie and protein needs. Designed for premature infants who have left the	Documentation form.	o carrs/ case	- Nonfat milk, whey
hospital but still require the extra calories, nutrients, and minerals of a specialized		Reconstituted: 82 fl oz	protein concentrate
infant formula. Can be used through the first year of life. Contains higher levels of		Reconstituted. 82 ii 02	protein concentrate
vitamins and minerals than standard term formulas. DHA, ARA and MFGM fortified.		Standard dilution = 22 kcals/oz:	Fat (47% kcals)
Iron-fortified. Gluten-free.		1 scoop (9.8 g) powder to every 2	- High oleic vegetable oil
Hon-fortified. Glaten-free.		fl oz water.	(sunflower and/or
Dor 100 keels, 2.8 g pro F.2 g fot 10.4 g CHO 1.8 mg iron		11 02 water.	safflower oil), soy oil,
Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.4 g CHO, 1.8 mg iron		2 fl an hattle DTF	** *
O-malalitani		2 fl oz bottle RTF	MCT, coconut oil, DHA,
Osmolality:		8-pack	ARA
Powder –310 mOsm/kg		- 6	
Liquid – 230 mOsm/kg		8 fl oz bottle RTF	CHO (42% kcals)
		6-pack	- Corn syrup solids,
CAUTION: For use only under medical supervision.			lactose; RTF also
			contains maltodextrins
ENFAMIL ENFALYTE (Mead Johnson)	Not WIC approved.	2 fl oz bottles	Protein (0% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>infants and children</u> for hydration during		48 bottles/case	
vomiting and diarrhea. Balanced levels of electrolytes. Lactose-free.			Fat (0% kcals)
		6 fl oz bottles	
Per L: 126 kcals		24 bottles/case	CHO (100% kcals)
			- Corn syrup solids
Osmolality: 160 mOsm/kg			
CAUTION : For use only under medical supervision. Not for parenteral use. Do not			
mix with infant formula, milk, fruit juices or other electrolyte containing liquids.			
ENFAMIL FER-IN-SOL (Mead Johnson)	Not WIC approved.	1 2/3 fl oz (50 ml) bottle	Not applicable
USE: Iron supplement for infants and children who require special supplementation		12 bottles/case	
of iron or are infants of anemic mothers, low birth weight infants, or infants of			
mothers with poorly controlled diabetes.		0.5 ml = 37.5 mg ferrous sulfate,	
		7.5 mg iron	
CAUTION: Do not exceed dose recommended by physician or give concurrently			
with other supplements containing significant amounts of iron unless physician-		1 ml = 75 mg ferrous sulfate, 15	
approved. Accidental overdose of iron-containing products is a leading cause of fatal		mg iron	
poisoning in children under 6. Keep this product out of the reach of children.		1116 11 011	
poisoning in children ander of Reep this product out of the reach of children.			



ENFAMIL GENTLEASE (Mead Johnson)	Not Idaho WIC	29.1 oz can powder	Protein (9% kcals)
USE: A milk-based <u>infant formula</u> (partially hydrolyzed) for <u>infants</u> with <u>fussiness or</u>	approved.	4 cans/case	(60% whey, 40% casein)
gas. Combines partially hydrolyzed proteins and reduced lactose. DHA, ARA. Iron-			- Partially hydrolyzed
fortified. Gluten-free. Reduced lactose levels (1/5 the level found in routine, milk-	This is the same as	Reconstituted: 210 fl oz	nonfat milk, whey
based formulas).	Similac Sensitive		protein concentrate
		20.9 oz can powder	solids
Per 100 kcals: 2.3 g pro, 5.3 g fat, 10.8 g CHO, 1.8 mg iron		4 cans/case	
		Reconstituted: 151 fl oz	Fat (48% kcals)
Osmolality: 220-230 mOsm/kg			- Vegetable oil (palm
		6 fl oz bottles x 24 bottles	olein, soy, coconut, high
CAUTION: Evaluate if formula is mixed, used, and stored properly.			oleic sunflower oils),
		Standard dilution = 20 kcals/oz:	DHA, ARA
		1 scoop (8.6 g) powder to every 2	
		fl oz water.	CHO (43% kcals)
			- Corn syrup solids, rice
			starch
ENFAMIL 24 (Mead Johnson)	Not Idaho WIC	12.9 oz can powder	Protein (8.5% kcals)
USE: A milk-based <u>infant formula</u> for term <u>infants</u> with <u>increased caloric density.</u>	approved.	6 cans/case	-Nonfat milk, whey
Contains the prebiotic carbohydrate galactooligosaccharide (GOS) and polydextrose		Reconsituted: 94 fl oz	protein concentrate
(PDX). DHA, ARA. Iron-fortified. Gluten-free.			
		Standard dilution = 24 kcals/oz	Fat (48% kcals)
Per 100 kcals: 2.1 g pro, 5.3 g fat, 11.2 g CHO, 1.8 mg iron			- Vegetable oil (palm
		25.7 pz can powder	olein, soy, coconut and
Osmolality: 370 mOsm/kg		6 cans/case	high oleic sunflower oils),
		Reconsituted: 188 fl oz	DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.			
		13 fl oz can concentrate	CHO (43.5% kcals)
		12 cans/case (yields 32 fl oz)	- Lactose,
			galactooligosaccharide
		32 fl oz can RTF	(GOS), PDX
		6 cans/case	



ENFAMIL POLY-VI-SOL with Iron (Mead Johnson) USE: Multivitamin and iron supplement for infants and children. Provides nine vitamins and is an ideal supplement for transition to solid foods, during growth spurts, and for picky eaters. Fruit-flavored, lactose-free, gluten-free, and free of artificial sweeteners. CAUTION: Avoid overdose of all multivitamin products. Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children.	Not WIC approved.	1 2/3 fl oz (50 ml) bottle 12 bottles/case	Not Applicable
ENFAMIL PREMATURE 20 CAL ENFAMIL PREMATURE 30 CAL (Mead Johnson) USE: A milk-based infant formula for premature and LBW infants with high nutrient needs. 30 cal available in low-iron. 24 cal available in high protein. To be used for premature infants who are not breastfed. DHA, ARA. Gluten-free. Per 100 kcals: 3.3 g pro, 5.0 g fat, 10.8 g CHO, 1.8 mg iron 24 HP per 100 kcals: 3.6 g pro, 10.5 g CHO, 5 g fat, 1.8 mg iron. (14% pro, 44% fat, 42% CHO.) Osmolality: 260-320 mOsm/kg CAUTION: For use only under strict medical supervision. When more than 12 oz of 24 kcals/oz product is used per day, infant may be at risk for excessive levels of some nutrients.	Approved with Medical Documentation form.	2 fl oz (nursette) bottle RTF 6 pack carton (48 bottles/case)	Protein 13% (80% whey, 20% casein) - Nonfat milk, whey protein concentrate Fat 44% - MCT, soy oil, high oleic vegetable oil (sunflower and/or safflower), DHA, ARA(3%) CHO 43% - Corn syrup solids, lactose, rice starch (30) maltodextrin



ENFAMIL INFANT (Mead Johnson)	Not Idaho WIC	12.5 oz can powder (6 cans/case)	Protein (8% kcals)
(Previously ENFAMIL PREMIUM INFANT)	approved.	Reconstituted: 90 fl oz	(60% whey, 40% casein)
USE: A milk-based <u>infant formula</u> for <u>infants</u> with <u>no special nutritional</u>			-Nonfat milk, whey
requirements. Contains the prebiotic carbohydrate galactooligosaccharide (GOS).		Standard dilution = 20 kcals/oz:	protein concentrate
DHA, ARA. Iron-fortified. Gluten-free.	This is the same as	1 scoop (g) powder to every 2 fl oz	
	Similac Advance	water.	Fat (48% kcals)
Per 100 kcals: 2.0 g pro, 5.3 g fat, 11.3 g CHO, 1.8 mg iron			- Vegetable oil (palm
		8 fl oz bottle concentrate (24	olein, soy, coconut and
Osmolality: 300 mOsm/kg		bottles/case)	high oleic sunflower oils),
		13 fl oz can concentrate (12	DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		cans/case)	
		8 fl oz can (6 fl oz 24 bottles/case)	CHO (44% kcals)
		4 cans/case	- Lactose,
		32 fl oz bottle RTF (6 cans/case)	galactooligosaccharide
			(GOS), PDX
ENFAMIL PROSOBEE (Mead Johnson)	Not Idaho WIC	12.9 oz can powder	Protein (10% kcals)
USE: A soy-based <u>infant formula</u> for <u>infants</u> (lactose-free) with <u>lactose intolerance</u> ,	approved.	6 cans/case	- Soy protein isolate
galactosemia or allergy to cow's milk protein and for fussiness and gas. DHA, ARA.		Reconstituted: 93 fl oz	
Iron-fortified. Milk-free, lactose-free, Kosher.			Fat (48% kcals)
		Standard dilution = 20 kcals/oz:	- Vegetable oil (palm
Per 100 kcals: 2.5 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron		1 scoop (8.8 g) powder to every 2	olein, soy, coconut, high
		fl oz water.	oleic sunflower oils),
Osmolality:			DHA, ARA
Liquid – 170-200 mOsm/kg		13 fl oz can 12 cans/case	
Powder – 178 mOsm/kg		22 oz can concentrate 4 cans/case	CHO (42% kcals)
		32 fl oz bottle	- Corn syrup solids
CAUTION: Evaluate if formula is mixed, used, and stored properly. Not		2 fl oz bottles 24 bottles/case	
recommended for very-low birth-weight infants.		8 oz bottles 24 bottles/case	



ENFAMIL FOR SUPPLEMENTING (Mead Johnson)	Not WIC approved.	21.5 oz. Tub	Protein
USE: Supplement breastfeeding as needed for infants 0-12 months old. ARA/DHA		2 fl oz nursette bottles	- whey protein
		8 fl oz plastic bottles	concentrate solids and
Per 100 kcals: 2.3 g protein, 5.3 g fat, 10.8 g CHO, 1.8 mg iron			partially hydrogenated
			nonfat milk
CAUTION: Evaluate if formula is mixed, used, and stored properly. Follow			_
physician's instructions.		Standard dilution = 20 kcals/oz:	Fat
		1 scoop (8.7g) powder to every 2 fl	- vegetable oil (palm
		oz water.	olein, soy, coconut and high oleic sunflower oils)
			iligii oleic sullilowei olis)
			СНО
			- corn syrup solids
ENFAMIL REGULINE (Mead Johnson)	Not WIC approved.	12.4 oz can powder	Protein 9%
USE: A milk-based <u>infant formula</u> for infants through 12 months with no special		6 cans/case	- Partially hydrolyzed
nutritional requirements. Contains prebiotics galactooligosaccharide (GOS) and			nonfat milk, whey
polydextrose to promote soft stools. DHA, ARA. Iron-fortified.		Reconstituted: 89 fl oz	protein concentrate
			solids (soy)
Per 100 kcals: 2.3 g protein, 5.3 g fat, 11.1 g CHO, 1.5 mg iron		20.4 oz tub powder	
Osmolality: 250mOsm/kg water (powder)		4 tubs/case	Fat 48%
CAUTION. Such statisficance is a sixed and standard and standard Salley		Standard dilution 20 hools (see	- Vegetable oil (palm
CAUTION: Evaluate if formula is mixed, used, and stored properly. Follow		Standard dilution = 20 kcals/oz:	olein, coconut, soy, high
physician's instructions.		1 scoop (g) powder to every 2 fl oz water.	oleic sunflower oils)
		water.	CHO 43%
			- Corn syrup solids,
			lactose, GOS, PDX
ENFAMIL TRI-VI-SOL (Mead Johnson)	Not WIC approved.	1 2/3 fl oz (50 ml) bottle	Not applicable
USE : <u>Vitamin A, D, and C supplement</u> for <u>infants and children</u> . Fruit-flavored,		12 bottles/case	
lactose-free, gluten-free, and free of artificial sweeteners.			
CAUTION: Avoid overdose of all multivitamin products. Keep this product out of			
the reach of children.			



ENFAPORT (Mead Johnson)	Approved with Medical	6 fl oz bottle (177 mL) RTF <i>(30</i>	Protein (14% kcals)
USE: A very high-calorie <u>infant formula</u> (milk-based) for <u>infants</u> with <u>chylothorax or</u>	Documentation form.	kcals/oz)	- 60:40 whey:casein
LCHAD deficiency. High levels of MCT's for easier absorption. DHA, ARA. Iron-		6 –pack (24 per case)	blend
fortified. Kosher.			
		Dilutions:	Fat (46% kcals)
Per 100 kcals: 3.5 g protein, 5.5 g fat, 10 g CHO, 1.8 mg iron		20 kcal/fl oz = 3 fl oz (89 mL)	- 84% MCT oil, 13% soy
		water to 6 fl oz formula to yield 9	oil, 3% DHA, ARA
Osmolality: 360 mOsm/kg		fl oz (266 mL)	
			CHO (40% kcals)
CAUTION: Evaluate if formula is mixed, used, and stored properly. Follow		22 kcal/fl oz = 2.2 fl oz (64 mL)	- 100% corn syrup solids
physician's instructions.		water to 6 fl oz formula to yield	
		8.2 fl oz (241 mL)	
		24 kcal/fl oz = 1.5 fl oz (44 mL)	
		water to 6 fl oz formula to yield	
		7.5 fl oz (221 mL)	
ENSURE ORIGINAL SHAKE (Abbott Nutrition)	Approved with Medical	8 fl oz (237 mL) bottles RTF	Protein (14% kcals)
USE : A nutritionally complete <u>medical food</u> (Nutritional) for <u>older children and</u>	Documentation form.	24 bottles/case	- Milk protein
adults on modified diets, at nutrition risk, experiencing involuntary weight loss,		4 x 6 ct	concentrate, Soy protein
recovering from illness or surgery, or on low-residue diets. Kosher, lactose-free,			isolate, nonfat milk
low-residue, gluten-free.			
			Fat (22% kcals)
Per 8 fl oz: 220 kcals (1.06 kcals/ml), 9 g pro, 6 g fat, 33 g CHO, 4.5 mg iron			- Vegetable oil blend
			(canola and corn), soy
Osmolality: 590-600 mOsm/kg			lecithin
Flavors: vanilla, milk chocolate, dark chocolate, strawberry, butter pecan, coffee			CHO (64% kcals)
latte, Banana Nut			- Corn maltodextrin
			sugar
CAUTION : For use only under medical supervision. Not for parenteral use. Not for			
patients with galactosemia.			Additive
			- Acesulfame Potassium



	T	T 4.	I
ENSURE CLEAR NUTRITIONAL DRINK (Abbott Nutrition)	Approved with Medical	10 fl oz (296 mL) can RTF	Protein (22% kcals)
USE : A fat-free, clear <u>medical food</u> (Nutritional) for <u>older children and adults</u> to fill	documentation form.	2 x 4 cans/case and 3 x 4 ct	- whey protein isolate,
nutritional gaps and assist with weight loss. Kosher, lactose-free, gluten-free.			
			Fat (0% kcals)
Per 10 fl oz: 180 kcals, 8 g pro, 0 g fat, 37 g CHO			
			CHO (78% kcals)
Flavors: Blueberry Pomegranate, Mixed Fruit.			- corn maltodextrin,
, ,			sugar
CAUTION : Not for parenteral use. Not for patients with galactosemia.			
and the training and th			Additive
			- Sucralose, acesulfame
			potassium
FAIGURE FAILING ADVANCED AUSTRITION CHAVE (Abbatt Alutrition)	Nick Ideb - MUC	Office (227 mal) DTF bottles 4 × 4 st	
ENSURE ENLIVE ADVANCED NUTRITION SHAKE (Abbott Nutrition)	Not Idaho WIC	8 fl oz (237 mL) RTF bottles 4 x 4 ct	· ·
USE: A high-calorie medical food (Nutritional) for older children and adults to help	Approved.	or 16 ct or 12 ct	- Milk protein
buid muscle, bone, heart, immune, and digestive tract health. Kosher, lactose-free,			concentrate, Sodium
fat-free, gluten-free.			Caseinate, (milk) soy
			protein isolate, whey
Per 8 fl oz: 350 kcals (1.5 kcal/mL), 20 g pro, 11 g fat, 44 g CHO, 3 g fiber			protein isolate
Osmolality: 796 mOsm/kg			Fat (28.2% kcals)
			- Canola oil, corn oil, soy
Flavors: vanilla, strawberry, chocolate			lecithin
, in the second			
CAUTION: For use only under medical supervision. Not for parenteral use.			CHO (56% kcals)
CAOTION: For use only under medical supervision. Not for parenteral use.			- Corn syrup, sugar, FOS,
			cellulose
ENGLISE LIGHT PROTEIN (ALL JUNE 1997)		0.0 (227 1) 275	
ENSURE HIGH PROTEIN (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (21% kcals)
USE : A high-protein, nutritionally complete <u>medical food</u> (Nutritional) for <u>older</u>	Documentation form.	24 cans/case	- Calcium and sodium
children and adults recovering from general surgery or from hip or other fractures or			caseinates, soy protein
who need extra protein and nutrition in their diet. Kosher, lactose-free, low-			isolate
residue, gluten-free.			
			Fat (24% kcals)
Per 8 fl oz: 160 kcals (0.97 kcals/ml), 16 g pro, 2 g fat, 19 g CHO			- High oleic safflower oil,
			soy oil, canola oil
Osmolality: 610 mOsm/kg			,,
			CHO (55% kcals)
Flavors: vanilla, milk chocolate			- Sucrose, corn
Travors. variilla, iiilik citocolate			maltodextrin
CALITION. For use only under modical our anti-in. Not for a secretary.			maitouextiii
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
patients with galactosemia.			



ENSURE HIGH PROTEIN SHAKE (Abbott Nutrition)	Not WIC Approved.	8 fl oz (237 ml) bottle RTF	Protein (40% kcals)
USE : A high-protein, nutritionally complete <u>medical food</u> (Nutritional) for <u>older</u>		12 bottles/case or 4/6ct	- Milk protein
children and adults recovering from general surgery or from hip or other fractures or			concentrate, soy protein
who need extra protein and nutrition in their diet. Lactose-free, gluten-free.			isolate
Per 8 fl oz: 160 kcals, 16 g pro, 2 g fat, 19 g CHO			Fat (11% kcals)
			- canola oil
Flavors: homemade vanilla, Milk chocolate, strawberry, Creamy caramel			
			CHO (47% kcals)
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			- Sugar, corn
patients with galactosemia.			maltodextrin, sucralose
ENSURE PLUS (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (15% kcals)
USE : A high-calorie and protein nutritionally complete <u>medical food</u> (Nutritional) for	Documentation form.	24 can/case	- Milk protein
older children and adults needing to gain or maintain weight or with fluid		(vanilla, milk chocolate, and	concentrate, soy protein
<u>restrictions</u> . For oral use. Kosher, lactose-free, low-residue, gluten-free.		strawberry, butter pecan only)	isolate
Per 8 oz: 350 kcals (1.5 kcals/ml), 13 g pro, 11 g fat, 50 g CHO		8 fl oz (237 ml) bottle RTF	Fat (28% kcals)
		24 bottles/case	- Canola, Corn oil, soy
Flavors: vanilla, milk chocolate, strawberry, butter pecan, dark chocolate			lecithin
		8 fl oz bottles x 30 ct(vanilla only)	
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			CHO (57% kcals)
patients with galactosemia.		8 fl oz bottles /16 ct (vanilla and	- corn maltodextrin,
		milk chocolate)	sugar
ENSURE Original POWDER (Abbott Nutrition)	Approved with Medical	14 oz (397 g) can powder	Protein (13% kcals)
USE : A nutritionally complete <u>medical food</u> (Nutritional) for <u>older children and</u>	Documentation form.	6 cans/case	- Milk protein
adults on modified diets, at nutrition risk, experiencing involuntary weight loss,		Reconstituted: 56 fl oz	concentrate, soy protein
nalnutrition, at nutritional risk, or on modified diets. Kosher, lactose-free, low-			isolate
residue, gluten-free.		Standard dilution: ½ cup powder	
		mixed with ¾ cup cold water	Fat (30% kcals)
Per 57 g (1/2 cup powder): 240 kcals, 8 g pro, 8 g fat, 33 g CHO, 1.8 mg iron		yields 8 fl oz formula.	- Vegetable blend: (high
			oleic sunflower, soy,
Flavors: homemade vanilla, chocolate		14.1 oz (400 g) cans/3 count	canola)
		(valinal and chocolate)	
CAUTION: For use only under medical supervision. Not for parenteral use, Not for			CHO (55% kcals)
galactosemia			- Corn syrup, corn
			maltodextrin, sugar, FOS



ENSURE ORIGINAL PUDDING (Abbott Nutrition)	Approved with Medical	4 fl oz (113g) cup RTF	Protein (9% kcals)
			1
USE: A nutritionally complete <u>medical food</u> (Nutritional) for <u>older children and</u>	Documentation form.	48 cups/case (12 x 4 ct)	- Milk Protein
adults with dysphagia, underweight, malnourished or fluid or volume-limited			concentrate
restrictions. Contains FOS (a prebiotic that may help maintain digestive tract health)			(==:(1)
and antioxidants. Kosher, gluten-free.			Fat (25% kcals)
			- soy oil
Per 4 fl oz: 170 kcals, 4 g pro, 5 g fat, 30 g CHO			
			CHO (66% kcals)
Flavors: vanilla, milk chocolate			- Sugar, corn
			maltodextrin, modified
CAUTION: For use only under medical supervision.			cornstarch, FOS
ESSENTIAL AMINO ACID MIX (Nutricia Advanced Medical Nutrition)	Approved with Medical	7 oz (200 g) can powder	Protein (100% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>children and adults</u> with <u>urea cycle disorders</u>	Documentation form.	2 cans/case	- Amino acids
or conditions in which a nutritionally complete feed is not suitable or a modular			
approach is required. Contains a balanced mixture of essential amino acids,		Recommended dilution: 5 g	Fat (0% kcals)
including cystine and histidine. May be used in enteral formulas to supplement		powder to 100 ml (~ 3 fl oz) water,	- None
increased protein needs. Unflavored.		fruit juice or other formula.	
			CHO (0% kcals)
Per 100 g: 316 kcals, 79 g pro, 0 g fat, 0 g CHO, 0 mg iron		1 Tbsp powder = 9 g	- None
Osmolality: 360 mOsm/kg		Reconstituted amount	
, , , , ,		unavailable.	
CAUTION: For use only under strict medical supervision. Not intended as a sole		Intake dependent on age, body	
source of nutrition. Not for parenteral use.		weight and medical condition.	
		Follow Rx as directed by physician	
EXPECTA PRENATAL DIETARY SUPPLEMENT (Mead Johnson)	Not WIC approved.	30 DHA softgels and 30 MVI w/	Does not provide a
(Previously EXPECTRA LIPIL DHA SUPPLEMENT)	, , , , , , , , , , , , , , , , , , ,	mineral tablets per box	significant source of
USE: MVI w/ minerals to meet the needs of pregnant and breastfeeding women.		Thin crain tableto per son	macronutrients.
grant and a control of the control o			
Per 1 tablet: 5 kcals, 0.5 g fat (200 mg DHA), 28 mg iron			
1			
CAUTION: For use only under strict medical supervision. Note the statements			
regarding this product have not been evaluated by the Food and Drug			
Administration and use is not intended to diagnose, treat, cure or prevent any			
disease			
uisease			



FIBERSOURCE HN (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A high-fiber, high-protein medical food (Nutritional) for older children and	Documentation form.	24 cans/case	- Soy protein isolate,
adults with elevated protein needs, abnormal bowel function, and malnutrition.			sodiun and calcium
Novartis patented NutriShield ingredients may add microbial protection. Kosher,		1000 ml closed system container	caseinate (milk), L-
lactose-free, gluten-free.		6 containers/case	Carnitine
			_
Per 250 ml: 300 kcals (1.2 kcals/ml), 13.5 g pro, 10 g fat, 41 g CHO, 3.8 g fiber, 4 mg		1500 ml closed system container	Fat (29% kcals)
iron		4 containers/case	- Canola oil, MCT oil
Osmolality: 480 mOsm/kg water			CHO (53% kcals)
Similarly. 400 mosnykg water			- Corn syrup, FOS,
CAUTION: For use only under strict medical supervision. Not for individuals with			maltodextrin, inulin, pea
galactosemia. Not for parenteral use.			fiber
GA (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (12% kcals)
USE: A lysine- and tryptophan-free <u>infant formula and medical food</u> (Nutritional) for	Documentation form.	6 cans/case	- Amino acids (without
infants, children and adults with glutaric academia type I. Contains increased levels			lysine, tryptophan)
of B vitamins for cofactor production. Iron-fortified. Vanilla scent. Gluten-free,		Reconstituted amount	,, - ,
lactose-free, galactose-free.		unavailable.	Fat (47% kcals)
		Follow Rx as directed by physician	- Vegetable oil (palm
Per 100 g: 500 kcals, 15.1 g pro, 26 g fat, 52 g CHO, 9.6 mg iron			oiein oil, coconut oil, soy
		1 scoop powder = 4.5 g	oil, high oleic sunflower
Osmolality: 370 mOsm/kg			oil).
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (41% kcals)
source of nutrition. Not for parenteral use.			- Corn syrup solids,
			sugar, modified corn
			starch, maltodextrin



GLUCERNA 1.0 (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE: A reduced-carbohydrate, fiber and fat containing nutritional Nutritionally	Documentation form.	24 cans/case	- Sodium and calcium
complete -(diabetic oral supplement/tube feed) for older children and adults with		2 / 54/16/ 54/55	caseinates
type 1 and type 2 diabetes, hyperglycemia/impaired glucose tolerance (stress-		1000 ml container Ready-To-Hang	
induced hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low		8 containers/case	Fat (49% kcals)
volume.			- High oleic safflower oil,
		1500 ml container Ready-To-Hang	canola oil, soy lecithin
Per 8 fl oz: 237 kcals (1 kcal/ml), 9.9 g pro, 12.9 g fat, 22.8 g CHO, 3.4 g fiber, 3.0 mg		6 containers/case	
iron		o comamers, case	CHO (34.3% kcals)
			- Corn maltodextrin, soy
Flavors: vanilla, unflavored (Ready-To-Hang)			fiber, fructose
Travers. Variance, armavered (reddy 10 frang)			inder, ir decode
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
patients with galactosemia.			
GLUCERNA 1.2 (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (20% kcals)
USE: A carbohydrate-controlled, calorically dense, with low glycemic	Documentation form.	24 cans/case	- Sodium caseinates, soy
carbohydrates, nutritionally complete <u>medical food</u> (Nutritional- diabetic oral			protein isolate, milk
supplement/tube feed) for older children and adults with type 1 and type 2		1000 ml container Ready-To-Hang	protein concentrate
diabetes, hyperglycemia/impaired glucose tolerance (stress-induced		8 containers/case	
hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low-residue.			Fat (45% kcals)
		1500 ml container Ready-To-Hang	- High oleic safflower oil,
Per 8 fl oz: 285 kcals (1.2 kcal/ml), 14.2 g pro, 14.2 g fat, 27.1 g CHO,3.8 g fiber, 3.5		6 containers/case	canola oil, soy lecithin
mg iron			
			CHO (35% kcals)
Flavors: vanilla, unflavored (Ready-To-Hang)			- Corn maltodextrin,
			isomaltulose, fructose,
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			FOS, glycerin, oat fiber,
patients with galactosemia.			soy fiber
			Additive
			Sucromalt, inositol



GLUCERNA 1.5 (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (22% kcals)
USE: A carbohydrate-controlled, calorically dense, nutritionally complete <u>medical</u>	Documentation form.	24 cans/case	- Sodium and calcium
food (Nutritional- diabetic oral supplement/tube feed) for older children and adults			caseinates, soy protein
with type 1 and type 2 diabetes, hyperglycemia/impaired glucose tolerance (stress-		1000 ml container Ready-To-Hang	isolate
induced hyperglycemia). Contains fiber. Kosher, gluten-free, lactose-free, low-		8 containers/case	
volume.			Fat (45% kcals)
			- High oleic safflower oil,
Per 8 fl oz: 356 kcals (1.5 kcals/ml), 19.6 g pro, 17.8 g fat, 31.5 g CHO, 3.8 g fiber, 4.3 mg iron			canola oil, soy lecithin
			CHO (33% kcals)
Flavors: vanilla, unflavored (Ready-To-Hang)			- Corn maltodextrin,
			isomaltulose, fructose,
CAUTION: For use only under medical supervision. For enteral use only. Not for			FOS, glycerin, oat fiber,
parenteral use. Not for patients with galactosemia.			soy fiber
			Additive
			Sucromalt, inositol
GLUCERNA HUNGER SMART SHAKES (Abbott Nutrition)	Not WIC Approved.	11.5 fl oz (340 ml) bottle RTF	Protein (33% kcals)
USE: A <u>medical food</u> (Nutritional- diabetic oral supplement) for <u>older children and</u>		4 bottles/case	- Milk protein
adults with diabetes or impaired glucose tolerance as part of a weight loss plan.			concentrate, soy protein
Unique carbohydrate blend may blunt postprandial glycemic response. Kosher,		10 fl oz (296ml) bottle RTF	isolate, calcium
gluten-free, lactose-free.		6 bottles/case	caseinate
Per 10 fl oz: 180 kcals, 15 g pro, 8 g fat, 14-16 g CHO, 4-6 g fiber			Fat (40% kcals)
			- canola oil, corn oil, soy
Flavors: homemade vanilla, rich chocolate, strawberry			lecithin
CAUTION: For use only under medical supervision. Not for sole-source nutrition.			CHO (31% kcals)
Not for tube feeding or parenteral use. Not for patients with galactosemia.			- Fructose, soluble corn
			fiber, glycerin, FOS
			Additive
			Sucralose



GLUCERNA SNACK BAR (Abbott Nutrition)	Not WIC Approved.	1.41 oz (40 g) bar	Protein (16-19% kcals)
(Previously GLUCERNA HUNGER SMART SNACK BARS)		24 bars/case	-soy protein isolate,
USE: A <u>medical food</u> (Nutritional- diabetic oral supplement) for <u>older children and</u>			tapioca starch, peanut,
<u>adults</u> with <u>diabetes or impaired glucose tolerance</u> as part of a weight loss plan.			sunflower seeds, milk
Designed as a partial meal replacement or snack. Unique carbohydrate blend may			protein concentrate, egg
blunt postprandial glycemic response. Kosher.			whtes
Per 40 g: 160 kcals, 10 g pro, 6 g fat, 18 g CHO			Fat (24-30% kcals)
(Nutritional Content varies with flavors)			- Partially hydrogenated
			soybean oil, cream,
Flavors: chocolate chip, peanut chocolate chip, dark chocolate almond, oats and			butter, fractionated palm
nuts			kernel oil, peanut butter
CAUTION: For use only under medical supervision. Not intended as a sole source of			CHO (51-60% kcals)
nutrition. Contains milk, soy, wheat and peanuts; manufactured in a facility that			- syrup, gluten free rolled
processes eggs, other nuts and seeds.			oats, chocolate chips,
			marshmallow binder,
			corn maltodextrin, FOS
GLUCERNA MINI SNACK BAR (Abbott Nutrition)	Not WIC Approved.	0.70 oz (20 g) bar	Protein (17-20% kcals)
USE: A <u>medical food</u> (Nutritional- diabetic oral supplement) for <u>older children and</u>		48 bars/case	- Nonfat milk, soy
adults with diabetes or abnormal glucose tolerance. Designed as snack. Contains			protein isolate, peanut
fiber. Kosher.			butter
Per 20 g bar: 80 kcals, 3 g pro, 3-3.5 g fat, 10-12 g CHO			Fat (26-28% kcals)
			- Fractionated kernel oil,
Flavors: chocolate peanut, oatmeal raisin, chocolate carmel			Soy lecithin, safflower
			oil, cream, butter
CAUTION : For use only under medical supervision. Not intended as a sole source of			
nutrition. Contains milk, soy, wheat and peanuts; manufactured in a facility that			CHO (52-57% kcals)
processes eggs and tree nuts.			- Fruit juices and grain
			dextrins, caramel,
			polydextrose, cocoa,
			corn maltodextrins,
			fructose, high fructose
			corn syrup
			55 57. up



GLUCERNA SHAKE (Abbott Nutrition) USE: A nutritionally complete medical food (Nutritional- diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance. Contains fiber and FOS (a prebiotic that may help maintain digestive tract health). Unique carbohydrate blend may blunt postprandial glycemic response. Kosher, gluten-free, lactose-free.	Approved with Medical Documentation form.	8 fl oz (237 ml can) RTF 24 cans/case	Protein (20% kcals) - Milk protein concentrate, soy protein isolate Fat (32% kcals)
Per 8 fl oz: 180 kcals, 10 g pro, 9 g fat, 16 g CHO, 4 g fiber			- canola oil, corn oil, soy lecithin
Flavors: homemade vanilla, rich chocolate, creamy strawberry, classic butter pecan			CHO (48% kcals) - Glycerin, fructose, corn
CAUTION: For use only under medical supervision. Not for tube feeding or parenteral use. Not for patients with galactosemia.			maltodextrin, FOS, soluble corn fiber
GLUCERNA SNACK SHAKE (Abbott Nutrition) USE: A medical food (Nutritional- diabetic oral supplement) for older children and adults with diabetes or impaired glucose tolerance. Designed as a between-meal snack. Contains fiber. Unique carbohydrate blend may blunt postprandial glycemic response. Kosher, gluten-free, lactose-free. Per 8 fl oz: 140 kcals, 7 g pro, 5 g fat, 19 g CHO, 3 g fiber	Approved with Medical Documentation form.	8 fl-oz (237 ml) can 4 x 4 ct /case	Protein (20% kcals) - Milk protein concentrate, sodium Caseinate, soy Protein Isolate Fat (32% kcals)
Flavors: homemade vanilla, rich chocolate			- high oleic safflower oil, canola oil, soy lecithin
CAUTION: For use only under medical supervision. Not intended as a sole source of nutrition. Not for tube feeding, parenteral feeding. Not for patients with galactosemia. Contains milk, soy, gluten, and corn; manufactured in a facility that processes nuts and seeds.			cho (48% kcals) - corn maltodextrin, fructose, glycerine, FOS, soy fiber Additive Acesulfame Potassium, sucralose



GLUTARADE AMINO ACID BLEND (Applied Nutrition Corp/ Nutricia)	Approved with Medical	16 oz (454 g) can powder	Protein (100% kcals)
USE: A lysine-free and tryptophan-low medical food (Nutritional) for children over	Documentation form.	4 cans/case	- Amino acids
age 1 year and adults with glutaric aciduria type 1.		.,	
		Standard dilution = 20 kcals/oz	Fat (0% kcals)
Per 12.3 g (1 scoop): 40 kcals, 10 g pro, 0 g fat, 0 g CHO		Follow Rx as directed by physician.	,
CAUTION: Must only be given to children with proven glutaric aciduria type 1 under		1 Tbsp powder = 8.5 g powder	CHO (0% kcals)
strict medical supervision. Not intended as a sole source of nutrition. Not for			
parenteral use.		Servings per container = 37	
		Add one scoop to a single serving	
		of low protein food, not to be	
		used in plain water.	
GLUTARADE ESSENTIAL GA-1 DRINK MIX (Applied Nutrition Corp/ Nutricia)	Not WIC Approved.	16 oz (454 g) can powder	Protein (10% kcals)
USE: A lysine-free and tryptophan-low medical food (Nutritional) for children,		4 cans/case	- Amino acids
teens, and adults with glutaric aciduria type 1. Contains Omega-3 from flaxseed oil		Reconstituted 91	. . /220/ l . l .)
and soluble fiber.			Fat (23% kcals)
Day 40 - /4 / 454		Recommended dilution	- Canola oil, safflower oil,
Per 40 g (1 scoop) (per 154 kcals): 10 g pro, 5 g fat, 18 g CHO		1 scoop powder (40 g) to 7 fl oz	soybean oil, cocnut oil, flaxseed oil.
Flavor: Vanilla		(210 ml) water	Haxseed oil.
riavoi. Valillia			CHO (68% kcals)
CAUTION: Must only be given to children with proven glutaric aciduria type 1 under			- Sucrose, maltodextrin,
strict medical supervision. Not intended as a sole source of nutrition. Not for			corn starch
parenteral use.			Com staren
GLUTARADE JUNIOR GA-1 DRINK MIX (Applied Nutrition Corp/ Nutricia)	Approved with Medical	14.1 oz (400 g) can powder	Protein (10% kcals)
USE: A lysine-free and tryptophan-low medical food (Nutritional) for young children	Documentation form.	4 cans/case	- Amino acids
over age 1 year with glutaric aciduria type 1.		Reconstituted 82 fl oz (20 kcal/oz)	7
age = year management appe =-		,,	Fat (23% kcals)
Per 100 kcals: 2.5 g pro, 2.5 g fat, 17 g CHO		Reconstituted 54.7 fl oz (30 kcal/fl	- Canola oil, safflower oil
		oz)	,
CAUTION: Must only be given to children with proven glutaric aciduria type 1 under		1 scoop = 9.8 g of powder	CHO (68% kcals)
strict medical supervision. Not intended as a sole source of nutrition. Not for			- Corn syrup solids,
parenteral use.		(20 kcals/oz) 1 scoop (9.8 g)	modified food starch
		powder to 2 fl oz water	
		(30 kcals/oz) 14.7 g powder to 2 fl	
		oz of water	



GLUTAREX - 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A lysine- and tryptophan free infant formula and medical food (Nutritional) for	Documentation form.	6 cans/case	- L-Amino acids (without
infants and toddlers with glutaric aciduria type 1. Fortified with L-carnitine and	Documentation form.	o carrs/ case	lysine, tryptophan)
taurine. Iron-fortified. Lactose- free, gluten-free.		Reconstituted: 96 fl oz	lysine, tryptophani
taurine. Iron-fortified. Lactose- free, gluteri-free.		Reconstituted. 96 ii 02	F-1 (440(1 -)
D 400 400 1 45 24 7 (1 52 CHO 0)			Fat (41% kcals)
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
		Follow Rx as directed by physician.	coconut oil, soy oil
CAUTION: Must only be given to infants and toddlers with proven glutaric aciduria			
type 1 under strict medical supervision. Not intended as a sole source of nutrition.		1 Tbsp powder = 8 g	CHO (44% kcals)
Not for parenteral use.			- Corn syrup solids
GLUTAREX - 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (29% kcals)
USE: A lysine- and tryptophan free medical food (Nutritional) for children and	Documentation form.	6 cans/case	- L-Amino acids (without
<u>adults</u> with <u>glutaric aciduria type 1.</u> Fortified with L-carnitine and taurine.			lysine, tryptophan)
dans management of the second		Reconstituted: 82 fl oz (20	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron		kcals/oz)	Fat (29% kcals)
Fel 100 g. 410 kcais, 30 g pro, 13 g lat, 33 g crio, 13 mg non		KCais/OZ)	- High oleic safflower oil,
CAUTION. Must only be given to shildren and adults with proven glytaric esiduria		Standard dilution - 20 keeks /or	
CAUTION: Must only be given to children and adults with proven glutaric aciduria		Standard dilution = 30 kcals/oz	coconut oil, soy oil
Type 1 under strict medical supervision. Not intended as the sole source of		Follow Rx as directed by physician.	6116 (240())
nutrition. Not for parenteral use.		1.71	CHO (34% kcals)
		1 Tbsp powder = 8 g	- Corn syrup solids
GLUTASOLVE (Nestle Health Science)	Not WIC approved.	0.79 oz (22.5 g) packets	Protein (68% kcals)
USE: Only for indivduals greater then 3 years. Medical food (Nutritional) Intented		56 pkts/case	-L-glutamine
for oral consumption or tube feeding. May be used for indviduals suffering from GI			
injury or GI disease associated with GI sx, chemotherapy, IBD, HIV/AIDS, infectious			Fat (0% kcals)
enteritis, or metabolic stress such as burns, or post- op recover. Mixes into foods			-None
such as yogurt, applesasuse, or pudding.			
			CHO (32% kcals)
1 Packet: 90 kcal (0.75 kcal/mL), 0 g fat, 7g CHO, 15g glutamine			-Maltodextrin
, , , , , , , , , , , , , , , , , , , ,			
Osmolality: 310 mOsm/kg (when mixed w/ 120 mL water)			
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use.			
Balactoscilla. Not for parefiteral use.			



GLYTROL (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional- diabetic oral supplement)	Documentation form.	24 cans/case	- Calcium-potassium
for older children and adults with hyperglycemia, diabetes or dyslipidemia. Contains			caseinate (Milk)
fiber and prebio (helps support a healthy gut microflora). Kosher, lactose-free,		UltraPak enteral closed system:	
gluten-free, sucrose-free, low-cholesterol.			Fat (42% kcals)
		1000 ml bag RTF	- Canola oil, high oleic
Per 250 ml: 250 kcals (1 kcal/mL), 11.3 g pro, 11.9 g fat, 25 g CHO, 3.8 g fiber, 3.2		6 bags/case	safflower oil, MCT
mg iron			(fractionated coconut
		1500 ml bag RTF	and palm kernel oil)
Osmolality: 280 mOsm/kg water		4 bags/case	
			CHO (40% kcals)
Flavors: unflavored, vanilla			- Maltodextrin, modified
			cornstarch, FOS, inulin,
CAUTION: For use only under strict medical supervision. Not for individuals with			(pea fiber)
galactosemia. Not for parenteral use.			Additive
			- Acesulfame Potassium,
			sucralose
GERBER GOOD START Gentle 2 (Nestle)	Not Idaho WIC	22 oz can powder	Protein (9% kcals)
USE: A milk-based <u>infant formula</u> (partially hydrolyzed) for <u>infants 6-12 months</u> .	approved.		(100% whey proteins)
Contains docosahexaenoic acid (DHA) and arachidonic acid (ARA), prebiotic HOM,		Standard dilution = 20 kcals/oz :	- Hydrolyzed whey
human milk oligosaccharides to support digestive health and develop immune		1 scoop (8.9 g) powder to 2 fl oz	protein concentrate
health. Iron-fortified.		water.	
			Fat (46% kcals)
Per 100 calories:1.9g pro, 5.1g fat, 11.9g CHO, 2mg iron			- Vegetable oils (palm
			olein, soy, coconut,
CAUTION: Evaluate if formula is mixed, used, and stored properly.			high oleic saffflower or
			sunflower), DHA, ARA
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			CHO (45% kcals)
			- Lactose, corn
			maltodextrin



GERBER EXTENSIVE HA (Nestle)	Approved with Medical	14.1 oz (400g) can powder	Protein (10%)
USE: complete nutritional <u>infant formula</u> (extensively hydrolyzed) for <u>infants with</u>	Documentation form.	6 cans/case	(100% whey proteins)
cow's milk protein allergy. Contains docosahexaenoic acid (DHA) Arachidonic acid		Reconstituted: 96 fl oz	- Hydrolyzed whey
(ARA), Probiotic Bifidobacterium lactis BB12.			protein concentrate
		Standard dilution = 20 kcals/oz :	(from cow's milk)
Per 5 fl oz: 100 kcals, 2.6 g pro, 5.1 g fat, 10.9 g CHO, 1.8 mg iron		1 scoop (4.6 g) powder to 1 fl oz	
		water.	Fat (46%)
Osmolality: 220 mOsm/kg			(49% MCT)
, , , , ,			- Vegetable oils (soy,
CAUTION: Evaluate if formula is mixed, used, and stored properly. Always contact			high oleic sunflower and
your healthcare professional before making any changes to your baby's diet.			high 2-palmitic vegtabel
			oil), DHA, ARA
			July 2 1 11 4 1 1 1 1 1
			CHO (44%)
			- Potato starch, corn
			maltodextrin
GERBER GOOD START GENTLE (Nestle Infant Nutrition- Gerber)	Not Idaho WIC	12.7 oz can powder	Protein (9% kcals)
USE: A milk-based <u>infant formula</u> (partially hydrolyzed) for <u>infants' birth to 12</u>	approved.		(100% whey proteins)
months with no special nutritional requirements. Contains docosahexaenoic acid		Standard dilution = 20 kcals/oz:	- Hydrolyzed whey
(DHA) and arachidonic acid (ARA) probiotics (B.lactis) and prebiotic (HMO). Iron-		1 scoop (8.7 g) powder to 2 fl oz	protein concentrate, L
fortified.		water.	Carnitine
Per 5 fl oz: 100 kcals, 2.2 g pro, 5.1 g fat, 11.2 g CHO, 1.5 mg iron		12.1 fl oz carton concentrate	Fat (46% kcals)
			- Vegetable oils (palm
CAUTION: Evaluate if formula is mixed, used, and stored properly.		3 oz nurser RTF	olein, soy, coconut,
, , , , ,		8 bottles/case	high oleic sunflower or
			safflower), DHA, ARA
		8.45 fl oz carton	,, ,
		24 cartons/case	CHO (45% kcals)
			- Lactose, corn
			maltodextrin



GERBER GOOD START SOOTHE (Nestle Nutrition)	Not Idaho WIC	12.4 oz can powder	Protein (9% kcals)
USE: A milk-based <u>infant formula</u> (partially hydrolyzed) for <u>infants</u> with <u>excessive</u>	approved.	·	(100% whey proteins)
crying, fussiness, colic and gas. Contains docosahexaenoic acid (DHA) and		23.2 oz can powder	- Hydrolyzed whey
arachidonic acid (ARA) and prebiotics (HMO) and probiotic (L. reuteri). Iron-		·	protein concentrate, L
fortified.			Carnitine
Per 5 fl oz: 100 kcals, 2.2 g pro, 5.1 g fat, 11.2 g CHO, 1.5 mg iron			Fat (46% kcals)
			- Vegetable oils (palm
CAUTION: Evaluate if formula is mixed, used, and stored properly.			olein, soy, coconut,
			high oleic sunflower or
			safflower), DHA, ARA
			CHO (45% kcals)
			- Corn maltodextrin
GERBER GOOD START SOY (Nestle Nutrition)	Not Idaho WIC approved	12.9 oz can powder	Protein (10 % kcals)
USE: A soy-based <u>infant formula</u> (lactose-free, partially hydrolyzed) for <u>infants 0-12</u>		6 cans/case	(100% whey proteins)
months old with sensitivity to cow's milk or hereditary or temporary lactase		Reconstituted: 91 fl oz	- Partially Hydrolyzed Soy
<u>deficiency.</u> Contains partially hydrolyzed soy protein, docosahexaenoic acid (DHA)			Protein Isolate
and arachidonic acid (ARA). Iron-fortified. Milk-free. Kosher.		Standard dilution = 20 kcals/oz	
		1 scoop (8.9 g) powder to 2 fl oz	Fat (46% kcals)
Per 5 fl oz: 100 kcals, 2.5 g pro, 5.1 g fat, 11.1 g CHO, 1.8 mg iron		water.	- Vegetable oils (palm
			olein, soy, coconut,
Per 100 calories, Osmolality, mOsm/kg water: 180		12.1 fl oz can concentrate	high oleic sunflower or
			safflower), DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		8.45 fl oz (250 ml) can RTF	
			CHO (44% kcals)
			- Corn maltodextrin,
			- Com marcouextim,



GERBER Good Start Soy Stage 3 (Nestle) (Previously GERBER GRADUATES SOY) USE: A soy-based formula for older infants and toddlers (lactose-free, partially hydrolyzed) with sensitivity to cow's milk or hereditary or temporary lactase deficiency. Contains partially hydrolyzed soy protein, docosahexaenoic acid (DHA) and arachidonic acid (ARA). Iron-fortified. Milk-free. Per 5 fl oz: 100 kcals, 2.4 g pro, 5.0 g fat, 10.9 g CHO, 2 mg iron CAUTION: Evaluate if formula is mixed, used, and stored properly.	Not WIC approved.	24 oz can powder Standard dilution = 20 kcals/oz 1 scoop (8.9 g) powder to 2 fl oz water.	Protein (11 % kcals) (100% whey proteins) - Hydrolyzed Soy Protein Isolate Fat (45% kcals) - Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower), DHA, ARA CHO (44% kcals) - Corn maltodextrin,
HCU Lophlex LQ (Nutricia Advanced Medical Nutrition)	Approved with Medical	4.2 fl oz (125 ml) pouch	sucrose Protein (67% kcals)
USE: A methionine-free medical food (Nutritional) for the dietary management of proven homocystinuria in children (4 years+) and adults, including pregnant women. Contains a balanced mixture of other essential and non-essential amino acids, carbohydrates, vitamins, minerals and DHA. No artificial flavors. Per pouch (4.2 fl oz): 120 kcals, 20 g pro, 0.44 g fat, 9.3 g CHO, 5.1 mg iron Osmolality: 2460 mOsm/kg Flavors: Mixed berry blast CAUTION: For use only under strict medical supervision. Not intended as a sole source of nutrition. Not for parenteral use. Not intented for infants.	Documentation form.	30 pouches/case Intake dependent on the age, bodyweight and medical condition of the individual. Follow Rx as directed by physician	- Amino acids (without methionine)



HCY 1 (Mead Johnson)	Approved with Medical	16 oz (454 g) can novedor	Protoin (139/ kcals)
	Approved with Medical	16 oz (454 g) can powder	Protein (13% kcals)
USE: A methionine-free infant formula and medical food (Nutritional) for infants	Documentation form.	6 cans/case	- Amino acids (without
and toddlers with homocystinuria. Contains added cystine and increased levels of B			methionine)
vitamins for cofactor production. Iron-fortified. Vanilla scent. Halal. DHA & ARA.		Reconstituted amount	
		unavailable.	Fat (47% kcals)
Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron		Follow Rx as directed by physician	- Vegetable oil (palm
			olein, soy, coconut, high
Osmolality: 350 mOsm/kg		1 scoop powder = 4.5 g	oleic sunflower oils)
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (40% kcals)
source of nutrition. Not for parenteral use.			- Corn syrup solids,
· ·			modified corn starch,
			sugar
HCY 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (22% kcals)
USE: A methionine-free medical food (Nutritional) for children and adults with	Documentation form.	6 cans/case	- Amino acids (without
homocystinuria. Provides essential and non-essential amino acids, CHO, fat,		0 00113/ 0030	methionine)
essential fatty acids, vitamins and minerals. Contains added cystine. Iron-fortified.		Reconstituted amount	incumornine)
Vanilla scent. Lactose- free. Halal.		unavailable.	Fat (19% kcals)
Valilla scent. Lactose- nee. maiai.		Follow Rx as directed by physician	- Soy oil
Day 100 gr. 410 keeds 22 g mrs. 9 E g fet. 61g CHO, 12 9 mg iron		Follow Kx as directed by physician	- 30y 011
Per 100 g: 410 kcals, 22 g pro, 8.5 g fat, 61g CHO, 13.8 mg iron		4 44.5	CHO (500(h-z-l-)
		1 scoop powder = 14.5 g	CHO (59% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole			- corn syrup solids, sugar,
source of nutrition. Not for parenteral use.			modified corn starch
HI-CAL (Abbott Nutrition)	Approved with Medical	1000 ml bottle	Protein (16.7% kcals)
USE: A high-calorie <u>medical food</u> (Nutritional) for <u>older children and adults in need</u>	Documentation form.	8 bottles/case	- Sodium and calcium
of extra calories. Fortified with vitamins and minerals. Kosher, gluten-free, lactose-			caseinates
free, low-residue.			
			Fat (40.1% kcals)
Per 8 fl oz: 475 kcals (2 kcals/ml), 19.8 g pro, 21.2 g fat, 51.3 g CHO, 3.6 mg iron			- Corn oil, soy lecithin
CAUTION: For use only under medical supervision. Not intended as a sole source of			CHO (43.2% kcals)
nutrition. Not for tubefeeding or parenteral use.			- Corn syrup solids, corn
6 1			1
			maltodextrin, sugar



HOMINEX – 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A methionine-free <u>infant formula and medical food</u> (Nutritional) for <u>infants</u>	Documentation form.	6 cans/case	- L-Amino acids (without
and children with vitamin B ₆ non-responsive homocystinuria or hypermethionemia.			methionine)
Supplemented with L-cystine, L-carnitine and taurine. Iron-fortified. Lactose-free,		Reconstituted: 96 fl oz	
gluten-free.			Fat (41% kcals)
		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		Follow Rx as directed by physician.	coconut oil, soy oil
CAUTION: Must only be used for infants and toddlers with proven vitamin B ₆ non-		1 Tbsp powder = 8 g	CHO (44% kcals)
responsive homocystinuria or hypermethionemia under strict medical supervision.			- Corn syrup solids
Not intended as a sole source of nutrition. Not for parenteral use.			
HOMINEX - 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (29% kcals)
USE: A methionine-free medical food (Nutritional) for children and adults with	Documentation form.	6 cans/case	- L-Amino acids (without
<u>vitamin B₆ non-responsive homocystinuria or hypermethionemia</u> . Supplemented			methionine)
with L-cystine, L-carnitine and taurine.		Reconstituted: 82 fl oz (20	
		kcals/oz)	Fat (31% kcals)
Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron			- High oleic safflower oil,
		Standard dilution = 30 kcals/oz	coconut oil, soy oil
CAUTION: Must only be used for children and adults with proven vitamin B ₆ non-		Follow Rx as directed by physician.	
responsive homocystinuria or hypermethionemia under strict medical supervision.			CHO (34% kcals)
Not intended as a sole source of nutrition. Not for parenteral use.		1 Tbsp powder = 8 g	- Corn syrup solids
HUMAN MILK FORTIFIER, ENFAMIL (Mead Johnson)	Not Idaho WIC	.025 oz (0.71 g) packet powder	Protein (32% kcals)
USE: A milk-based medical food (Nutritional) for breastfed premature or LBW	Approved.	100 packets/case	(60% whey, 40% casein)
infants with high calorie and protein needs. When mixed with mother's milk,			- Milk protein isolate,
increases the amount of protein, energy, calcium, phosphorus, and other nutrients.	(Product should be	Breastmilk = 20 kcals/oz	whey protein isolate
Iron-fortified. Kosher, Halal.	appropriately prescribed		hydrosylate
	for short-term use only.	Standard dilution:	
Per 4 packets: 14 kcals, 1.1 g pro, 1 g fat, <.4 g CHO, 1.44 mg iron	Infant needs to be	1 packet of powder added to	Fat (62% kcals)
<u>Vitamins</u> : A - 950 IU, D - 150 IU, E - 4.6 IU, K - 4.4 mcg, C – 12 mg, B1 - 150mcg, B2 - 220mcg, B6 - 115	followed closely,	- 50 ml human milk adds 2	-MCT, soybean oil
mcg, B1218mcg, niacin – 3 mg, folacin - 25mcg, pantothenic acid .73 mg, biotin 2.7mcg	preferably by a RD that is	kcals/oz (Final dilution of 22	
Minerals: 90 mg calcium, 50 mg phosphorus, 1 mg magnesium, 1.44 mg iron, .72 mg zinc, 10 mcg manganese, 44 mcg copper, 16 mg sodium, 29 mg potassium, 13 mg chloride	also a CLE).	kcals/oz)	CHO (6% kcals)
manganess, 17 mag sapper, 20 mg sadaan, 25 mg padasaan, 20 mg anaras		- 25 ml human milk adds 4 kcal/oz	- Corn syrup solids
Osmolality: 35 mOsm/kg		(Final dilution of 24 kcals/oz)	
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Do not add fortifier to breast milk in a ratio greater than 1			
packet per 25 ml breast milk (no greater than 24 kcals/oz). Do not administer other			
nutrient supplements in addition to fortifier unless medical tests indicate a need for			
further supplementation.			
a. a. a. a. p. a.			



HUMAN MILK FORTIFIER ACIDIFIED LIQUID, ENFAMIL (Mead Johnson)	Not Idaho WIC	5 ml vial	Protein (29% kcals)
USE: A milk-based <u>medical food</u> (Nutritional) for <u>breastfed premature or LBW</u>	Approved.	200 vials/case	(60% whey, 40% casein)
infants with high calorie and protein needs. When mixed with mother's milk,			- whey protein isolate
increases the amount of protein, energy, calcium, phosphorus, and other nutrients.	(Product should be	Breastmilk = 20 kcals/oz	hydrosylate
Iron-fortified.	appropriately prescribed		
	for short-term use only.	Standard dilution:	Fat (65% kcals)
Per 4 vials: 30 kcals, 2.2 g pro, 2.3 g fat, <1.2 g CHO, 1.76 mg iron	Infant needs to be	1 vial added to	-MCT, soybean oil, DHA,
<u>Vitamins</u> : A - 1160 IU, D - 188 IU, E - 5.6 IU, K - 5.7 mcg, C - 15.2 mg, B1 - 184mcg, B2 - 260mcg, B6 - 140	followed closely,	- 50 ml human milk adds 2	ARA
mcg, B1264mcg, niacin – 3.7mg, folacin - 31mcg, pantothenic acid .92 mg, biotin 3.4mcg Minerals: 116 mg calcium, 63 mg phosphorus, 1.84 mg magnesium, 1.76 mg iron, .96 mg zinc, 10 mcg	preferably by a RD that is	kcals/oz (Final dilution of 22	
manganese, 60 mcg copper, 27 mg sodium, 45 mg potassium, 28 mg chloride	also a CLE).	kcals/oz)	CHO (6% kcals)
		- 25 ml human milk adds 4 kcal/oz	- pectin
CAUTION: For use only under strict medical supervision. Not intended as a sole		(Final dilution of 24 kcals/oz)	
source of nutrition. Do not add fortifier to breast milk in a ratio greater than 1			
packet per 25 ml breast milk (no greater than 24 kcals/oz). Do not administer other			
nutrient supplements in addition to fortifier unless medical tests indicate a need for			
further supplementation.			
HUMAN MILK FORTIFIER Powder, SIMILAC (Abbott Nutrition)	Not Idaho WIC	.032 oz (0.9 g) packets	Protein (28% kcals)
USE: A milk-based medical food (Nutritional) for breastfed LBW infants with high	Approved.	150 packets/case	- Nonfat milk, whey
calorie and protein needs. Nutritionally balanced carbohydrate, protein and fat.			protein concentrate
Human milk can be fortified with Similac Human Milk Fortifier until the low-birth-	(Product should be	Breastmilk = 20 kcals/oz	
weight infant reaches a weight of approximately 3600 g (8 lb). Low iron level	appropriately prescribed		Fat (21% kcals)
provides flexibility to add iron as needed.	for short-term use only.	Standard dilution:	- MCT
	Infant needs to be	1 packet of powder added to	
Per 1 packet: 3.5 kcals, 0.25 g pro, 0.09 g fat, 0.45 g CHO, 0.08 mg iron	followed closely,	- 50 ml human milk adds 2	CHO (51% kcals)
	preferably by a RD that is	kcals/oz (Final dilution of 22	- Corn syrup solids
CAUTION: For use only under strict medical supervision. Not intended as a sole	also a CLE).	kcals/oz)	
source of nutrition. Do not add fortifier to breast milk in a ratio greater than 1		- 25 ml human milk adds 4 kcal/oz	
packet per 25 ml breast milk (no greater than 24 kcals/oz).		(Final dilution of 24 kcals/oz)	



IMPACT (Nestle Health Science)	Not WIC approved.	8.45 fl oz (250 ml) can RTF	Protein (22% kcals)
USE: A <u>medical food</u> (Nutritional - immune-enhancing tube feed) for <u>older children</u>		24 cans/case	- Sodium and calcium
and adults with major trauma (including burn injury), cancer, pressure ulcers,			caseinates (milk), L-
infection, metabolic stress, respiratory disease or ventilator dependant. Novartis		1000 ml closed system containers	arginine
patented NutriShield ingredients may add microbial protection. Lactose-free, low-		6 containers/case	
residue, may be suitable for a gluten-free diet.			Fat (25% kcals)
			- Palm kernel oil, high
Per 250 ml: 250 kcals (1 kcal/mL), 14 g pro, 7 g fat, 33 g CHO, 3 mg iron			oleic sunflower oil, ligh
			linoleic safflower, refined
Osmolality: 375 mOsm/kg			fish oil, (achovy, sardine)
CAUTION: For use only under medical supervision. Not for individuals with			CHO (53% kcals)
galactosemia. Contains milk and soy.			- Maltodextrin
IMPACT ADVANCED RECOVERY (Nestle Health Science)	Not WIC approved.	6 fl oz (178 ml) carton	Protein (35% kcals)
USE: A high-calorie, high-protein <u>medical food</u> (Nutritional) for <u>older children and</u>		15 cartons/case	- Sodium and calcium
adults with major trauma (including burn injury), pressure ulcers, metabolic stress,			caseinates (milk), L-
and pre-op or post-op surgeries: multiple cancer surgeries, cardiac surgery,			arginine
gynecological surgery, and hip surgery. Lactose-free, may be suitable for a gluten-			
free diet.			Fat (34% kcals)
			- Fish oil, MCT oil, corn
Per 178 ml: 200 kcals (1.2 kcals/ml), 18 g pro, 8 g fat, 15g CHO, 4 mg iron			oil, soybean oil
Osmolality: 730 mOsm/kg			CHO (31% kcals)
			- Sugar, maltodextrin
Flavors: vanilla			
			Additive
CAUTION: For use only under medical supervision. Not for individuals with			- Sucralose
galactosemia.			



	I	0.45 (1 (0.50	5 (250/1 1)
IMPACT PEPTIDE 1.5 (Nestle Health Science)	Not WIC approved.	8.45 fl oz (250 ml) can	Protein (25% kcals)
USE: A high-calorie, high-protein <u>medical food</u> (Nutritional - immune-enhancing		24 cans/case	- Enzymatically
tube feed) for <u>older children and adults</u> with <u>risk of infection associated with major</u>			hydrolyzed Casein (Milk),
surgery or critically ill, risk of GL intolerance due to critical illness or GI disease,		1000ml cloased system container	L-arginine
major elective surgeries, trauma, burns pressure ulcers, wounds, TBI, metabolic		6 containers/case	
stress, volume sensitivity, increased caloric needs, early enteral feeding, and			Fat (38% kcals)
transition from TPN. Novartis patented NutriShield ingredients may add microbial			- MCT oil, palm kernel or
protection. Lactose-free, gluten-free.			coconut oil, refined fish
			oil (achovy, sardine)
Per 250 ml: 375 kcals (1.5kcal/ml), 23.5 g pro, 15.9 g fat, 35 g CHO, 4.5 mg iron			soybean oil
Osmolality: 510 mOsm/kg			CHO (37% kcals)
			- Maltodextrin, corn
CAUTION: For use only under medical supervision. Not for individuals with			starch
galactosemia.			
ISOSOURCE 1.5 CAL (Nestle Health Science)	Not WIC Approved.	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A high-calorie, high-protein medical food (Nutritional) for older children and		24 cans/case	- Sodium and calcium
adults with elevated caloric and protein needs, shortened feeding schedules, fluid		,	caseinates (milk), soy
restriction, volume intolerance, bowel management, and malnutrition. Fiber source		1000 ml closed system container	protein isolate.
from IS50 prebiotic fiber blend (outer pea, FOS, inulin, acaia gum). Kosher, lactose-		6 containers/case	·
free, gluten-free diet.		, , , , , , , , , , , , , , , , , , , ,	Fat (35% kcals)
, 1997 Bratish 1199 Broth		1500 ml closed system container	- Canola oil, MCT oil
Per 250 ml: 375 kcals (1.5 kcals/ml), 17 g pro, 14.8 g fat, 44 g CHO, 4.5 mg iron,		4 containers/case	
dietary fiber 3.8g		l containers, case	CHO (47% kcals)
aletary moet orog			- Corn syryp, FOS,
Osmolality: 650 mOsm/kg			Maltodextrin, inulin,
osmolant, osomolin ng			dextrose (Pea fiber)
Flavors: unflavored			dextrose (i ea liber)
Tidvors, diffidvored			
CAUTION: For use only under medical supervision. Not for individuals with			
galactosemia.			
galactusettila.			



ISOSOURCE LIN (Needle Heelth Seignes)	Approved with Medical	9.45 fl oz (250 ml) con DT5	Duetain (199/ keels)
ISOSOURCE HN (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A fiber-free, high-calorie, high-protein medical food (Nutritional) for older	Documentation form.	24 cans/case	- Soy protein isolate,
children and adults with short- or long-term TF, elevated protein requirements, and			Sodium and calcium
malnutrition. Contains DHA and ARA. Kosher, lactose-free, low-residue, gluten-		1000 ml closed system container	caseinates (milk)
free.		6 containers/case	
			Fat (29% kcals)
Per 250 ml: 300 kcals (1.2 kcals/ml), 13.5 g pro, 10 g fat, 39 g CHO, 3.9 mg iron		1500 ml closed system container	- Canola oil, MCT oil
		4 containers/case	
Osmolality: 510 mOsm/kg			CHO (53% kcals)
			- Corn syrup,
CAUTION: For use only under medical supervision. Not for individuals with			maltodextrin, dextrose
galactosemia.			, , , , , , , , , , , , , , , , , , , ,
I-VALEX – 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A leucine-free <u>infant formula and medical food</u> (Nutritional) for <u>infants and</u>	Documentation form.	6 cans/case	- Amino acids (without
<u>children</u> with <u>a disorder of leucine catabolism</u> . Supplemented with L-carnitine and	Documentation form:	o cans/case	leucine)
glycine. Iron-fortified. Lactose-free, gluten-free.		Reconstituted: 96 fl oz	ledelile)
glycine. Hon-fortified. Lactose-free, gluten-free.		Reconstituted. 90 ii 02	Fat (41% kcals)
Dec 400 et 400 leade 45 e ann 24.7 e fet 52 e 610 0 er e inse		Standard dilution 20 locals/s-	
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
		Follow Rx as directed by physician.	coconut oil, soy oil
CAUTION: Must only be used for infants and toddlers with a disorder or leucine			
catabolism under strict medical supervision. Not intended as a sole source of		1 Tbsp powder = 8 g	CHO (44% kcals)
nutrition. Not for parenteral use.			- Corn syrup solids
I-VALEX – 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (29% kcals)
USE: A leucine-free medical food (Nutritional) for children and adults with a	Documentation form.	6 cans/case	- Amino acids (without
disorder of leucine catabolism. Supplemented with L-carnitine and glycine. Iron-			leucine)
fortified.		Reconstituted: 82 fl oz (20	
		kcals/oz)	Fat (29% kcals)
Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron			- High oleic safflower oil,
G = 1 = 1, 1 = 0 = 1, 1 = 0 = 1, 1 = 0 = 1.0		Standard dilution = 30 kcals/oz	coconut oil
Osmolality: 1390 mOsm/kg at 30 kcal/fl oz		Follow Rx as directed by physician.	
Samulant, 1999 mosning at 30 kddy ii 02		i show the directed by physician.	CHO (34% kcals)
CAUTION: Must only be used for children and adults with a disorder or leucine		1 Tbsp powder = 8 g	- Corn syrup solids
		T 102h hownei – o B	- Com Syrup Somus
catabolism under strict medical supervision. Not intended as a sole source of			
nutrition. Not for parenteral use.			



			T .
JEVITY 1 CAL (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE: A nutritionally complete, isotonic <u>medical food</u> (Nutritional) (standard tube	Documentation form.	24 cans/case	- Sodium and calcium
feed) for older children and adults being tubefed or for oral feeding of patients with			caseinates, soy protein
<u>altered taste perception.</u> Appropriate for short or long-term use. Contains fiber.		1000 ml container Ready-To-Hang	isolate
Kosher, gluten-free, lactose-free.		8 containers/case	
			Fat (29% kcals)
Per 8 fl oz: 250 kcals (1.06 kcals/ml), 10.4 g pro, 36.5 g CHO, 8.2 g fat, 3.3 mg iron		1500 ml container Ready-To-Hang	- canola oil, corn oil,
		6 containers/case	MCT, soy lecithin
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
patients with galactosemia.			CHO (54.3% kcals)
			- Corn maltodextrin, corn
			syrup solids, soy fiber
JEVITY 1.2 CAL (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (18.5% kcals)
USE: A nutritionally complete, high calorie <u>medical food</u> (Nutritional) for <u>older</u>	Documentation form.	24 cans/case	- Sodium and calcium
children and adults being tube-fed who need to gain or maintain weight or for oral			caseinate, soy protein
<u>feeding of patients with altered taste perception.</u> Appropriate for short or long-		1000 ml container Ready-To-Hang	isolate
term use. Contains fiber and FOS (a prebiotic that may help promote gut health).		8 containers/case	
Kosher, gluten-free, lactose-free.			Fat (29% kcals)
		1500 ml container Ready-To-Hang	- canola oil, corn, oil,
Per 8 fl oz: 285 kcals (1.2 kcals/ml), 13.2 g pro, 40.2 g CHO, 9.3 g fat, 4.3 mg iron, 4.3		6 containers/case	MCT, soy lecithin
g fiber			6110 (52 50(l . l .)
			CHO (52.5% kcals)
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			- Corn maltodextrin, corn
patients with galactosemia.			syrup solids, FOS, soy
ISMENIA E CALIANT IN A CONTRACTOR AND A	A 1 '11 AA 1' 1	0.(1 /227 1) 575	fiber, oat fiber
JEVITY 1.5 CAL (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (17% kcals)
USE: A nutritionally complete, very high calorie and protein medical food	Documentation form.	24 cans/case	- Sodium and calcium
(Nutritional) for older children and adults being tube-fed who need to gain or		1000 ml container Boody To Hone	caseinates, soy protein
maintain weight or for oral feeding of patients with altered taste perception.		1000 ml container Ready-To-Hang	isolate
Appropriate for short or long-term use. Contains fiber and FOS (a prebiotic that may		8 containers/case	Fet (20, 40/ keels)
help promote gut health). Kosher, gluten-free, lactose-free.		1500 ml container Boody To Here	Fat (29.4% kcals)
Per 8 fl oz: 355 kcals (1.5 kcals/ml), 15.1 g pro, 11.8 g fat, 51.1 g CHO, 5.3 g fiber, 4.3		1500 ml container Ready-To-Hang 6 containers/case	- canola oil, corn oil, MCT
		o containers/case	oil, soy lecithin
mg iron			CHO (53.6% kcals)
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			- corn maltodextrin, corn
patients with galactosemia.			syrup solids, FOS, oat
patients with galactosenna.			
	<u> </u>		fiber, soy fiber



JUVEN (Abbott Nutrition)	Not WIC Approved.	24 g (0.85 oz) packet powder	Protein (85% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>older children and adults</u> (wound healing oral		56 packets/case	- L-Arginine, glutamine
supplement/tube feed) with <u>burn injuries</u> , <u>pressure ulcers</u> , <u>venous stasis ulcers or</u>			
other chronic wounds. Contains supplemental levels of L-Arginine and Glutamine.		Mix one packet with 6-8 fl oz	Fat (0% kcals)
Kosher, lactose-free, sugar-free, may be suitable for gluten-free diets.		water.	- None
Per 27.5 g: 90 kcals, 14 g pro, 0 g fat, 78.4 g CHO, 0 mg iron			CHO (15% kcals)
(0.15 kcals/ml when mixed with 237 ml water.			- sugar
Osmolality: 405 – 461 mOsm/kg			Additive Phenylalanine
Flavors: unflavored, fruit punch, orange			,
CAUTION: For use only under medical supervision. Made in same plant with soy,			
milk, egg and wheat products. Phenylketonurics: contains phenylalanine in fruit			
punch and orange flavors.			
KETOCAL 3:1 Powder (Nutricia Advanced Medical Nutrition)	Approved with Medical	11 oz (300 g) can powder	Protein (8.8% kcals)
USE: A nutritionally complete, ketogenic <u>medical food</u> (Nutritional) in a 3:1 ratio	Documentation form.	6 cans/case	- Milk protein (whey,
(fat: carbohydrate + protein) for <u>individuals over 1 year of age</u> with <u>refractory or</u>			casein, Lactose (Milk),
intractable epilepsy and other epilepsy-related conditions. Can be used as the sole		Reconstituted 105 fl oz (20	Sodium caseinate
source of nutrition or as a supplement. Nutrient dense for children with low energy		kcal/oz)	
requirements. For oral use or tubefeeding. DHA &ARA.			Fat (87.1% kcals)
		Dilutions:	Refined vegetable oil
Per 100 g: 699 kcals (1 kcal/mL), 15.3 g pro, 7.2 g CHO, 67.7 g fat, 10.9 mg iron.		20 kcal/oz: 9.5 g powder to 90 ml water to yield 100 ml	(palm, soy, sunflower), M Alphina oil, C Cohnii
Osmolality: 150 mOsm/kg at 30 kcal/fl oz		water to yield 100 iiii	oil, ARA and DHA
		24 kcal/oz: 11.4 g powder to 89	
CAUTION: For use only under strict medical supervision. Not for parenteral use.		ml water to yield 100 ml	CHO (4.1% kcals)
Not suitable for children under one year of age.			- Lactose, corn syrup
		30 kcal/oz: 14.3 g powder to 86	solid
		ml water to yield 100 ml	
		Intake dependent on age, body	
		weight and medical condition.	
		Follow Rx as directed by physician	



W.			
KETOCAL 4:1 (Nutricia Advanced Medical Nutrition)	Approved with Medical	11 oz (300 g) can powder	Protein (8.2% kcals)
USE: A nutritionally complete, ketogenic <u>medical food</u> (Nutritional) in a 4:1 ratio	Documentation form.	6 cans/case	- Casein, Whey, sodium
(fat: carbohydrate+ protein) for individuals over 1 yr of age with refractory or			caseinate
intractable epilepsy and other epilepsy-related conditions. Can be used as the sole		Reconstituted 105 fl oz (20	
source of nutrition or as a supplement (based on age). Nutrient dense for children		kcal/oz)	Fat (88.3% kcals)
with low energy requirements. For oral use or tubefeeding. DHA/ARA. Soluble and			(LCT 100%)
insoluble fiber blend.		Dilutions:	- Refined vegetable oil
		20 kcal/oz: 9.5 g powder to 91 ml	(palm, soy, sunflower),
Per 100 g: 705 kcals, 14.4 g pro, 8.2 g CHO, 69.2 g fat, 7 mg iron, fiber 5.3 g (3.2 g		water to yield 100 ml	soy lecithin, M Alphina
soluble, 2.1 g insoluble).			oil, C Cohnii oil, ARA and
		24 kcal/oz: 11.4 g powder to 88	DHA
Flavor: Vanilla		ml water to yield 100 ml	
			CHO (3.5% kcals)
Osmolality (at 1 kcal/mL): 170 mOsm/kg		30 kcal/oz: 14.2 g powder to 86	- Corn syrup solids, high
		ml water to yield 100 ml	amylose corn starch,
CAUTION: For use only under strict medical supervision. Not for parenteral use.			maltodextrin, soy fiber,
Not suitable for children under one year of age.		Intake dependent on age, body	FoS, inulin
		weight and medical condition.	
		Follow Rx as directed by physician	Contains sucralose.
KETOCAL 4:1 LIQUID (Nutricia Advanced Medical Nutrition)	Approved with Medical	8 fl oz (235 ml) RTF	Protein (8.2% kcals)
USE: A nutritionally complete, ketogenic <u>medical food</u> (Nutritional) in a 4:1 ratio	Documentation form.	27 cans/case	- sodium caseinate, whey
(fat: carbohydrate + protein) for <u>individuals over 1 yr of age</u> <u>refractory or intractable</u>			protein concentrate
epilepsy and other epilepsy-related conditions. Can be used as the sole source of			
nutrition or as a supplement (based on age. Nutrient dense for children with low		Intake dependent on age, body	Fat (88.7% kcals)
energy requirements. For oral use or tubefeeding. DHA/ARA. Soluble and insoluble		weight and medical condition.	(LCT 100%)
fiber blend.		Follow Rx as directed by physician	- Refined vegetable oil
			(high oleic sunflower,
Per 100mL: 150 kcals, 3.09 g pro, 1.73 g CHO, 14.8 g fat, 1.5 mg iron, fiber 1.12 g			soy, palm) soy lecithin, M
(0.56 g soluble, 0.56 g insoluble).			Alphina oil, C Cohnii oil,
			ARA and DHA
Flavors: Vanilla or unflavored			
			CHO (3.1% kcals)
Osmolality (1.5 kcal/mL): 260 mOsm/kg (vanilla) and 280 mOsm/kg (unflavored)			- soy fiber, corn starch,
			inulin, FOS, sugar,
CAUTION: For use only under strict medical supervision for individuals with			
intractable epilepsy. Not for parenteral use. Not suitable for children under one			(Vanilla only) contains
year of age.			sucralose, Na hydroxide,
			Cloline chloride



KETONEX – 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: An isoleucine-, leucine- and valine-free infant formula and medical food	Documentation form.	6 cans/case	- L-Amino acids (without
(Nutritional) for infants and toddlers with maple syrup urine disease (MSUD).		o carray case	isoleucine, leucine,
Supplemented with L-carnitine and taurine. Iron-fortified. Lactose-free, gluten-free.		Reconstituted: 96 fl oz	valine)
Supplemented with E cultilities and taurine. Iron fortified. Editose free, glater free.		(20kcals/oz)	valificy
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		(2016/02)	Fat (41% kcals)
100 g. 400 kcais, 13 g pro, 21.7 g lat, 33 g crio, 3 mg non		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
CAUTION: Must only be given to infants and toddlers with proven MSUD under		Follow Rx as directed by physician.	coconut oil, soy oil
strict medical supervision. Not intended as a sole source of nutrition. Not for		Tonow tix as an ested by priysician	
parenteral use.		1 Tbsp powder = 8 g	CHO (44% kcals)
			- Corn syrup solids
KETONEX – 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (29% kcals)
USE: An isoleucine-, leucine- and valine-free medical food (Nutritional) for children	Documentation form.	6 cans/case	- L-Amino acids (without
and adults with maple syrup urine disease (MSUD). Supplemented with L-carnitine		5 54.15, 54.55	isoleucine, leucine,
and taurine.		Reconstituted: 82 fl oz (20	valine)
		kcals/oz)	
Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron			Fat (31% kcals)
		Standard dilution = 30 kcals/oz	- High oleic safflower oil,
CAUTION: Must only be given to children and adults with proven MSUD under strict		Follow Rx as directed by physician.	coconut oil, soy oil
medical supervision. Not intended as a sole source of nutrition. Not for parenteral		, , ,	
use.		1 Tbsp powder = 8 g	CHO (34% kcals)
			- Corn syrup solids
KETOVOLVE (Metagenes / Nutr-E-Volution Cc.)	Approved with Medical	10.6 oz (300 g) can powder	Protein
USE: A nutritionally complete, ketogenic <u>medical food</u> (Nutritional) in a 4:1 ratio	Documentation form.	4 units/case	- LCT, MCT, Whey
(fat: carbohydrate+ protein) for ages 1-8 years old with intractable epilepsy and			protein concentrate
certain metabolism disorders requiring carbohydrate restriction. Can be used as the		Intake dependent on age, body	(80%)
sole source of nutrition in individuals over the age of one years of age. For oral use		weight and medical condition.	
or tubefeeding. slight vanilla odor		Follow Rx as directed by physician	Fat
			- fractionated coconut
Per 100 g: 700 kcals, 14.5 g pro, 72 g fat, 2.5 g CHO, 10 mg iron			oil, palm fruit oil
CAUTION: For use only under strict medical supervision for individuals with			СНО
intractable epilepsy. Not for parenteral use. Not suitable for children under one			- Maltodextrin (Added
year of age.			vanilla flavoring (0.2%))



L-EMENTAL Arginine Drink Mix (Hormel HealthLabs) USE: An elemental medical food (Nutritional) (wound healing oral supplement/tube feed) for older children and adults with inflammatory bowel disease, bowel resection, chronic diarrhea, crohn's disease, irradiated bowel, malabsorption syndrome, GI fistula, short bowel syndrome, pancreatic disorder, limited gut	Approved with Medical Documentation form.	0.37 oz (10.3 g) packet powder 50 packets/case Standard dilution: Mix with water	Protein (47% kcals) - L-arginine
feed) for <u>older children and adults</u> with <u>inflammatory bowel disease</u> , <u>bowel</u> resection, chronic diarrhea, crohn's disease, irradiated bowel, malabsorption	Documentation form.	Standard dilution: Mix with water	_
resection, chronic diarrhea, crohn's disease, irradiated bowel, malabsorption			
			l
syndrome, GI fistula, short bowel syndrome, pancreatic disorder, limited gut			Fat (0% kcals)
		or juice	- None
function or if transitioning from TPN. Assists in wound healing by delivering			
arginine, antioxidants and zinc. Kosher, lactose-free, gluten-free.			CHO (53% kcals)
			- Maltodextrin
Per 0.36 oz: 30 kcals, 0 g pro, 1 g fat, 1 g CHO, 0 mg iron, 4.5 g L-Arginine			
Flavors: orange, cherry			
CAUTION: For use only under strict medical supervision. Not for parenteral use.			
L-EMENTAL (Hormel HealthLabs) – unflavored	Approved with Medical	2.84 oz (80.4 g) packet powder	Protein (15% kcals)
USE: An elemental medical food (Nutritional - wound healing oral supplement/tube	Documentation form.	60 packets/case	- Amino acids
feed) for older children and adults with inflammatory bowel disease, bowel			
resection, chronic diarrhea, crohn's disease, irradiated bowel, malabsorption		Standard dilution: 1 packet	Fat (2% kcals)
syndrome, GI fistula, short bowel syndrome, pancreatic disorder, limited gut		powder to 8.5 fl oz warm water.	- Safflower oil
<u>function or if transitioning from TPN</u> . Assists in wound healing by delivering			
arginine, antioxidants and zinc. Kosher, lactose-free, gluten-free.			CHO (82% kcals)
			- Maltodextrin
Per 2.87 oz: 300 kcals, 11.5 g pro, 0.8 g fat, 61.7 g CHO, 2.7 mg iron			
Osmolality: 630 mOsm/kg			
CAUTION: For use only under strict medical supervision. Not for parenteral use.			
LANAFLEX (Nutricia Advanced Medical Nutrition)	Not WIC approved.	15.8 g sachet	Protein (52% kcals)
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>individuals over 12 years of</u>		40 sachets/case	- Amino Acids
age with phenylketonuria who are no longer following a phenylalanine-restricted			
diet. Contains CHO, vitamins, minerals, and trace elements.		Standard dilution: 1 sachet to 2 fl	Fat (0% kcals)
		oz chilled water = 70 ml (2.3 fl oz).	- Soy Lecithin
Per 15.8 g: 40 kcals, 5.2 g pro, 0.16 g fat, 4.4 g CHO, 5.9 mg Iron			
		Recommended quantity of	CHO (44% kcals)
Osmolality (1 to 4 dilution): 1350 mOsm/kg		Lanaflex is 0.8 g per kg	- Sugar
		bodyweight per day. Not to	
CAUTION: For use only under strict medical supervision. Not for use when planning		exceed three sachets per day	Additive
or during pregnancy. Contains soy		total.	Acesulfame Potassium
· · · · · · · · · · · · · · · · · · ·		exceed three sachets per day	



LIQUID PROTEIN FORTIFIER (Abbott Nutrition)	Not WIC Approved.	1.8 fl oz (54 ml) bottle	Protein (100% kcals)
USE: A extensively hydrolyzed protein medical food (Nutritional) for infants with an		48 bottles/case	- Casein hydrolysate
increased protein need. Sterile. For use with human milk or infant formula. Peptides			
and amino acids for easy digestion and absorption.			Fat (0% kcals)
Per 6 ml: 4 kcals, 1 g pro			CHO (0% cakl)
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use.			
LMD (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (13% kcals)
USE: A leucine-free infant formula and medical food with iron (Nutritional) for	Documentation form.	6 cans/case	- Amino acids (without
infants, children and adults with inborn errors of leucine metabolism, including			leucine)
<u>isovaleric acidemia.</u> Contains increased levels of B vitamins for cofactor production.		Reconstituted amount	
Vanilla scent. Halal, lactose free. DHA & ARA		unavailable.	Fat (47% kcals)
		Follow Rx as directed by physician	- Vegetable oil (palm
Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron			olein, coconut, soy, high
		1 scoop powder = 4.5 g	oleic sunflower oils),
Osmolality: 370 mOsm/kg			DHA, ARA
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (40% kcals)
source of nutrition. Not for parenteral use.			- Corn syrup solids,
			modified corn starch,
			sugar
PKU LOPHLEX Powder (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.3 g sachet powder	Protein (98% kcals)
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>older children and adults</u>	Documentation form.	30 sachets/box	- Amino acids (without
(including pregnant women) with phenylketonuria (PKU). Low volume medical food.			phenylalanine)
Contains vitamins, minerals and trace elements. For oral use or tubefeeding.		Standard dilution: 1 sachet	
		powder to water to yield 2.5 fl oz	Fat (<1% kcals)
Per 14.3 g: 41 kcals, 10 g pro, 0.03 g fat, 0.14 g CHO, 3.7 mg iron		drink.	- soy lecithin
Osmolality (1 to 5 dilution): 2460 mOsm/kg		Intake dependent on age, body	CHO (1% kcals)
		weight and medical condition.	- Negligible
Flavors: berry, orange, and unflavored		Follow Rx as directed by physician	
			Additive
CAUTION: For use only under strict medical supervision. Not intended as a sole			Acesulfame Potassium
source of nutrition. Not for parenteral use. Not intended for infants.			



MCT OIL (Nestle Health Science)	Approved with Medical	1-quart glass bottle	Protein (0% kcals)
	Documentation form.	6 bottles/case	, , , , , , , , , , , , , , , , , , ,
USE: A medical food (Nutritional) for infants, children and adults with pancreatic	Documentation form.	6 bottles/case	- None
disorders, malabsorption syndrome or short bowl syndrome. More readily			F-+ (4000(ll-)
hydrolyzed and absorbed than conventional food fat. Suitable for kosher, lactose-			Fat (100% kcals)
free, and gluten-free diets.			- MCT oil (coconut oil
			and/or palm kernel oil)
Per 1 Tbsp: 115 kcals (7.7 kcals/ml; 8.3 kcals/g), 0 g pro, 14 g fat, 0 g CHO, 0 mg iron			
			CHO (0% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole			- None
source of nutrition.			
MICROLIPID (Nestle Health Science)	Approved with Medical	3 fl oz bottle	Protein (0% kcals)
USE: A <u>medical food</u> (Nutritional - for use in foods/oral supplements/tube feeds) for	Documentation form.	48 bottles/case	- None
infants, children and adults with anorexia, fluid restriction or in need of extra			
calories, decreased CHO tolerance, and ketogenic diet. 50% fat emulsion. Kosher,			Fat (100% kcals)
lactose-free, gluten-free diet.			- Safflower oil,
			polygycerolk esters of
Per 1 Tbsp: 67.5 kcals (4.5 kcals/ml), 0 g pro, 7.5 g fat, 0 g CHO, 0 mg iron			fatty acids
Osmolality: 62 mOsm/kg			CHO (0% kcals)
			- None
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Contains Soy.			
MONOGEN (Nutricia Advanced Medical Nutrition)	Approved with Medical	14 oz (400 g) can powder	Protein (12% kcals)
USE: a milk-protein based <u>medical food</u> (Nutritional) <u>for individuals over 1 year of</u>	Documentation form.	6 cans/case	(Casein 61%, Whey 39%)
age with hyperlipoproteinemia type 1, chylothorax, long chain fatty acid oxidation			- Skin Milk, Whey (milk)
disorder, and other lipid and lymphatic disorders where a low fat, high MCT diet is		Standard dilution: 22 kcals/oz	Casein (milk), L-amino
indicated. High in medium chain triglycerides and contains DHA and ARA. For oral		3scoops (16.8 g powder) to 3 fl oz	acids
use or tubefeeding.		(90 ml) water yields 100 mL	
		formula.	Fat (26% kcals)
Per 100 g: 444 kcals, 12.9 g pro, 12.9 g fat, 69.1 g CHO, 6 mg iron			(84% MCT)
		1 scoop powder = 5.6 g	- Refined vegetable oil,
Osmolality: 235-289 mOsm/kg with dilution rates of 0.73 kcal/mL and 1 kcal/ mL		3.30	palm kernel, or coconut
		Reconstituted 79 fl oz.	(MCT), walnut oil, M
CAUTION: For use only under strict medical supervision. Not intended as a sole			Alpina oil, C Cohnii oi,
source of nutrition.		Intake dependent on age, body	DHA, ARA
		weight and medical condition.	97.00
		Follow Rx as directed by physician	CHO (62% kcals)
		I ollow Itx as directed by physician	- maltodextrin, corn
			•
			syrup solids



MSUD ANAMIX Early Years (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11.5% kcals)
(Previously MSUD ANAMIX INFANT)	Documentation form.	6 cans/case	- Amino acids (without
USE: An isoleucine-, leucine and valine-free infant formula with iron for infants 0-12	Documentation form.	Reconstituted amount 90 fl oz	isoleucine, leucine and
months with maple syrup urine disease (MSUD). Contains a balanced mixture of all		Reconstituted amount 90 ii 02	valine)
other essential and non-essential amino acids, CHO, vitamins, minerals and trace		Recommened dilution =	valine)
elements. Contains DHA, ARA. Prebiotics. Unflavored. Contains milk, soy, coconut.		21kcals/oz: 1 scoop (5 g) powder	Fat (43.7% kcals)
elements. Contains 5117, 7110 t. Freshotics. Officerolea. Contains finite, 307, Cocontat.		to every 1 fl oz water	- Refined vegetable
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron		to every 1 ii oz water	oil(High oleic
1 100 g. 473 kears, 13.3 g pro, 23 g rat, 33 g erro, 7.3 mg non			sunflower,soy, non-
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg		Intake dependent on age, body	hydrogenated coconut,
Similarly (at 21 Real) if 02). See meshif kg		weight and medical condition.	canola, sunflower), M
CAUTION: Must only be given to children with proven maple syrup urine disease		Follow Rx as directed by physician	Alpina oil, C Cohnii oil,
under strict medical supervision. Not intended as a sole source of nutrition. Not for		Tollow tix as affected by physician	DHA, ARA
parenteral use. Must be consumed in conjunction with a whole protein source (e.g.			DIIA, ANA
breast milk or standard infant formula) in quantities prescribed by a dietitian or			CHO (44.8% kcals)
physician to meet the general nutrition requirements to ensure normal growth and			- Corn syrup solids, GOS,
development.			Dried Syrup, FOS
MSUD LOPHLEX LQ (Nutricia Advanced Medical Nutrition)	Approved with Medical	4.2 fl oz (125 ml) pouch	Protein (66.7% kcals)
USE: An isoleucine-, leucine and valine-free <u>medical food</u> (Nutritional) for <u>children</u>	Documentation form.	30 pouches/case	- Amino acids (without
(4+) and adults with maple syrup urine disease (MSUD). Contains a balanced			isoleucine, leucine and
mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals		Intake dependent on age, body	valine)
and DHA based on mixed fruit juices. No artificial flavors.		weight and medical condition.	,
		Follow Rx as directed by physician	Fat (0.03% kcals)
Per pouch (4.2 fl oz): 120 kcals, 20 g pro, 0.44 g fat, 9.3 g CHO, 5.1 mg iron		, , , , , , , , , , , , , , , , , , , ,	- DHA (C. Cohnii oil)
Osmolality: 2460 mOsm/kg			CHO (31% kcals)
			- fruit, juice from
Flavors: Berry Blast			concentrate (apple,
			grape, blackcurrant,
CAUTION: Must only be given to children with proven maple syrup urine disease			elderberry, radish) Corn
under strict medical supervision. Not intended as a sole source of nutrition. Not for			syrup solids,
parenteral use.			maltodextrin, sugar,
			Additive
			- Sucralose, acesulfame
			potassium



MSUD MAXAMUM (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (52% kcals)
USE: An isoleucine-, leucine- and valine-free medical food (Nutritional) for older	Documentation form.	6 cans/case	- Amino acids (without
children and adults and pregnant women with maple syrup urine disease (MSUD).		,	isoleucine, leucine
Contains a balanced mixture of all other essential and non-essential amino acids,		Recommended dilution (1 to 7) is	valine)
CHO, vitamins, minerals and trace elements. Does not contain fat, allowing for		1/4 cup (35 g) powder to 8 fl oz	
flexibility in modifying energy intake.		water.	Fat (<3% kcals)
			- Soy lecithin
Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 23.5 mg iron		1 Tbsp powder = 9 g	,
			CHO (45% kcals)
Osmolality:		Reconstituted 115 fl oz.	- Sugar, corn syrup solids
Dilution 1 to 7 - 750 mOsm/kg			
Dilution 1 to 5 - 1090 mOsm/kg		Intake dependent on age, body	
		weight and medical condition.	
Flavors: orange		Follow Rx as directed by physician	
CAUTION: Must only be given to individuals with proven maple syrup urine disease			
under strict medical supervision. Not intended as a sole source of nutrition. Not for			
parenteral use. Contains soy.			
NEOCATE INFANT DHA /ARA (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11.2% kcals)
USE: A nutrionally complete elemental amino acid-based <u>infant formula</u> with iron	Documentation form.	4 cans/case	- Free amino acids
and nucleotides. for infants with cow milk allergies, multiple food allergies, and		Reconstituted: 97 fl oz	
related conditions. Good to know, dairy free, dairy protein-free facility, soy oil free,			Fat (45.7% kcals)
no artifical colors or flavors. Contains DHA, ARA, and nucleotides. 100% synthetic		Standard dilution = 20 kcals/oz:	(8 % MCT, 6% high oleic
free amino acids. For oral use or tubefeeding. Lactose-free, milk-free, sucrose-free,		8 scoops (37 g) to 8 fl oz water	Sunflower oil, 5%
Kosher, Halal (Can't claim to have no soy protein.)		yields 9 fl oz formula	Sunflower oil, 4% Canola
			Oil) and Refined
Per 100 kcals: 2.8 g pro, 5.1 g fat, 10.8 g CHO, 1.5 mg iron			vegetable oils.
Osmolality: 340 mOsm/kg			CHO (43.1% kcals)
			- Corn syrup solids
CAUTION: For use only under strict medical supervision.			



ω.			
NEOCATE JUNIOR (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (12.4% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional, hypoallergenic elemental,	Documentation form.	4 cans/case	- Free amino acids
tube feed/oral supplement) for children ages 1-10 formulated to manage children			
with cow milk allergy, multiple food allergies (MFA) and related GI and allergic		Reconstituted 64 fl oz	Fat (45% kcals) refined
conditions including eosinophilic esophagitis (EoE), food protein-induced			Vegetable Oil (MCT:
enterocilitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and		Standard dilution = 30 kcals/oz:	Palm Kernel and or
gastroesophageal reflux (GER), Contains extra vitamins and minerals for			Coconut Oil (8%), High
malabsorptive conditions. 100% synthetic free amino acids. Good to Know: dairy		Unflavored: simplified 1:1 mixing	Oleic Sunflower Oil (6%),
free, made in a dairy protein free facility, soy oil free, no artificial colors, flavors,			Sunflower Oil (4%)
sweetenerm kosher, Pareve. SHS flavor packets available. (Can't claim to have no		1 Scoop = 7.3 g	Canola Oil (4%)),
soy protein.)			
			CHO (42.6% kcals)
Per 100 kcals: 3.1 g pro, 5 g fat, 10.7 g CHO, 1.5 mg iron			- Corn syrup solids,
			maltrodextrin
Osmolality: 600 mOsm/kg			
Flavors: unflavored			
CAUTION: For use only under strict medical supervision.			
NEOCATE JUNIOR WITH PREBIOTICS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (12.3-12.6%
USE: A nutritionally complete <u>medical food</u> (Nutritional) with prebiotic fiber	Documentation form.	4 cans/case	kcals)
(pediatric elemental, hypoallergenic tube feed/oral supplement) for children ages 1-			- Free amino acids
10 with cow milk allergy, multiple food allergies (MFA) and related GI and allergic		Reconstituted 61 fl oz	
conditions including eosinophilic esophagitis (EoE), food protein-induced			Fat (41.9-43.9% kcals)
enterocilitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and		Standard dilution = 30 kcals/oz:	- Refined vegetable oil
gastroesophageal reflux (GER), Contains extra vitamins and minerals for			(MCT (palm kernel and
malabsorptive conditions. 100% synthetic free amino acids. Good to Know: dairy		1 scoop= 7.3-7.7g	or coconut oil, High Oleic
free, made in a dairy protein free facility, soy oil free, no artificial colors, flavors,		Mixing: 1 scoop:1 fl oz water	Sunflower Oil, Sunflower
sweetener, kosher, Pareve. SHS flavor packets available. (Can't claim to have no soy			Oil, Canola Oil))
protein)			
Per 100 kcals: 3.1 g pro, 4.7-4.9 g fat, 10.9-11.4 g CHO,1.6 mg iron			CHO (43.6-45.5% kcals)
			- Corn syrup solids,
Osmolality: 550-650 mOsm/kg			maltodextrin,
			fructooligosaccharides
Flavors: unflavored, vanilla, strawberry, chocolate, tropical			Additive
			- Sucralose (vanillia,
CAUTION: For use only under strict medical supervision.			chocolate, and
			strawberry) Acesulfame
			Potassium (tropical)



NEOCATE NUTRA (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400g) can powder	Protein (7% kcals)
USE: A <u>medical food</u> (Nutritional amino-acid based, hypoallergenic solid food) for	Documentation form.		- Free amino acids
children over 6 months of age with cow milk allergy, multiple food allergies (MFA)		Reconstituted 21 fl oz.	
and related GI and allergic conditions including eosinophilic esophagitis (EoE), short			Fat (36% kcals)
bowel syndrome (SBS), malabsorption, and gastroesophageal reflux (GER). High in		Powder mixes to solid food with	- Refined vegetable oil
calcium and a good source of Vitamin D and iron. Contains essential vitamins and		pudding like consistency.	(non-hydrogentated
minerals to promote balanced nutrition. Good to Know: dairy free, made in a dairy			coconut oil, high oleic
protein-free facility, soy oil free, and no articifial colors, flavors, sweeteners. (Can't		Follow Rx as directed by physician	sunflower oil, canola oil,
claim to have no soy protein)			sunflower oil)
			·
Per 37 gm (175 kcals): 3 g pro, 7 g fat, 24.9 g CHO, 2.2 mg iron			CHO (57% kcals)
			- Corn syrup solids, rice
			starch, sugar
CAUTION: For use only under strict medical supervision. For oral use only: Not for			, 5
bottle, tube feed or parenteral use. Other foods or formulas must be consumed for			
a complete diet.			
NEOCATE SPLASH FLAVORS (Nutricia Advanced Medical Nutrition)	Approved with Medical	8 fl oz (237 ml) drink box RTF	Protein (12% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional - pediatric elemental,	Documentation form.	27 drink boxes/case	- Free amino acids
hypoallergenic oral supplement/tube feed) for children over the age of 1 for the			
dietary management of cow milk allergy, multiple food allergies (MFA) and related		Standard dilution = 30 kcals/oz	Fat (46% kcals)
GI and allergic conditions including eosinophilic esophagitis (EoE), food protein-		,	- Refined vegetable oils:
induced enterocilitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption,			high oleic safflower oil,
and gastroesophageal reflux (GER), 100% synthetic free amino acids. Good to Know:			MCT (Modified palm
dairy free, soy oil free, no artificial colors, Gluten and casein-free. (Can't claim to			kernel and/or coconut
have no soy protein)			oil), canola oil.
have no soy protein,			
Per 8 oz: 237 kcals, 7.1g pro, 12.1g fat, 24.9g CHO, 3.6mg iron			CHO (42% kcals)
			- Maltodextrin, sugar
Osmolality: 740-790 mOsm/kg			The state of the s
			Addatives
Flavors: orange-pineapple, grape, and tropical fruit			- sucralose (orange-
			pinapple and grape,
CAUTION: For use only under medical supervision.			acesulfame Potassium
			(tropical fruit)
			(Gopical Huit)



NEOCATE SPLASH UNFLAVORED (Nutricia Advanced Medical Nutrition)	Approved with Medical	8 fl oz (237 ml) drink box RTF	Protein (12% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional - pediatric elemental,	Documentation form.	27 drink boxes/case	- Free amino acids
hypoallergenic oral supplement/tube feed) for <u>children over the age of 1</u> for the			
dietary management of <u>cow milk allergy</u> , <u>multiple food allergies</u> (MFA) and <u>related</u>		Standard dilution = 30 kcals/oz	Fat (46% kcals)
GI and allergic conditions including eosinophilic esophagitis (EoE), food protein-			- Refined vegetable oils:
induced enterocilitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption,			high oleic sunflower oil,
and gastroesophageal reflux (GER), 100% synthetic free amino acids. Good to Know:			MCT (Modified palm
dairy free, soy oil free, no artificial colors, Gluten and casein-free. (Can't claim to			kernel and/or coconut
have no soy protein)			oil), canola oil.
Per 8 oz: 237 kcals, 7.1 g pro, 12.1 g fat, 24.9g CHO, 3.6 mg iron			CHO (42% kcals)
1 C 1 O 22. 237 (Cals, 7.1 g pro, 12.1 g rat, 24.3 g crio, 3.0 mg ron			- Maltodextrin, sugar.
Osmolality: 670 mOsm/kg			
, , , ,			
CAUTION: For use only under medical supervision.			
NEOCATE SYNEO INFANT (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11.4% kcals)
USE: Hypoallergenic amino-acid based infant formula for the dietary	Documentation form.	4 cans/case	- Free amino acids
management of infants with cow milk allergy, multiple food allergies, and			
related GI conditions. Contains Syndeo, a patented synbiotic (prebiotic and		(20 kcal/fl) Reconstituted: 95 fl oz	Fat (43.4% kcals)
probiotic). Good to Know: added nucleotides, DHA & ARA, dairy free, made			- Refined vegetable oils: (MCT, high oleic
in a dairy protein-free facility, soy oil free, no artificial colors, flavors,			sunflower oil, sunflower
sweeteners, halal.		Standard dilution =	oil, canola oil.)
onectoners, natural		8 scoops (37.6 g) to 8 fl oz water	
Dow 100(col (F fl. oz.), 2.0 a nuo 4.0 a fab. 11.2 a CUO 1.5 ma iron		yields 9 fl oz formula	CHO (45.2% kcals)
Per 100kcal (5 fl oz): 2.8 g pro, 4.8 g fat, 11.3 g CHO, 1.5 mg iron		,	- Corn syrup solid, FOS
Compalality a 350 ma Compality			
Osmolality: 360 mOsm/kg			
Caution:			
For use in infants only under medical supervision.			



		0.51 (0.07 1) 0.77	Ta
NEPRO Nutrition Shake (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (18% kcals)
USE: A nutritionally complete medical food (Nutritional - renal oral	Documentation form.	24 cans/case	- Calcium, magnesium
supplement/tube feed) for <u>older children and adults</u> on <u>dialysis with chronic or</u>			and sodium caseinates,
acute renal failure. Carb steady blend may help manage blood glucose response.		1000 ml container Ready-To-Hang	milk protein isolate
Contains FOS (a prebiotic that may help promote gut health). Kosher, gluten-free,		(Vanilla only)	5 . (400()
lactose-free, low-residue.			Fat (48% kcals)
Day 0 fl and 425 keeps (4.0 keeps (ms)) 40.4 a nove 22.7 a feet 27.0 a CUO 4.5 mag incom			- High oleic safflower oil,
Per 8 fl oz: 425 kcals (1.8 kcals/ml), 19.1 g pro, 22.7 g fat, 37.9 g CHO, 4.5 mg iron			canola oil, soy lecithin
Flavors: homemade vanilla, butter pecan, mixed berry			CHO (34% kcals)
Travers. Homemade varina, saccer pecari, mixea serry			- Corn syrup solids,
CAUTION: For use only under strict medical supervision. Not for parenteral use.			sugar, corn maltodextrin,
and the second of the second o			glycerin, FOS
NOVASOURCE RENAL (Nestle Health Science)	Approved with Medical	8 fl oz (237 ml) tetra brik pak RTF	Protein (18% kcals)
USE: A high-calorie, high-protein <u>medical food</u> (Nutritional - renal tube feed) for	Documentation form.	27 brik paks/case	- Sodium and calcium
older children and adults with renal disease or fluid restrictions. Contains no added		' '	caseinates (milk), L-
sucrose or sugar alcohols. Novartis patented NutriShield ingredients may add		1000 ml closed system containers	Carnitine, isolated soy
microbial protection. Kosher, lactose-free, low-residue, gluten-free.		6 containers/case	protein
Per 237 ml (2 kcals/mL): 475 kcals, 21.6 g pro, 23.8 g fat, 43.5 g CHO, 4.3 mg iron			Fat (45% kcals)
			- Canola oil
Flavors: vanilla			
			CHO (37% kcals)
CAUTION: For use only under medical supervision. Not for individuals with			- Corn syrup, sugar,
galactosemia. Not suitable for parenteral.			maltodextrin
NUTRAMIGEN (Mead Johnson)	Approved with Medical	13 fl oz can concentrate	Protein (11% kcals)
(Previously NUTRAMIGEN LIPIL)	Documentation form.	12 cans/case	- Casein hydrolysate,
USE: An <u>infant formula</u> (hypoallergenic) for <u>infants</u> with <u>sensitivity to intact proteins</u>		Reconstituted: 26 fl oz	amino acids
found in milk-based and soy-based formulas (symptoms may include colic,		2 ft h tt - DTF	F-+ (400(
congestion, runny nose, wheezing, vomiting, diarrhea, bloody stools, mucus in		2 fl oz bottle RTF	Fat (48% kcals)
stools, rash or eczema). Iron-fortified. Lactose-free. DHA, ARA.		48 bottles/case	- Vegetable oil (palm
Day 100 keeles 2.0 a mg . F.2 a feet 10.2 a CHO. 1.0 mg ing n		C fl an hattle DTF	olein, soy, coconut, high
Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.3 g CHO, 1.8 mg iron		6 fl oz bottle RTF 24 bottles/case	oleic sunflower oils),
Osmolality: 260-320 mOsm/kg		24 bottles/case	DHA, ARA
Ositiolality. 200-320 IIIOSIII/Ng		8 fl oz bottle RTF	CHO (41% kcals)
CAUTION: For use only under strict medical supervision. Not recommended for		24 bottles/case	- Corn syrup solids,
routine use in VLBW infants, as these infants may be at increased risk of developing		24 BULLIES/ Case	modified corn starch
gastrointestinal complications.		32 fl oz bottle RTF	modifica corri starcii
Sasti officestiffal complications.		6 cans/case	
	1	o caris/ case	



NUTRAMIGEN with ENFLORA LGG (Mead Johnson)	Approved with Medical	12.6 oz can powder	Protein (11% kcals)
USE: An <u>infant formula</u> (fully hydrolyzed, hypoallergenic) for <u>infants</u> with <u>cow's milk</u>	Documentation form.	6 cans/case	- Casein hydrolysate
protein allergy and soy formulas. May be used for children greater than 12 months		Reconstituted: 87 fl oz	
of age as a milk source, but the calcium level must be assessed. Contains			Fat (48% kcals)
Lactobacillus rhamnosus GG to support a healthy immune system and maintain		19.8oz can powder	- Vegetable oil (palm
normal gut barrier function. Iron-fortified. lactose-free. DHA, ARA.		4 cans/case	olein, coconut, soy, high
		Reconstituted: 139 fl oz	oleic sunflower oils),
Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.3 g CHO, 1.8 mg iron			DHA, ARA
		Standard dilution = 20 kcals/oz:	
Osmolality: 300 mOsm/kg		1 scoop powder (9 g) to every 2 fl	CHO (41% kcals)
		oz water	- Corn syrup solids,
CAUTION: For use only under strict medical supervision. Not recommended for			modified corn starch
routine use in VLBW infants, as these infants may be at increased risk of developing			
gastrointestinal complications. Contains milk and soy.			
NUTRAMIGEN with ENFLORA LGG TODDLER (Mead Johnson)	Approved with Medical	12.6 oz can powder	Protein (10% kcals)
USE: An <u>infant formula</u> (fully hydrolyzed, hypoallergenic) for older infants and	Documentation form.	6 cans/case	- Casein hydrolysate,
toddlers with cow's milk protein allergy or soy formulas. Contains Lactobacillus		Reconstituted: 86 fl oz	amino acids
rhamnosus GG to support a healthy immune system and maintain normal gut barrier			
function. Iron-fortified. lactose-free. DHA, ARA.		Standard dilution = 20 kcals/oz:	Fat (39% kcals)
		1 scoop powder (9 g) to every 2 fl	- Vegetable oil (palm
Per 100 kcals: 2.5 g pro, 4.3 g fat, 12.8 g CHO, 1.6 mg iron		oz water	olein, soy, coconut, high
			oleic sunflower oils),
Osmolality: 300 mOsm/kg			DHA, ARA
CAUTION: For use only under strict medical supervision.			CHO (51% kcals)
			- Corn syrup solids,
			modified corn starch



NUTREN 1.0	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (16% kcals)
NUTREN 1.0 FIBER (Nestle Health Science)	Documentation form.	24 cans/case	- soy protein isolate,
USE: A nutritionally complete, isotonic <u>medical food</u> (Nutritional) for <u>older children</u>			sodium, and calcium
and adults with malnutrition or cancer. Appropriate for short or long-term use.			caseinate, L-Carnitine
Kosher, lactose-free, gluten-free, low residue (without fiber).			
			Fat (30% kcals)
Nutren 1.0 Per 250 ml: 250 kcals (1 kcal/mL), 10 g pro, 8.5 g fat, 34 g CHO, 3.5 mg			- Canola oil, MCT (soy
iron			lecithin (with fiber)
Nutren 1.0 Fiber per 250ml: 250kcal (1kcal/mL), 10 g pro, 8.5 g fat, 37 g CHO, 3.8 g			
fiber, 3.5 mg iron			CHO (54% kcals)
			- Corn syrup,
Osmolality: 330 –340 mOsm/kg			maltodextrin, dextrose
			(pea fiber, FOS, inulin
Flavors: unflavored			(with fiber))
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use.			
NUTREN 1.5 (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A nutritionally complete, isotonic, high calorie <u>medical food</u> (Nutritional) for	Documentation form.	24 cans/case	- Soy- Protein isolate,
older children and adults with cachexia, cancer, congestive heart failure, fat			sodium and calcium
malabsorption, cystic fibrosis, increased caloric requirements and/or a fluid		UltraPak enteral closed system:	caseinate. L-Carnitine
restriction. Appropriate for short or long-term use. Kosher, lactose-free, gluten-			
free, low residue.		1000 ml bag RTF	Fat (35% kcals)
		6 bags/case	- Canola oil, MCT
Per 250 ml: 375 kcals (1.5 kcal/ml), 17 g pro, 15 g fat, 44 g CHO, 5 mg iron			 (470(1 1)
			CHO (47% kcals)
Osmolality: 530 mOsm/kg			- Corn syrup,
Slavens on flavens d			maltodextrin, dextrose
Flavors: unflavored			
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use.			



NUTREN 2.0 (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (16% kcals)
USE: A nutritionally complete, isotonic, very-high calorie medical food (Nutritional)	Documentation form.	24 cans/case	- Sodium and calcium
for older children and adults with volume intolerance, fluid restriction, elevated			caseinate, soy protein
energy needs, and malnutrition. Appropriate for short or long-term use. Kosher,		UltraPak enteral closed system:	isolate
lactose-free, gluten-free, low-residue.			
		1000 ml bag RTF	Fat (41% kcals)
Per 250 ml: 500 kcals (2 kcals/ml), 21 g pro, 23 g fat, 54 g CHO, 6 mg iron		6 bags/case	- MCT, canola oil
Osmolality: 780 mOsm/kg			CHO (43% kcals)
			- Corn syrup,
Flavors: unflavored			maltodextrin
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use.			
NUTREN JUNIOR	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (12% kcals)
NUTREN JUNIOR FIBER (Nestle Health Science)	Documentation form.	24 cans/case	(50% whey, 50% casein)
USE: A nutritionally complete, isotonic <u>medical food</u> (Nutritional - pediatric oral			- Milk protein
supplement/tube feed) for children ages 1-13 with growth failure and malnutrition.		UltraPak enteral closed system:	concentrate, whey
(Bowel management with fiber.) High whey protein content may improve tolerance			protein concentrate
and contains vitamins and minerals to support good bone health. Appropriate for		1000 ml bag RTF	
short or long-term use. Kosher, lactose-free, gluten-free, low-residue (without fiber).		6 bags/case	Fat (43% kcals)
			- Soybean oil, canola oil
Per 250 ml: 250 kcals (1 kcal/ml), 7.5 g pro, 12 g fat, 28 g CHO, 3.5 mg iron			MCT, Soy lecithin
With fiber Per 250 ml: 250 kcals (1 kcal/ml), 7.5 g pro, 12 g fat, 29 g CHO, 1.5 g fiber,			CHO (45% kcals)
3.5 mg iron			- Maltodextrin, sugar, (pea fiber, FOS, inulin
Osmolality: 325-350 mOsm/kg			(with fiber))
Flavors: vanilla			Additive - Stevia leaf extract
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use. Contains milk and soy.			



NUTREN PULMONARY (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
USE: A nutritionally complete, low-carbohydrate, high-calorie and protein medical	Documentation form.	24 cans/case	- Calcium-potassium
food (Nutritional - pulmonary oral supplement/tube feed) for older children and			caseinate, L-Carnitine
adults with pulmonary disease or congestive heart failure, ventilator dependency,		UltraPak enteral closed system:	
and CHO controlled diets. Designed with CHO and fat profiles to help reduce carbon			Fat (56% kcals)
dioxide production and respiratory quotient in pulmonary patients. Contains a		1000 ml bag RTF	- MCT (coconut and palm
balanced lipid profile to improve tolerance. Kosher, lactose-free, gluten-free, low-		6 bags/case	kernel oil), canola oil,
residue.		_	corn oil, soy lecithin
Per 250 ml: 375 kcals (1.5 kcals/ml), 17 g pro, 25 g CHO, 23.7 g fat, 4.5 mg iron			CHO (26% kcals)
			- Sugar, maltodextrin
Osmolality: 330-450 mOsm/kg			
Flavors: vanilla			
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use. Contains milk and soy.			
NUTRIHEP (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (11% kcals)
USE: A nutritionally complete, high-calorie <u>medical food</u> (Nutritional - hepatic oral	Documentation form.	24 cans/case	- Whey protein
supplement) for older children and adults with hepatic disease or hepatic			concentrate, crystalline
encephalopathy. Rich in branched-chain amino acids and low in aromatic and			L-amino acids,
ammonia-forming amino acids. Lipid profile facilitates fat absorption. For oral use or			
tubefeeding. Kosher, lactose-free, gluten-free, low-residue.			Fat (12% kcals)
			- MCT, canola oil, corn
Per 250 ml: 375 kcals (1.5 kcals/ml), 10.3 g pro, 5 g fat, 72.2 g CHO, 4.5 mg iron			oil, soy lecithin
Osmolality: 790 mOsm/kg			CHO (77% kcals)
			- Maltodextrin, modified
CAUTION: For use only under strict medical supervision. Not for individuals with			corn starch
galactosemia. Not for parenteral use.			



	1		1
OA 1 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (12% kcals)
USE: An isoleucine-, methionine-, threonine- and valine-free <u>infant formula and</u>	Documentation form.	6 cans/case	- Amino acids (without
medical food (Nutritional) for infants and toddlers with propionic academia or			isoleucine, methionine,
methylmalonic academia. Contains increased levels of B vitamins for cofactor		Reconstituted amount	threonine, valine)
production. Iron-fortified. Vanilla scent. Lactose-free, Halal. DHA & ARA.		unavailable.	
		Follow Rx as directed by physician	Fat (47% kcals)
Per 100 g: 500 kcals, 15.7 g pro, 26 g fat, 51 g CHO, 9.6 mg iron			- Vegetable oil (palm
		1 scoop powder = 4.5 g	olein, coconut, soy, high
Osmolality: 370 mOsm/kg			oleic sunflower oils),
			DHA, ARA
CAUTION: For use only under strict medical supervision. Not to be given to			
premature infants or individuals with immune problems. Not intended as a sole			CHO (41% kcals)
source of nutrition. Not for parenteral use.			- Corn syrup solids,
			modified corn starch,
			sugar
OA 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (21% kcals)
USE: An isoleucine-, methionine-, threonine- and valine-free medical food	Documentation form.	6 cans/case	- Amino acids (without
(Nutritional) for children and adults with propionic academia or methylmalonic		,	isoleucine, methionine,
academia. Provides adequate protein, linoleic and linolenic acid and vitamins and		Reconstituted amount	threonine, valine)
minerals not available from low-protein foods while supplying fewer calories than		unavailable.	, , , , , ,
OA 1. Iron-fortified. Vanilla scent. Lactose-free, Halal.		Follow Rx as directed by physician	Fat (20% kcals)
O/ 12 WOW FOR MICE. Value a Secret Education Free, Francis		I show the as an ested by physician	- Soy oil
Per 100 g: 410 kcals, 21 g pro, 9 g fat, 59 g CHO, 12.3 mg iron		1 scoop powder = 14.5 g	30, 0
1 C 100 g. 410 Kedis, 21 g pro, 3 g lat, 33 g erro, 12.3 mg mon		1 3000p powder = 14.3 g	CHO (59% kcals)
CAUTION: For use only under strict medical supervision. Not to be given to			- Corn syrup solids,
individuals with immune problems. Not intended as a sole source of nutrition. Not			sugar, modified corn
for parenteral use.			starch
OPTISOURCE VERY HIGH PROTEIN DRINK (Nestle Health Science)	Not WIC Approved.	8 fl oz (237 ml) cartons	Protein (49% kcals)
USE: A medical food (Nutritional) for adults with lactose intolerance, obesity, post	Test wie Approved.	27 cartons/case	- milk protein isolate
surgery, weight management. Lactose-free, gluten-free, low-residue, kosher.		27 cartons/case	- mik protein isolate
Surgery, weight management. Lactose-free, gluteri-free, low-residue, kosher.			Fat (27% kcals)
Dor 9 fl. oz /227 ml): 200 kcalc /0 95 kcal/ml) 24 g pro 6 g fat 12 g CHO			
Per 8 fl oz (237 ml): 200 kcals (0.85 kcal/mL), 24 g pro, 6 g fat, 12 g CHO			- Canola oil, MCT (from
Ocmololitus 150 mOcm/kg			coconut or palm kernel)
Osmolality: 150 mOsm/kg			CHO (249/ kcala)
Clauses caramal atrawharns			CHO (24% kcals)
Flavors: caramel, strawberry			- maltodextrin
CAUTION. Samuel and an abide modification of the state of			Additive
CAUTION: For use only under strict medical supervision. Not for parenteral use. Not			- Sucralose
for individuals with galactosemia.			



OPTISOURCE CHEWABLE VITAMIN & MINERAL SUPPLEMENT (Nestle Health	Not WIC Approved.	336g bottle	Protein (0% kcals)
Science)		12 bottles/case	
USE: A medical food (Nutritional) for <u>adults</u> with <u>obesity, post surgery, weight</u>		(120 tablets/bottle)	Fat (0% kcals)
management. Gluten-free, low-residue.			
			CHO (100% kcals)
Flavors: citrus			- sugar, maltodextrin,
			modified food starch
Per 1 tablet: 5 kcals, 0 g pro, 0 g fat, 1 g CHO, 9 mg iron			Additive
CAUTION: For use only under strict medical supervision.			- Phenylalanine
OPTIFAST 800 READY -TO- DRINK SHAKE (Nestle Health Science)	Not WIC Approved.	8 fl oz (237 ml) cartons	Protein (35% kcals)
OPTIFAST 800 SHAKE MIX	.,	27 cartons/case	-Sodium and calcium
USE: A medical food (Nutritional) for <u>adults</u> with <u>obesity.</u> Desinged as a meal			caseinate (milk)
replacement as part of a weight management program. Lactose-free, gluten-free,		Shake mix: 84 1.48 oz packets/	Jacoma Commy
kosher.		case	Fat (17% kcals)
NOSHEL.		Case	- Canola oil
Dor 9 fl oz (227 ml), 160 koole (0.69 kool/ml) 14 g nro 2 g fot 20 g CHO 2 6 mg iron			- Cariola Oli
Per 8 fl oz (237 ml): 160 kcals (0.68 kcal/mL), 14 g pro, 3 g fat, 20 g CHO, 3.6 mg iron			SUO (400(bl-)
			CHO (48% kcals)
Flavors: French Vanilla, chocolate, strawberry			- Sugar, Corn syrup
CAUTION: For use only under strict medical supervision. Not for parenteral use. Not			
for individuals with galactosemia.			
OPTIFAST HP SHAKE MIX (Nestle Health Science)	Not WIC Approved.	1.75-1.8 fl oz packet	Protein (52% kcals)
· · · · · · · · · · · · · · · · · · ·	Not wic Approved.	·	
USE: A medical food (Nutritional) for <u>adults</u> with <u>obesity.</u> Desinged as a meal		60 packets/case	- Whey protein
replacement as part of a weight management program. Gluten-free, kosher.			concentrate, milk protein
			isolate
1 packet(49.7g): 200 kcals, 26 g pro, 6 g fat, 10 g CHO, 6.3 mg iron			
			Fat (27% kcals)
Flavors: Chocolate and vanilla			- Canola oil, high oleic
			sunflower oil
CAUTION: For use only under strict medical supervision. Not for individuals with			
galactosemia or PKU.			CHO (21% kcals)
			- Maltodextrin, fructose
			Additive
			- Acesulfame potassium,
			aspartame
			aspartame



USE: A medical food (Nutritional) for adults with obesity. Desinged as a meal replacement as part of a weight management program. Kosher. 1 bar: 170 kcals, 14 g pro, 5 g fat, 21 g CHO, 4 g fiber, 3.6 mg iron Flavors: Chocolate, berry w/ yogurt coating, peanut butter chocolate. CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. May contain peanuts, tree nuts, eggs, wheat, and sesame. OSMOLITE 1 CAL (Abbott Nutrition) USE: A nutritionally complete, isotonic medical food (Nutritional) for older children and adults with caloric requirements of less than 2000 kcals per day or for patients with increased protein requirements. For oral use (for patients with altered taste perception) or tube feeding. Kosher, gluten-free, lactose-free, low-residue.	Approved with Medical Documentation form.	8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case	Protein (33-35% kcals) - Soy protein isolate, milk protein concentrate, whey protein isolate, nonfate milk, peanutbutter, casein Fat (20-26% kcals) -Palm kernel oil, high oleic sunflower oil CHO (41-45% kcals) -Corn syrup, high fructose corn syrup, sugar Additive - Sucralose Protein (16.7% kcals) - Sodium and calcium caseinate, soy protein isolate Fat (29% kcals)
Per 8 fl oz: 250 kcals (1.06 kcals/ml), 10.5 g pro, 8.2 g fat, 33.9 g CHO, 3.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for patients with galactosemia.		1500 ml container Ready-To-Hang 6 containers/case	- canola oil, MCT, Soy Lecithin CHO (54.3% kcals) - Corn maltodextrin, corn syrup solids
OSMOLITE 1.2 CAL (Abbott Nutrition) USE: A nutritionally complete, high-calorie and protein, isotonic medical food (Nutritional) for older children and adults with high calorie and protein needs. For oral use (for patients with altered taste perception) or tube feeding. Kosher, glutenfree, lactose-free, low-residue. Per 8 fl oz: 285 kcals (1.2 kcals/ml), 13.2 g pro, 9.3 g fat, 37.5 g CHO, 4.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for patients with galactosemia.	Approved with Medical Documentation form.	8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case 1500 ml container Ready-To-Hang 6 containers/case	Protein (18.5% kcals) - Sodium caseinate, calcium caseinate Fat (29% kcals) - High oleic safflower oil, canola oil, MCT, Soy Lecithin CHO (52.5% kcals) - Corn maltodextrin



	1	1	1
OSMOLITE 1.5 CAL (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE : A nutritionally complete, very high-calorie and protein, isotonic medical food	Documentation form.	24 cans/case	- Sodium caseinate,
(Nutritional) for older children and adults with high calorie and protein needs. For			calcium caseinate, Soy
oral use (for patients with altered taste perception) or tube feeding. Kosher, gluten-		1000 ml container Ready-To-Hang	protein isolate
free, lactose-free, low-residue.		8 containers/case	
			Fat (29% kcals)
Per 8 fl oz: 355 kcals (1.5 kcals/ml), 14.9 g pro, 11.6 g fat, 48.2 g CHO, 4.3 mg iron			- High oleic safflower oil,
			canola oil, MCT
CAUTION: For use only under strict medical supervision. Not for parenteral use.			
Not for patients with galactosemia.			CHO (54.3% kcals)
			- Corn maltodextrin
OXEPA (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE: A nutritionally complete, high-calorie and protein <u>medical food</u> (Nutritional -	Documentation form.	24 cans/case	- Sodium and calcium
pulmonary tube feed) for critically ill, mechanically ventilated <u>older children and</u>			caseinates
adults with sepsis, SIRS, ALI, ARDS or fluid restrictions. Contains elevated levels of		1000 ml container Ready-To-Hang	
antioxidants. Gluten-free, lactose-free, low-residue.		8 containers/case	Fat (55.2% kcals)
			- Canola oil, MCT, Marine
Per 8 fl oz: 355 kcals (1.5 kcals/ml), 14.8 g pro, 22.2 g fat, 25 g CHO, 4.5 mg iron			oil (anchovy, cod,
			menhaden, pollock,
Flavors: Vanilla			salmon, sardine, tune),
			borage oil, soy lecithin
CAUTION: For use only under strict medical supervision. Not for parenteral use			
			CHO (28.1% kcals)
			- Sugar, corn
			maltodextrin
PURAMINO (Mead Johnson)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11% kcals)
(Previously NUTRAMIGEN AA)	Documentation form.	4 cans/case	- 100% free amino-acids
USE: An <u>infant formula</u> (amino acid-based, hypoallergenic) for <u>infants 0-24 months</u>		Reconstituted: 98 fl oz	
with symptoms of severe cow's milk protein allergy, not effectively managed by an		_	Fat (47% kcals)
extensively hydrolyzed formula. including multiple food protein allergies, conditions		Standard dilution = 20 kcals/oz:	- High oleic sunflower
requiring elemental diets such as protein maldigestion, malabsorption, SBS, and		1 scoop (4.5 g) powder to every 1	oils, MCT oil, Soy oil,
eosinophilic esophagitis. Iron-fortified. Lactose-free, Kosher, Halal. DHA, ARA.		fl oz water	DHA, ARA
Per 100 kcals: 2.8 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron			CHO (42% kcals)
			- Corn syrup solids,
Osmolality: 350 mOsm/kg			modified tapioca starch
CAUTION: For use only under strict medical supervision. Not recommended for			
routine use in VLBW infants, as these infants may be at increased risk of developing			
gastrointestinal complications.			



PURAMINO Jr Unflavored (Mead Johnson)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11% kcals)
(Previously PurAmino Toddler)	Documentation form.	4 cans/case	- 100% free amino-acids
USE: A nutritional (Medical food) amino acid-based, hypoallergenic for <u>toddlers</u> one	Documentation form.	Reconstituted: 66 fl oz	- 100% free affilino-acids
year and older with symptoms of severe cow's milk protein allergy and multiple food		Reconstituted: 00 ii 02	Fat (40% kcals)
protein allergies not effectively managed by extensively hydrolyzed formula.		Standard dilution = 30 kcals/oz:	- High oleic sunflower
Suitable for conditions requiring an elemental diet which may include		1 unpacked level scoop (6.8 g)	oils (10%), MCT oil (7%),
malabsorption, eosinophilic esophagitis or short bowel syndrome) Iron-fortified.		powder to every 1 fl oz water	soy oil (4%), DHA.
Unflavored. Lactose free, Halal, Kosher. DHA, ARA.		powder to every 1 if 02 water	SOY OII (4%), DHA.
Offilavorea, Lactose free, Haiai, Kosfier, DHA, AKA.		1	CUO (40% karda)
Day 100g, E00 colories 12.7 g pro 22 g fot E0 g CHO 4.4 mg iron		1 scoop = 33 kcals	CHO (49% kcals)
Per 100g: 500 calories, 13.7 g pro, 22 g fat, 59 g CHO, 4.4 mg iron			- Corn syrup solids (55%),
Osmolality 570 mOsm/kg			modified tapioca starch
CAUTION: For use only under strict medical supervision. Not for Parenteral use.			(3%)
PURAMINO Jr Vanilla (Mead Johnson)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11% kcals)
USE: A nutritional (Medical food) amino acid-based, hypoallergenic for young	Documentation form.	4 cans/case	- 100% amino-acids
children one year and older with symptoms of <u>severe cow's milk protein allergy and</u>		Reconstituted: 66 fl oz	
multiple food protein allergies not effectively managed by extensively hydrolyzed			Fat (40% kcals)
<u>formula</u> Lactose-free, Halal, Kosher. DHA.		Standard dilution = 30 kcals/oz:	- High oleic sunflower
Per 100g: 500 calories, 13.7 g pro, 22 g fat, 59 g CHO, 4.4 mg iron		1 unpacked level scoop (6.8 g)	oils (10%), MCT oil (7%),
		powder to every 1 fl oz water	soy oil (4%), DHA
Osmolality 570 mOsm/kg			
			CHO (49% kcals)
CAUTION: For use only under strict medical supervision. Not for Parenteral use.			- Corn syrup solids (54%),
			modified tapioca starch
			(3%)
PEDIALYTE LITERS (Abbott Nutrition)	Not WIC approved.	1 L bottles RTF	CHO: (100% kcals)
USE: An oral electrolyte <u>medical food</u> (Nutritional) for <u>infants and children</u> with		8 bottles/ case	- Dextrose
dehydration during diarrhea and vomiting.			
		Instiutional:	
Per 2 fl oz: 6 cals		2 fl oz bottles	
		48 bottles/case	
Osmolality: 270 mOsm/kg H2O for flavored; 250 mOsm/kg H2O for unflavored			
Flavors: Grape, unflavored, mixed fruit, bubble gum, strawberry			
CAUTION: For use only under strict medical supervision. Not for parenteral use.			



PEDIALYTE POWDER PACKS (Abbott Nutrition)	Not WIC approved.	0.3 oz (8.5 g) packet	CHO: (100% kcals)
USE: An oral electrolyte <u>medical food</u> (Nutritional) for <u>children</u> with <u>dehydration</u>		40 pkts/case	- Dextrose
during diarrhea and vomiting. For children under age 1, consult with medical			
provider.		Standard dilution: 1 pkt + 8 fl oz	
		water = 8 fl oz.	
Per 8 fl oz: 25 cals			
Osmolality: 270 mOsm/kg H2O			
Flavors: strawberry, apple, fruit punch, grape, cherry, strawberry lemonade, orange			
CAUTION: For use only under strict medical supervision. Not for parenteral use.			
PEDIALYTE FREEZER POPS (Abbott Nutrition)	Not WIC approved.	2.1 fl oz (63 ml) packet	CHO: (100% kcals)
USE: An oral electrolyte <u>medical food</u> (Nutritional) for <u>children</u> with <u>dehydration</u>		64 pkts/case	- Dextrose
during diarrhea and vomiting. For children under age 1, consult with medical			
provider.			
Serving size 63mL (1 pop): 5 cals			
Flavors: Variety			
CAUTION: For use only under strict medical supervision. Not for parenteral use.			
PEDIASMART DAIRY NUTRITION BEVERAGE (Nature's One)	Approved with Medical	12.7 oz can	Protein (12% kcals)
Complete Organic Nutrition Beverage	Documentation form.	Reconstituted: 56 fl oz	- Organic lactose free
USE: A nutritionally complete, milk-based, organic <u>medical food</u> (Nutritional -			Milk Protein Concentrate
pediatric oral supplement) for children ages 1-13 who are undernourished due to an		3 level scoops powder to every 7 fl	
illness or medical condition. For oral use or tubefeeding. Lactose-free, gluten-free,		oz water=8 fl oz	Fat (35% kcals)
No corn syrup.			- Organic high oleic
		1 scoop=17 g	sunflower or safflower
Per 8 fl oz: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 31g CHO			oil, organic soybean oil,
			organic coconut oil, soy
Flavors: vanilla			lecithin,
CAUTION : For use only under strict medical supervision. Not for children with			CHO (53% kcals)
galactosemia. Not for parenteral use.			- organic rice
			maltodextrin, organic
			evaporated cane syrup



<u>~</u>			
PEDIASMART SOY NUTRITION BEVERAGE (Nature's One)	Approved with Medical	12.7 oz can	Protein (12% kcals)
Complete Organic Nutrition Beverage	Documentation form.	Reconstituted: 56 fl oz	- Organic Soy Protein
USE: A nutritionally complete, milk-based, organic <u>medical food</u> (Nutritional -			Concentrate
pediatric oral supplement) for children ages 1-13 who are undernourished due to an		3 level scoops powder to every 7 fl	
illness or medical condition. For oral use or tubefeeding. Milk-free, gluten-free,		oz water=8 fl oz	Fat (35% kcals)
corn-syrup free.			- Organic high oleic
		1 scoop=17 g	sunflower or safflower
Per 8 fl oz: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 31g CHO			oil, organic soybean oil,
			organic coconut oil
Flavors: vanilla			S
			CHO (53% kcals)
CAUTION : For use only under strict medical supervision. Not for children with			- Organic rice
galactosemia. Not for parenteral use.			maltodextrin, organic
			evaporated cane syrup,
			organic rice oligodextrin
PEDIASURE GROW AND GAIN PEDIASURE GROW AND GAIN with FIBER (Abbott	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (11% kcals)
Nutrition)	Documentation form.	24 cans/case	- Milk protein
(Previously PEDIASURE AND PEDIASURE WITH FIBER)			concentrate, Nonfat milk
USE : A nutritionally complete, milk-based medical food (Nutritional - pediatric oral			(regular only), soy
supplement) for children ages 1-13 who are undernourished due to an illness or			protein isolate
medical condition. For oral use or tubefeeding. Kosher, Halal, gluten-free, lactose-			Process
free. Contains antiioxiants, prebiotics, lutein, and DHA.			Fat (34% kcals)
The second and an anomalies, production, and a second and			- Canola oil, corn oil,
Per 8 fl oz: 240 kcals (1 kcal/ml), 7 g pro, 9 g fat, 33 g CHO, 2.7 mg iron			tuna oil
3 g fiber (Pediasure with Fiber only, <1g of fiber in standard formula)			High Oleic Safflower oil
g g je. (i canacare man meer emp) "_g e j je. m etamaara je manaj			(with fiber only)
Osmolality: 480-560 mOsm/kg			(,
33			CHO (55% kcals)
Flavors: Vanilla, chocolate, strawberry, banana, berry, smores			- Sugar, corn
With Fiber: Vanilla and strawberry only			maltodextrin, dextrose,
The state of the s			monk fruit extract,
CAUTION : For use only under strict medical supervision. Not for children with			SCFOS, soy fiber
galactosemia. Not for parenteral use. Consult health care professional for use with			Additive Stevia Leaf
children under 2 years of age.			Extract
Ciliulen unuer 2 years or age.	1		LALIACE



PEDIASURE 1.5 CAL	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16% kcals)
PEDIASURE 1.5 CAL with FIBER (Abbott Nutrition)	Documentation form.	24 cans/case	- Milk protein
USE : A nutritionally complete, milk-based medical food (Nutritional - pediatric oral			concentrate.
supplement) for children ages 1-13 who are undernourished due to an illness or		1000 ml RTF Bottle	
medical condition. For oral use or tubefeeding. Kosher, Halal, gluten-free, lactose-		8 bottles/case	Fat (41% kcals)
free. Contains prebiotics and DHA.			- High oleic safflower oil,
			soy oil, MCT
Per 8 fl oz: 350 kcals (1.5 kcal/ml), 14 g pro, 16 g fat, 38-39 g CHO, 2.7 mg iron			
3 g fiber (with Fiber only)			CHO (43% kcals)
			- corn maltodextrin,
Osmolality: 370-390 mOsm/kg			short chain
			fructooligosaccharides
Flavors: Vanilla			(with fiber only), scFOS
			fiber, oat fiber, soy fiber
CAUTION : For use only under strict medical supervision. Not for children with			Additives Sucralose
galactosemia. Not for parenteral use.			
PEDIASURE ENTERAL FORMULA 1.0 CAL	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (12% kcals)
PEDIASURE ENTERAL FORMULA with FIBER (Abbott Nutrition)	Documentation form.	24 cans/case	- Milk protein
USE : A nutritionally complete, milk-based <u>medical food</u> (Nutritional - pediatric tube			concentrate
feed) for children ages 1-13 who are undernourished due to an illness or medical		1000 ml container Ready-To-Hang	
condition. Prepared with low-fluoride water. Kosher, Halal, gluten-free, lactose-		8 containers/case	Fat (35% kcals)
free.			- High oleic safflower oil,
			soy oil, MCT
Per 8 oz: 240 kcals, 7 g pro, 9g fat, 33-34 g CHO, 2.7 mg iron (w/ fiber has 3g)			
			CHO (53% kcals)
Osmolality: 335-345 mOsm/kg			- Corn maltodextrin,
			sugar, short chain
Flavors: vanilla			fructooligosaccharides
			(with fiber only), FOS
CAUTION : For use only under strict medical supervision. Not for children with			fiber, oat fiber, soy fiber
galactosemia. Not for parenteral use.			(with fiber only)



	T	I a 61 / / / / / / / / / / / / / / / / / /	I (()
PEDIASURE PEPTIDE 1.0 CAL	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (12% kcals)
PEDIASURE PEPTIDE 1.5 CAL (Abbott Nutrition)	Documentation form.	24 cans/case	- Hydrolyzed whey
USE : A nutritionally complete, peptide-based <u>medical food</u> (Nutritional - pediatric			protein, Hydrolyzed
oral supplement) for children ages 1-13 with malabsorption, maldigestion, and other		1000 ml container Ready-to-hang	Sodium Caseinate,
GI conditions. For oral use or tubefeeding. Kosher, Halal, gluten-free, suitable for		8 containers/case	
lactose intolerance. Contains prebiotics, Vitamin D, and antioxidants.			Fat (35% kcals)
			- Intensified canola oil,
Per 8 fl oz: 237 kcals (1 kcal/ml), 7.1 g pro, 9.6 g fat, 31.7 g CHO, 3.3 mg iron			MCT
Per 8 fl oz: 356 (1.5 kcal/ml), 10.7 g pro, 14.4 g fat, 47.6 g CHO, 5.0 mg iron			CHO (53% kcals)
1 c. 6 11 62. 336 (1.3 kcc) 111/1, 12.7 g pro, 14.4 g tat, 47.6 g crio, 3.6 mg non			- Corn maltodextrin,
Osmolality: 250-450 mOsm/kg			dextrose, short chain
Osmolancy. 230 430 mosnifikg			fructooligosaccharides,
Flavors: Unflavored, vanilla, strawberry (1.0 CAL only)			sc FOS fiber
1.5 CAL only offered in vanilla			
1.5 CAL Only Offered III Valilla			Addative Acesulfame
CALITION: For use only and an abilet readical supervision. Not for shildren with			Potassium
CAUTION : For use only under strict medical supervision. Not for children with			1 Otassiaiii
galactosemia. Not for parenteral use.			
PEDIASURE SIDEKICKS (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (22% kcals)
USE : A nutritionally complete, milk-based <u>medical food</u> (Nutritional - pediatric oral	Documentation form.	16 cans/case or 24 cans/case	- Milk protein
supplement) for <u>children ages 1-13</u> with an <u>unbalanced diet.</u> Low calorie, complete			concentrate, Nonfat
feeding. For oral use or tubefeeding. Kosher, Halal, gluten-free, and lactose			Milk, soy protein isolate
intolerant suitable. Contains prebiotic fiber.			
			Fat (30% kcals)
Per 8 fl oz: 180 kcals, 10 g pro, 6 g fat, 23 g CHO, 3 g fiber			- Canola oil, Corn oil, soy
			oil
Flavors: Vanilla, chocolate, strawberry			
			CHO (51% kcals)
CAUTION : For use only under strict medical supervision. Not for children with			- Sugar, SCFOS
galactosemia. Not for parenteral use. Consult health care professional for use with			
children under 2 years of age.			



DEDIACIDE CIDENICAC O CO CAL (Abbett Note: Line)	Not WIC appropriate	0 fl on /227 ml) con DTF	Ductoin (100/ leads)
PEDIASURE SIDEKICKS 0.63 CAL (Abbott Nutrition)	Not WIC approved.	8 fl oz (237 ml) can RTF	Protein (19% kcals)
USE : A nutritionally complete, milk-based medical food (Nutritional - pediatric oral		24 cans/case	- Milk protein
supplement) for children ages 1-13 with an <u>unbalanced diet.</u> Low calorie, complete			concentrate, whey
feeding. For oral use or tubefeeding. Kosher, gluten-free. Contains prebiotic fiber.			protein concentrate, soy
Day 0 float 150 keels 7 a may 5 a fet 21 a CHO 2 7 mag inch			protein isolate
Per 8 fl oz: 150 kcals, 7 g pro, 5 g fat, 21 g CHO, 2.7 mg iron			Fat (200/ leads)
Flavors: Vanilla			Fat (30% kcals) - High oleic safflower oil,
FidVOIS: Valillid			
CALITION: For use only under strict modical supervision. Not for shildren with			soy oil, MCT
CAUTION : For use only under strict medical supervision. Not for children with			CHO (F69/ keels)
galactosemia. Not for parenteral use.			CHO (56% kcals)
DEDIAVANCE ELECTROLYTE (Naturala Ora)	Not MIC American	32 fl oz bottle	- Sucrose, SCFOS
PEDIAVANCE ELECTROLYTE (Nature's One)	Not WIC Approved.	32 fi oz bottle	Protein (0% kcals)
USE: An electrolyte only medical food (Nutritional) for children ages 1-13 with			Fat (0% keels)
dehydration. Organic.			Fat (0% kcals)
Flavors: Grape, Apple			CUO (100% keels)
CAUTION: Not intended for use in infnats under age 1. Discontinue use when			CHO (100% kcals)
diarrhea ceases. Not for parenteral use.			- Organic dextrose,
			Organic white grape
PEPTAMEN	Ammunum d with Bandinal	8.45 fl oz (250 ml) can RTF	juice concentrate
	Approved with Medical	24 cans/case	Protein (16% kcals)
PEPTAMEN with PREBIO (Nestle Health Science)	Documentation form.	24 cans/case	(100% whey protein)
USE: A nutritionally complete <u>medical food</u> (Nutritional - elemental tube feed/oral		Liltus Dale automal alegaed aveteurs	- Hydrolyzed whey
supplement) for <u>older children and adults</u> with <u>impaired GI function (malabsorption, pancreatitis, short-bowel syndrome, inflammatory bowel disease, chronic diarrhea,</u>		UltraPak enteral closed system:	protein
radiation enteritits, cystic fibrosis, delayed gastric emptying, cerebral palsy, crohn's		(Peptamen with Prebio only)	Fat (34% kcals)
disease) malabsorption related to cancer, and celiac disease with malabsorption, or		1000 ml bag RTF	(MCT 70%, LCT 30%)
if transitioning from TPN. Lactose-free, gluten-free, low-residue.		6 bags/case	-MCT, soybean oil, Soy
in transitioning from FPN. Lactose-free, gluteri-free, low-residue.		o bags/case	lecithin
Par 350 ml; 350 keals (1 keal/ml) 10 g pro 10g fat 23g CHO 4 mg iran		1500 ml hag BTE	lecitiiii
Per 250 ml: 250 kcals (1 kcal/ml), 10 g pro, 10g fat, 32g CHO, 4 mg iron		1500 ml bag RTF 4 bags/case	CHO (50% kcals)
Osmolality: 300-340 mOsm/kg		4 Dags/Case	- Maltodextrin,
Ositiolatity. 200-240 IIIOSIII/Kg			cornstarch,
Flavors: unflavored, vanilla (with prebio only)			COITISCATCII,
riavois. uimavoieu, vaiima (with prebio omy)			(With prebio only inulin,
CAUTION : For use only under strict medical supervision. Not for individuals with			FOS and acesulfame
			LEGO UNU DI PSUNUNE
galactosemia. Not for parenteral use. May not be appropriate for individuals with cow milk protein allergies.			potassium)



PEPTAMEN 1.5	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (18% kcals)
PEPTAMEN 1.5 with PREBIO (Nestle Health Science)	Documentation form.	24 cans/case	(100% whey protein)
USE: A nutritionally complete, very high-calorie and protein <u>medical food</u>			- Hydrolyzed whey
(Nutritional - elemental tube feed/oral supplement) for older children and adults		UltraPak enteral closed system:	protein
with impaired GI function (malabsorption, pancreatitis, short-bowel syndrome,			
inflammatory bowel disease, chronic diarrhea, radiation enteritits, cystic fibrosis,		1000 ml bag RTF	Fat (31-32% kcals)
delayed gastric emptying, cerebral palsy, crohn's disease) malabsorption related to		6 bags/case	-MCT (fractionated
cancer, and celiac disease with malabsorption, or if transitioning from TPN fluid and			coconut and palm kernel
volume restriction. Lactose-free, gluten-free, low-residue.			oil), soybean oil, soy
			lecithin
Per 250 ml: 375 kcals (1.5 kcals/mL), 17 g pro, 14 g fat, 47-48 g CHO, 1.6 g fiber,			
(with prebio) 6 mg iron			CHO (50-51% kcals)
			- Maltodextrin, sugar,
Osmalility: 570-585 mOsm/kg			cornstarch (with Prebio
			only inulin, FOS)
Flavors: unflavored, vanilla			Additive
			- Sucralose
CAUTION : For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use. May not be appropriate for individuals with			
cow milk protein allergies. Contains milk and soy.			
PEPTAMEN AF (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (25% kcals)
USE: A nutritionally complete, high-calorie and very high protein <u>medical food</u>	Documentation form.	24 cans/case	(100% whey proteins)
(Nutritional - elemental tube feed) for older children and adults with ARDS/ ALI, IBD,			- Hydrolyzed whey
early TF, short bowel syndrome, transition from TPN, criticially ill with GI		UltraPak enteral closed system:	protein
dysfunction, Contains prebio (may help support healthy gut flora), EPA and DHA.			
Lactose-free, gluten-free, low-residue.		1000 ml bag RTF	Fat (38% kcals)
		6 bags/case	- MCT, refined fish oil
Per 250 ml: 300 kcals (1.2 kcal/mL), 19 g pro, 13.5 g fat, 28 g CHO, 1.5 g fiber, 5 mg			(anchovy, sardine), soy
iron			lecithin
Osmolality: 390 mOsm/kg			CHO (37% kcals)
			- Maltodextrin,
CAUTION : For use only under strict medical supervision. Not for individuals with			cornstarch, FOS, inulin
galactosemia. Not for parenteral use. May not be appropriate for individuals with			
cow milk protein allergies. Contains milk and soy.			



Peptamen Intense VHP Liquid Protein Formula (Nestle Health Science)	Not WIC Approved.	8.45 fl oz (250 ml) can	Protein (37% kcals)
(Previously PEPTAMEN BARIATRIC)			- enzymatically
USE: A nutritionally complete, unique protein to calorie ratio <u>medical food</u>		1000mL bag RTF	hydrolyzed whey protein
(Nutritional) for <u>adults</u> with <u>sepsis</u> , <u>acutely ill with obesity</u> , <u>inflalmmatory conditions</u> ,		6 bags/case	
<u>pancreatitis</u> , <u>malnutrition</u> , <u>malabsorption</u> . Lactose-free, gluten-free, low-residue.			Fat (33% kcals)
			- MCT, refined fish oil
Per 250 ml: 250 kcals (1 kcal/mL), 23 g pro, 9.5 g fat, 19 g CHO, 3 mg Iron			(anchovy, sardine), ligh
			linoleic safflower oil,
Osmolality: 345 mOsm/kg			soybean oil, soy lecithin
CAUTION: For use only under strict medical supervision. Not for individuals with			CHO (30% kcals)
glactosemia. May not be appropriate for individuals with food allergies.			- maltodextrin,
			cornstarch, FOS, inulin
Peptamin Junior HP (Nestle Health Science)	Approved with Medical	(8.45 fl oz) 250mL Tetra Prisma	Protein: (16% kcals)
	Documentation form.	cartons	-Enzymatically
USE: Nutrtitionally complete, high protein, high calorie formula to support critically		24 cartons/case	hydroloyzed whey
ill pediatric patients <u>ages 1-13 with GI impairments, increased protein needs, and fat</u>			protein (from milk)
<u>absorption issues</u> . It is made from 100% whey hydrolyzed protein. Lactose-			
intolerance, gluten-free, low-residue.			Fat: (34% kcals)
			-MCT oil, soybean oil,
Per 250 mL: 300kcals (1.2 kcal/mL), 12 g pro, 12 g fat, 38 g CHO, 1 g fiber, 4 mg iron			canola oil, soy lecthin
Osmolatlity: 450 mOsm/kg			CHO: (50% kcals)
			-Maltodextrin, sugar,
Flavors: Vanilla			monk fruit juice,
			cornstarch
CAUTION: Not for individuals with glactosemia. It is made from hydrolyzed whey			Additive
and is therefore not appropriate for individuals with cow's milk allergy.			- Sucralose



PEPTAMEN JUNIOR	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (12% kcals)
PEPTAMEN JUNIOR FIBER	Documentation form.	24 cans/case	(100% whey proteins)
PEPTAMEN JUNIOR with PREBIO (Nestle Health Science)			- Hydrolyzed whey
		UltraPak enteral closed system:	protein
USE: A nutritionally complete <u>medical food</u> (Nutritional - elemental pediatric tube		(Peptamen Junior only)	
feed/oral supplement) for children ages 1-13 with impaired GI function (short-bowel		1000 ml bag RTF	Fat (33-34% kcals)
syndrome, cerebral palsy, cystic fibrosis, crohn's disease, pancreatitis,		6 bags/case	- MCT, soybean oil,
malabsorption, chronic diarrhea, delayed gastric emptying, growth failure),			canola oil, soy lecithin
developmental delay or if transitioning from TPN. Appropriate for short or long-			
term use. Lactose-free, gluten-free, low-residue (Peptamen Junior), low-cholesterol.			CHO (55-56% kcals)
Nestle flavor packets available.			- Maltodextrin, sugar,
			cornstarch, monk fruit
Per 250 ml: 250 kcals (1 kcal/ml), 7.5 g pro, 9.5 g fat, 34-36 g CHO, 1-2 g fiber, 3.5			juice,
mg iron			(with fiber), pea fiber
			(with prebio) FOS, inulin
Osmolality: 260-450 mOsm/kg			Additives
			- Sucralose (not in
Flavors: unflavored, strawberry, vanilla			unflavored)
Peptamen Junior with Prebio: Vanilla and chocolate			
Peptamen Junior Fiber: Vanilla			
CAUTION : For use only under strict medical supervision. Not for individuals with			
galactosemia. Not for parenteral use. May not be appropriate for children with			
food allergies. Contains milk and soy.			



PEPTAMEN JUNIOR 1.5 (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (12% kcals)
	Documentation form.	24 cans/case	(100% whey protein) –
USE: Nutritionally complete, high calorie and protein <u>medical food</u> (Nutritional -			Enzymatically hydrolyzed
elemental pediatric tube feed/oral supplement) for children ages 1-13 with impaired		UltraPak enteral closed system:	whey protein
GI function, volume restriction, malabsorption, pancreatitis, cystic fibrosis, Crohn's			
disease, short bowel syndrome, chronic diarrhea, growth failure, early enteral		1000 ml bag RTF	Fat (39-40% kcals)
<u>feeding or transition from TPN</u> . Appropriate for long-term use. Lactose-free, gluten-		6 bags/case	- MCT, soybean oil,
free.			canola oil, soy lecithin,
			refined fish oil (anchovy,
Per 250 mL: 375 kcals (1.5 kcals/ml), 11.5 g pro, 17 g fat, 46 g CHO, 1.5 g fiber, 5.3			sardine)
mg iron			
			CHO (48-49% kcals)
Osmolality: 430-567 mOsm/kg			- Maltodextrin,
Florence on florence decree ille			(vanilla) sugar, monk
Flavors: unflavored, vanilla			fruit juice,
CALITION. For use only under strict modical supervision. Not for individuals with			,(unflavored) corn starch
CAUTION: For use only under strict medical supervision. Not for individuals with			- Sucralose
galactosemia. Not for parenteral use. May not be appropriate for children with cow milk protein allergies.			- Sucraiose
PERATIVE (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (20.5% kcals)
PERATIVE (ADDOLL NULLILIOII)	Documentation form.	24 cans/case	- hydrolyzed sodium
USE: A high calorie and protein nutritionally complete medical food (Nutritional-	Documentation form.	24 cans/ case	caseinate, whey protein
partially hydrolyzed tube feed) for older children and adults with pressure ulcers,		1000 ml container Ready-To-Hang	hydrolysate, L-arginine,
multiple fractures, wounds, burns, metabolic stress or surgery. Contains FOS		8 containers/case	L-carnitine
(prebiotics that may help promote gut health) and added arginine (for wound		o containers, case	2 darmente
healing and immune support). Kosher, gluten-free, lactose-free, low-residue.		1500 ml container Ready-To-Hang	Fat (25% kcals)
5		6 containers/case	- Canola oil, MCT, corn
Per 8 fl oz: 308 kcals (1.3 kcal/ml), 15.8 g pro, 8.8 g fat, 42.8 g CHO, 3.7 mg iron			oil, soy lecithin
CAUTION: For use only under medical supervision. Not for parenteral use.			CHO (54.5% kcals)
			- Corn maltodextrin, FOS



PERIFLEX ADVANCE (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (38% kcals)
	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine-free medical food (Nutritional) for older children and adults			phenylalanine)
(including pregnant women) with phenylketonuria (PKU). Contains a balanced		Reconstituted 84 fl oz	
mixture of all other essential and non-essential amino acids, CHO, fat, vitamins,			Fat (31% kcals)
minerals and trace elements.		Standard dilution: Follow Rx as	- High oleic safflower oil,
		directed by physician. 1 oz water	canola oil, fractionated
Per 100 g: 369-385 kcals, 35 g pro, 12.6 g fat, 29-33 g CHO, 12.9 mg iron		to every 5-6 g powder.	coconut oil
Osmolality:		1 Tbsp pwd = 9.4 g Product, 3.3 g	CHO (31-34% kcals)
Dilution 1 to 4 – 1060-1100 mOsm/kg		Pro	- Corn syrup solids, sugar
Dilution 1 to 5 – 830-890 mOsm/kg			
		Intake dependent on age, body	Additive
Flavors: unflavored, orange		weight and medical condition.	- (Orange only)
			Sucralose
CAUTION: For use only under strict medical supervision. Not intended as the sole			
source of nutrition. Not for parenteral use.			
PKU PERIFLEX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (11.4% kcals)
	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine-free <u>infant formula</u> for <u>infants with iron</u> 0-12 months with			phenylalanine)
phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-		Reconstituted amount 90.1 fl oz	
essential amino acids, CHO, fat, vitamins, minerals and trace elements. For oral use			Fat (43.7% kcals)
or tube feeding. DHA, ARA. Iron fortified. Unflavored. Contains a prebiotic fiber		Intake dependent on age, body	- Refined vegetable oils
blend (GOS, FOS). Contains milk, soy, coconut.		weight and medical condition.	(High oleic sunflower
		Follow Rx as directed by physician	soy, Non-hydrogenated
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron			coconut oil, canola,
		Standard dilution = 21 kcals/oz:	sunflower), C. Cohnii
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg		1 scoop (5 g) powder to every	(DHA), Alpina oil (ARA)
		1 f1 oz water.	
CAUTION: Must only be given to infants with proven phenylketonuria under strict			CHO (44.9% kcals)
medical supervision. Not intended as the sole source of nutrition. <u>Must be</u>			- Corn syrup solids, GOS,
consumed in conjunction with a whole protein source (e.g. breast milk or standard			Dried syrup, FOS
infant formula) in quantities prescribed by a dietitian or physician to meet the			
general nutrition requirements to ensure normal growth and development.			



	1	T	Ι
PKU PERIFLEX JUNIOR PLUS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine-free medical food (Nutritional) for children ages 1+ with			phenylalanine)
phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-		Reconstituted 46 fl oz	
essential amino acids, CHO, fat, vitamins, minerals and trace elements. DHA and			Fat
Multi-fiber mix.		Standard dilution: Recommended	- Refined vegetable oils
		dilution is 3.5 fl oz (100 mL) water	(High oleic sunflower,
Per 100 g: 377-385 kcals, 28 g pro, 12.5 g fat, 41.2-43.2 g CHO, 10 mg iron		plus 36 g powder (approx. 4	canola), MCT (Palm
		scoops) made to a final volume of	Kernal and/or coconut
Osmolality: 1340 mOsm/kg (1.1 kcal/mL)		approx. 4.3 fl oz (126 mL).	oil), sunflower, C. Cohnii
			(DHA)
Flavors: Plain, Orange, Berry, Vanilla		Per 9 g scoop = 2.5 g protein	
			сно
CAUTION: For use only under strict medical supervision. Not intended as the sole		Intake dependent on age, body	- Corn syrup solids, corn
source of nutrition. Not for parenteral use.		weight and medical condition.	starch, FOS, inulin,
'		Follow Rx as directed by physician.	maltodextrin
PERIFLEX LQ (Nutricia Advanced Medical Nutrition)	Approved with Medical	8.5 fl oz (250 ml) tetra pak RTF	Protein (38% kcals)
	Documentation form.	18 paks/case	- Amino acids (without
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>children and adults</u>		10 pans, case	phenylalanine)
(including pregnant women) with phenylketonuria (PKU). Contains a balanced		Intake dependent on age, body	prierry and miley
mixture of all other essential and non-essential amino acids, CHO, vitamins, minerals		weight and medical condition.	Fat (28% kcals)
and trace elements.		Follow Rx as directed by physician	- High oleic sunflower oil,
and trace elements.		Tollow IX as affected by physician	canola oil, soybean oil
Per 250 ml: 160 kcals, 15 g pro, 5 g fat, 13.8 g CHO, 5.5 mg iron			canola on, soybean on
Tel 250 mil. 100 kcais, 15 g pro, 5 g rat, 15.0 g crio, 5.5 mg non			CHO (35% kcals)
Osmalility:			- Sugar
Orange – 1080 mOsm/kg			Jugai
Berry – 1030 mOsm/kg			Additive
Della - 1000 mosmy vig			- Acesulfame Potassium
Flavors: orange creme, berry creme			- Accountaine Fulassiulli
riavois. Orange creme, berry creme			
CAUTION: Must only be given to individuals with proven phenylketonuria under			
	1		
strict medical supervision. Not intended as a sole source of nutrition.			



PRO TODILER (Mead Johnson) USE: A protein- and amino acid-free infant formula and medical food (Nutritional) for infants and toddlers with various amino acid metabolism disorders. Contains increased levels of B vitamins for cofactor production. Provides essential fatty acids and choline. Vanilla scent. Gluten-free, lactose-free, galactose-free. DHA & ARA. Per 100 gr. 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron Osmolality: 171 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with conditions specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are meta but needs for calories, vitamins and mineral supplement in cases where amino acid and protein needs are meta but needs for calories, vitamins and mineral supplement in cases where amino acid and protein needs are metabolism disorders. CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PFHENEX: (Abbits Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylkstonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carntine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylkstonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carntine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylkstonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carntine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-for				
USE: A protein- and amino acid-free infant formula and medical food (Nutritional) for infants and toddiers with various amino acid metabolism disorders. Contains increased levels of 8 vitamins for cofactor production. Provides essential fatty acids and choline. Vanilla scent. Gluten-free, Jactose-free, galactose-free. DHA & ARA. Per 100 gr; 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron Osmolality: 171 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid or protein to make a nutritionally complete beverage or used as a caloric, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calorics, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. Per 100 gr: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) CAUTION: For use only under strict medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CHO (83% kcals) 1 Tosp powder = 8 g CHO (4	PFD TODDLER (Mead Johnson)	Approved with Medical		Protein (0% kcals)
Reconstituted amount unavailable. Fat (54% kcals) Approved with Medical unavailable. Follow Rx as directed by physician olein, coonut, soy, and high oleic sunflower oils). Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron 1 scoop powder = 4.5 g CHO (46% kcals) COrm syrup solids, modified corn starch, sugar dults with yadious amino acid-free medical food (Nutritional) for children and adults with yadious amino acid-metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, witamins and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supplement in cases where a mino acid and protein needs are met but needs for calories, vitamins and mineral supervision. Not for parenteral use. Not intended as the sole source of nutrition. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat		Documentation form.	6 cans/case	- None
increased levels of B vitamins for cofactor production. Provides essential fatty acids and choline. Vanilla scent. Gluten-free, lactose-free, galactose-free. DHA & ARA. Per 100 gr. 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for colories, vitamins and mineral supplement in cases where amino acid and protein needs are sole source of nutrition. Per 100 gr. 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron Approved with Medical powers. Per use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX: (Abbut Nutrition) Approved with Medical powers. Approved with Medical powers. Approved with Medical powers. Approved with Medical powers. Beconstituted: 96 fl oz Fat (41% kcals) - Corn syrup solids, sugar, modified corn starch, sugar, modified corn starch,	USE: A protein- and amino acid-free <u>infant formula and medical food</u> (Nutritional)			
and choline. Vanilla scent. Gluten-free, lactose-free, galactose-free. DHA & ARA. Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron Osmolality: 171 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid-free medical food (Nutritional) for children and adults with unavailable. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with proven PKU or hyperphenylalaninemia. Supplemented with proven PKU or hyperphenylalaninemia. Not intended as a sole source of four policy intended as a sole source of pkg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of four physician or starch sole and to the sole source of four physician or starch sole and to the sole source on physician or starch sole and to the sole source of nutrition. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of four with proven PKU or hyperphenylalaninemia. Not intended as a sole source of four the physician or starch single province of the physician or starch single province or starch	for <u>infants and toddlers</u> with <u>various amino acid metabolism disorders</u> . Contains		Reconstituted amount	Fat (54% kcals)
Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron Osmolality: 171 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with L-carritine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	increased levels of B vitamins for cofactor production. Provides essential fatty acids		unavailable.	- Vegetable oil (palm
Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron Osmolality: 171 mOsm/kg CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toolders with Learnitine. Leglutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toodlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	and choline. Vanilla scent. Gluten-free, lactose-free, galactose-free. DHA & ARA.		Follow Rx as directed by physician	olein, coconut, soy, and
CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatly acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine. L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with pervention of the provided of				high oleic sunflower oils),
CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Per 100 g: 530 kcals, 0 g pro, 32 g fat, 60 g CHO, 10.5 mg iron		1 scoop powder = 4.5 g	DHA, ARA.
CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of				
CAUTION: For use only under strict medical supervision. Not for parenteral use. PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tarnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylalaninemia. Not intended as a sole source of	Osmolality: 171 mOsm/kg			CHO (46% kcals)
PFD 2 (Mead Johnson) Approved with Medical Jocumentation form. USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with conditions specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Hala. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with provent PKU or hyperphenylalaninemia. Not intended as a sole source of with provent PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province PKU or hyperphenylalaninemia. Not intended as a sole source of with province				- Corn syrup solids,
### PFD 2 (Mead Johnson) USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	CAUTION: For use only under strict medical supervision. Not for parenteral use.			modified corn starch,
USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaniemia. Not intended as a sole source of Documentation form. Seconstituted amount unavailable. Fat (11% kcals) - Soy oil CHO (89% kcals) - Corn syrup solids, sugar, modified corn starch CHO (89% kcals) - Corn syrup solids, sugar, modified corn starch Documentation form. 4 Approved with Medical Documentation form. Reconstituted amount unavailable. Protein (13% kcals) - L-Amino acids (without phenylalanine 20 kcals/oz Fat (41% kcals) - Hat (11% kcals) - Corn syrup solids Fat (41% kcals) - L-Amino acids (without phenylalanine 20 kcals/oz Fat (41% kcals) - Hat (11% kcals) - Corn syrup solids Fat (41% kcals) - L-Amino acids (without phenylalanine 20 kcals/oz Fat (41% kcals) - Hat (11% kcals) - Corn syrup solids Fat (41% kcals) - L-Amino acids (without phenylalanine 20 kcals/oz Fat (41% kcals) - CHO (44% kcals) - CHO (44% kcals) - CHO (44% kcals) - CHO (44% kcals) - C				sugar
USE: A protein- and amino acid-free medical food (Nutritional) for children and adults with various amino acid metabolism disorders. Can be mixed with condition-specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with phenylkg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	PFD 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (0% kcals)
adults with various amino acid metabolism disorders. Can be mixed with condition- specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalanine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of		Documentation form.	6 cans/case	- None
specific amino acids or protein to make a nutritionally complete beverage or used as a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHo, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-caronitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	USE: A protein- and amino acid-free medical food (Nutritional) for children and			
a calorie, vitamin and mineral supplement in cases where amino acid and protein needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	adults with various amino acid metabolism disorders. Can be mixed with condition-		Reconstituted amount	Fat (11% kcals)
needs are met but needs for calories, vitamins and minerals is not. Provides essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) Was: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with phenylalninemia. Supplemented with L-tyrosine iron-fortified. Lactose-free, gluten-free. CHO (89% kcals) - Corn syrup solids, sugar, modified corn starch Approved with Medical Documentation form. Approved with Medical Documentation form. Reconstituted: 96 fl oz Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil Tabsp powder = 8 g CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	specific amino acids or protein to make a nutritionally complete beverage or used as		unavailable.	- Soy oil
essential fatty acids. Vanilla scent. Lactose-free Halal. Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose-free, gluten-free. Pagroved with Medical Documentation form. Approved with Medical Documentation form. Reconstituted: 96 fl oz Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids, sugar, modified corn starch Protein (13% kcals) - L-Amino acids (without phenylalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids	a calorie, vitamin and mineral supplement in cases where amino acid and protein		Follow Rx as directed by physician	
Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tarnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Papproved with Medical Documentation form. Approved with Medical Documentation form. Reconstituted: 96 fl oz Fat (41% kcals) - High oleic safflower oil, cocconut oil, soy oil CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	needs are met but needs for calories, vitamins and minerals is not. Provides			CHO (89% kcals)
Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-tarnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	essential fatty acids. Vanilla scent. Lactose-free Halal.		1 scoop powder = 14.9 g	- Corn syrup solids,
CAUTION: For use only under strict medical supervision. Not for parenteral use. Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of Approved with Medical Documentation form. 4 14.1 oz (400 g) can powder 6 c cans/case Protein (13% kcals) - L-Amino acids (without phenylalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil CHO (44% kcals) - Corn syrup solids				sugar, modified corn
Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Protein (13% kcals) - L-Amino acids (without phenyllalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Per 100 g: 400 kcals, 0 g pro, 4.8 g fat, 88 g CHO, 6.3 mg iron			starch
Not intended as the sole source of nutrition. PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Protein (13% kcals) - L-Amino acids (without phenyllalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of				
PHENEX-1 (Abbott Nutrition) USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of Approved with Medical Documentation form. 4.1 oz (400 g) can powder 6 cans/case 1.4.1 oz (400 g) can powder 6 cans/case -L-Amino acids (without phenylalanine) -Lactose- free, gluten-free. Standard dilution = 20 kcals/oz Follow Rx as directed by physician. 1. Tbsp powder = 8 g CHO (44% kcals) -Corn syrup solids	CAUTION: For use only under strict medical supervision. Not for parenteral use.			
USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CHO (44% kcals) - L-Amino acids (without phenylalanine) Fat (41% kcals) - High oleic safflower oil, coconut oil, soy oil 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Not intended as the sole source of nutrition.			
USE: A phenylalnine-free infant formula and medical food (Nutritional) for infants and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	PHENEX-1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of		Documentation form.	6 cans/case	- L-Amino acids (without
with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified. Lactose- free, gluten-free. Standard dilution = 20 kcals/oz Follow Rx as directed by physician. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CHO (44% kcals) - High oleic safflower oil, coconut oil, soy oil CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	USE: A phenylalnine-free <u>infant formula and medical food</u> (Nutritional) for <u>infants</u>			phenylalanine)
Lactose- free, gluten-free. Standard dilution = 20 kcals/oz Follow Rx as directed by physician. Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	and toddlers with phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented		Reconstituted: 96 fl oz	
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	with L-carnitine, L-glutamine and taurine. Fortified with L-tyrosine. Iron-fortified.			Fat (41% kcals)
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron 1 Tbsp powder = 8 g CHO (44% kcals) - Corn syrup solids CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Lactose- free, gluten-free.		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of			Follow Rx as directed by physician.	coconut oil, soy oil
Osmolality: 370 mOsm/kg at 20 kcal/oz CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron			
CAUTION: For use only under strict medical supervision for infants and toddlers with proven PKU or hyperphenylalaninemia. Not intended as a sole source of			1 Tbsp powder = 8 g	CHO (44% kcals)
with proven PKU or hyperphenylalaninemia. Not intended as a sole source of	Osmolality: 370 mOsm/kg at 20 kcal/oz			- Corn syrup solids
with proven PKU or hyperphenylalaninemia. Not intended as a sole source of				
	CAUTION: For use only under strict medical supervision for infants and toddlers			
nutrition. Not for parenteral use	with proven PKU or hyperphenylalaninemia. Not intended as a sole source of			
natition. Not for parenteral use.	nutrition. Not for parenteral use.			



PHENEX-2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) powder	Protein (13% kcals)
	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>children and adults</u> with			phenylalanine)
phenylketonuria (PKU) or hyperphenylalaninemia. Supplemented with L-carnitine,		Reconstituted: 82 fl oz (20	
L-glutamine and taurine. Fortified with L-tyrosine.		kcals/oz)	Fat (31% kcals)
			- High oleic safflower oil,
Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron		Standard dilution = 30 kcals/oz	coconut oil, soy oil
		Follow Rx as directed by physician.	
Flavors: unflavored, vanilla			CHO (44% kcals)
		1 Tbsp powder = 8 g	- Corn syrup solids
Osmolality: 1215-1290 mOsm/kg at 30 kcal/oz			
CAUTION: For use only under strict medical supervision for children and adults with			
proven PKU or hyperphenylalaninemia. Not intended as a sole source of nutrition.			
Not for parenteral use.			
PHENYLADE 40 DRINK MIX (Applied Nutrition Corp/ Nutricia)	Approved with Medical	0.88 oz (25 g) pouch powder	Protein (48% kcals)
	Documentation form.	20 pouches/case	- L-amino acids (without
USE: A high-protein, phenylalanine-free <u>medical food</u> (Nutritional) for <u>children and</u>			phenylalanine)
adults with phenylketonuria (PKU). Fortified with vitamins and minerals. Intended		Standard dilution: 1 pouch	
as the primary source of protein nutrition and a significant source of calories in the		powder to 4-6 fl oz water.	Fat (5% kcals)
management of PKU.			- Canola oil, safflower oil,
			coconut oil, soybean oil
Per 25 g (1 pouch): 83 kcals, 10 g pro, 0.5 g fat, 9.5 g CHO			
			CHO (48% kcals)
Flavors: unflavored, citrus			- corn syrup solids, sugar,
			modified corn starch,
CAUTION: Must only be given to individuals with phenylketonuria under strict			maltodextrin
medical supervision. Not intended as a sole source of nutrition.			



<u></u>			
PHENYLADE 60 DRINK MIX (Applied Nutrition Corp/ Nutricia)	Approved with Medical	16 oz (454g) can powder	Protein (73% kcals)
	Documentation form.	4 cans/case	- L-amino acids (without
USE: A high-protein, phenylalanine-free <u>medical food</u> (Nutritional) for <u>children and</u>			phenylalanine)
adults with phenylketonuria (PKU). Fortified with vitamins and minerals. Intended		Reconstituted 89 fl oz	
as the primary source of protein nutrition and a significant source of calories in the			Fat (1% kcals)
management of PKU. Is fat free, allows fewer calories and more protein.		16.7 g pouches	Canola oil, safflower oil,
		30 puches/case	Soy Lecithin, coconut oil,
Per 16.7 g (1 scoop/pouch): 49 kcals, 10 g pro, 0.17 g fat, 2 g CHO			soybean oil
		Standard dilution: 1 scoop or	
Flavors: vanilla, unflavored		pouch (16.7 g) to approx. 3 fl oz	CHO (25% kcals)
		water.	- Modified corn starch,
CAUTION: Must only be given to individuals with phenylketonuria under strict			maltodextrin, corn syrup
medical supervision. Not intended as a sole source of nutrition.			solids, modified food
			starch
PHENYLADE AMINO ACID BLEND (Applied Nutrition Corp/Nutricia)	Approved with Medical	16 oz (454 g) can powder	Protein (100% kcals)
	Documentation form.	4 cans/case	- Amino acids (without
USE: A phenylalanine-free medical food (Nutritional) for children and adults with			phenylalanine)
phenylketonuria (PKU). Can be added to foods and drinks normally consumed or to		12.4 g pouch powder	
traditional PKU formula to increase protein content. A vitamin/mineral supplement		30 pouches/case	Fat (0% kcals)
may be necessary.			
		No reconstituted amount.	CHO (0% kcals)
Per 12.4 g (1 scoop/pouch): 40 kcals, 10 g pro, 0 g fat, 0 g carbohydrate, 0 mg iron			
CAUTION: Must only be given to individuals with PKU under strict medical			
supervision. Not intended as a sole source of nutrition.			
PHENYLADE ESSENTIAL DRINK MIX (Applied Nutrition Corp/ Nutricia)	Approved with Medical	16 oz (454 g) can powder	Protein (26% kcals)
	Documentation form.	4 cans/case	- L-amino acids (without
USE: A phenylalanine-free medical food (Nutritional) for children and adults with			phenylalanine)
phenylketonuria (PKU). Intended as the primary source of protein nutrition and a		Reconstituted 90 fl oz	
significant source of calories in the management of PKU. Fortified with vitamins and			Fat (30% kcals)
minerals, omega-3 and omega-6 fatty acids, and soluble fiber.		Standard dilution: 1 scoop	-Safflower oil, canola oil,
		powder (40g) to 7 fl oz water.	soybean oil, coconut oil,
Per 40 g (1 scoop/pouch): 157 kcals, 10 g pro, 5 g fat, 18 g CHO			flaxseed oil
		One can yields approximately 11	
Flavors: vanilla, orange creme, strawberry, chocolate, unflavored		servings.	CHO (46% kcals)
			- Sucrose, modified food
CAUTION: Must only be given to individuals with phenylketonuria under strict		40 g pouch powder	starch
medical supervision. Not intended as a sole source of nutrition.		16 pouches/case	



PHENYLADE PHEBLOC LNAA (Applied Nutrition Corp)	Not WIC Approved.		
USE: A phenylalanine-free medical food (Nutritional) for children and adults over 12			
<u>years of age</u> with <u>phenylketonuria (PKU)</u> . Available in powder and tablets. Allows			
for a more relaxed PKU diet.			
CAUTION: Must only be given to individuals with PKU under strict medical			
supervision. Not intended as a sole source of nutrition.			
PHENYL-FREE 1 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (13% kcals)
PHENTL-FREE I (Medu Johnson)	Documentation form.	6 cans/case	- Amino acids
LICE: A phonylologica from infant formula (Nutritional) for infants with	Documentation form.	6 Caris/Case	
USE: A phenylalanine-free <u>infant formula</u> (Nutritional) for <u>infants</u> with phenylketonuria (PKU). Contains higher levels of vitamins and minerals than		Reconstituted amount	(without phenylalanine)
			Fat (470/ kanla)
standard infant formulas. Increased levels of B vitamins for cofactor production.		unavailable.	Fat (47% kcals)
Iron-fortified. Vanilla scent. Lactose-free, Halal. DHA & ARA.		Follow Rx as directed by physician	- Vegetable oil (palm
Par 100 at 500 hada 16.3 a nua 36 a feb 51 a 610 0 6 anairea		1	olein, coconut, soy, and
Per 100 g: 500 kcals, 16.2 g pro, 26 g fat, 51 g CHO, 9.6 mg iron		1 scoop powder = 4.5 g	high oleic sunflower oils), DHA, ARA
Osmolality: 350 mOsm/kg			DHA, AKA
Osmolanty. 930 mosny kg			CHO (40% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole			- Corn syrup solids,
source of nutrition. Not for parenteral use.			modified corn starch,
A CONTRACTOR POLICION AND ACCOUNT.			sugar
PHENYL-FREE 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (22% kcals)
,	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine-free medical food (Nutritional) for children and adults with		,	phenylalanine)
phenylketonuria (PKU). Contains higher protein levels and lower levels of fat and		Reconstituted amount	. , ,
fewer total calories than Phenyl-free 1. Provides essential and non-essential amino		unavailable.	Fat (19% kcals)
acids, CHO, fat, essential fatty acids, vitamins and minerals. Iron-fortified. Vanilla		Follow Rx as directed by physician	- Soy oil
scent. Lactose-free, Halal.			
		1 scoop powder = 14.4 g	CHO (59% kcals)
Per 100 g: 410 kcals, 22 g pro, 8.6 g fat, 60 g CHO, 12.2 mg iron			- Sugar, corn syrup
			solids, modified corn
CAUTION: For use only under strict medical supervision. Not intended as a sole			starch
source of nutrition. Not for parenteral use.			



PHENYL-FREE 2 HP (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (41% kcals)
	Documentation form.	6 cans/case	- Amino acids (without
USE: A high protein, phenylalanine-free medical food (Nutritional) for children,			phenylalanine)
adults and pregnant women with phenylketonuria (PKU) that require fewer calories		Reconstituted amount	
than provided by Phenyl-free 2. Contains higher levels of protein, vitamins and		unavailable.	Fat (15% kcals)
minerals and fewer calories than Phenyl-free 2. Provides essential and non-essential		Follow Rx as directed by physician	- Soy oil
amino acids, CHO, fat, essential fatty acids, vitamins and minerals. Iron-fortified.			
Vanilla scent. Lactose-free, Halal.		1 scoop powder = 15.1 g	CHO (44% kcals)
			- Sugar, corn syrup
Per 100 g: 390 kcals, 40 g pro, 6.3 g fat, 44 g CHO, 15.7 mg iron.			solids, modified corn
			starch
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Due to higher levels of amino acids, the taste of amino acids is			
more prevalent in Phenyl-free 2 HP. Not for parenteral use.			
PHENYLADE GMP Drink Mix (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400g)	Protein
	Documentation form.	4 cans /case	- Whey protein
USE: Low in phenylalanine <u>medical food</u> (Nutritional) indicated for <u>children over</u>		Reconstituted at 71 fl oz	concentrate
one year of age with phenylketonuria (PKU). Contains glycomaropeptide (GMP),			
essential and non-essential amino acids, CHO (including fiber), fat (including DHA),		33g pouches	Fat
vitamins, minerals and trace elements.		Box of 16 (528g)	- refined vegtbale oils
		Reconstitued at 83 fl oz	(canola, safflower,
Per 33.3 g (1 pouch): 132 kcals, 10 g pro equivalent (15.3mg of phenylalanine), 4 g			coconut and soybean),
fat, 14 g CHO, 4.4 mg iron		Recommended dilution of 33.3 g	C.Cohnii, DHA, high oleic
		powder (1 scoop or 1 pouch to 5 fl	sunflower oil
Osmalility (Dilution 33.3 g to 5 fl oz (150 ml) water): 460 mOsm/kg		oz (150 mL) water	
			СНО
Flavors: Vanilla, original			- Modified corn starch,
			dextrin, maltodextrin
CAUTION: For use only under strict medical supervision. Not intended as a sole			glucose syrup solid,
source of nutrition. Not for parenteral use. Contains milk, soybean, coconut.			sugar
			(Original only) Corn
			syrup solids.



PHENYLADE GMP Mix-In (Nutricia Advanced Medical Nutrition)	Approved with Medical	200 g can x4 cans /case	Protein
	Documentation form	Reconstituted at 98 fl oz	- Whey protein
USE: Low in phenylalanine <u>medical food</u> (Nutritional) indicated for <u>children over</u>			concentrate Amino Acid
one year of age with phenylketonuria (PKU). Contains glycomaropeptide (GMP),		12.5g pouches x 20 per box	with low phenylalanine
essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace		Reconstitued at 130 fl oz	
elements.			Fat
		1 scoop=12.5g	- refined vegetable oils
Per 12.5g (1 scoop): 42 kcals, 10 g pro equivalent (15.3mg of phenylalanine), <0.5 g			(canola, safflower,
fat, <0.5 g CHO		Recommnded dilution: 1 scoop	coconut and soybean)
		(12.5g powder) mixed with 6-8 fl	, ,
Osmalility (Dilution 33.3 g to 5 fl oz (150 ml) water): 460 mOsm/kg		oz of cold water or flavored drink.	СНО
			- Corn syrup solid,
CAUTION: For use only under strict medical supervision. Not intended as a sole			modified corn starch,
source of nutrition. Not for parenteral use. Not intended for infants under 1 year of			and maltodextrin.
age. Contains Milk, soybean, coconut.			
PHLEXY - 10 DRINK MIX (Nutricia Advanced Medical Nutrition)	Approved with Medical	20 g sachet powder	Protein (48% kcals)
,	Documentation form.	30 sachets/box	- Amino acids (without
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>children and adults</u> with			phenylalanine)
phenylketonuria (PKU). Contains a balanced mixture of all other essential and non-		Standard dilution = 1 sachet	
essential amino acids and CHO. Does not contain vitamins, minerals or trace		powder to water to yield 3.5 oz	Fat (0% kcals)
elements.		drink mix.	- None
Per 20 g: 69 kcals, 8.33 g pro, 0 g fat, 8.8 g CHO			CHO (51% kcals)
The Edg. of Reality closes have all a first and all a first and a			- Sucrose, corn syrup
Osmalility (Dilution 1 to 5): 1140-1172 mOsm/kg			solids
Ostriality (Bildion 1 to 5). 1140 1172 mostly kg			Additive
Flavors: blackcurrant-apple, tropical sunrise			- Acesulfame Potassium
Travors. Diackeurrant apple, troplear sumse			Acesaname i otassiam
Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These			
products can be used independently or in combination with other phenylalanine-			
free products or protein sources. Phlexy-Vits (not WIC approved) are available to be			
used as a vitamin/mineral supplement with the Phlexy-10 system.			
asea as a vitaminy mineral supplement with the rinexy-10 system.			
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use. Not intended for infants under 1 year of			
age.			
α ₅ C.			



PHLEXY - 10 TABLETS (Nutricia Advanced Medical Nutrition)	Approved with Medical	75 tablets/bottle	Protein (87% kcals)
·	Documentation form.		- Amino acids (without
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>children over 8 years of</u>			phenylalanine)
age and adults with phenylketonuria (PKU). Contains a balanced mixture of all other			
essential and non-essential amino acids. Does not contain vitamins, minerals or			Fat (5% kcals)
trace elements.			- Negligible
Per 10 tablet: 41 kcals, 8.3 g pro, 0.38 g fat, 3.7 g CHO, 3 g fiber.			CHO (7 % kcals)
			- Microcrystalline
Note: The Phlexy - 10 system includes bars, capsules, drink mix and tablets. These			cellulose, corn starch
products can be used independently or in combination with other phenylalanine-			
free products or protein sources. Phlexy-Vits (not WIC approved) are available to be			
used as a vitamin/mineral supplement with the Phlexy-10 system.			
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition.			
PHLEXY – VITS (Nutricia Advanced Medical Nutrition)	Not WIC approved.	7 g packet powder	Protein (0% kcals)
		30 packets/case	- None
USE: A <u>vitamin, mineral and trace element preparation</u> for <u>older children 11+ and</u>			
<u>adults</u> with <u>restrictive therapeutic diets</u> . One 7 g packet supplies the majority of		1 sachet phlexy-vits to 1 sachet	Fat (0% kcals)
vitamins and minerals needed to meet the DRI of individuals 11 years and older.		Phlexy drink mix	- None
			// 1
Per 7 g: 0.2 kcals, 0.02 g pro, 0 g fat, 0.04 g CHO		Or	CHO (0% kcals)
CAUTION 5		4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- None
CAUTION: For use only under strict medical supervision. Not intended as a sole		1 sachet phlexy-vits to small	
source of nutrition.		amount of lemonade or juice (1.5	
		fl oz), dilute to 5 fl oz	



PIVOT 1.5 CAL (Abbott Nutrition)	Not WIC approved.	8 fl oz (237 ml) can RTF	Protein (25% kcals)
		24 cans/case	- Partially hydrolyzed
USE: A very-high calorie and protein <u>medical food</u> (Nutritional - tube feed) for <u>older</u>			sodium caseinate, whey
children and adults who are immunosuppressed, metabolically stressed or have fluid		1000 ml container Ready-To-Hang	protein hydrolysate, L-
<u>restrictions.</u> Contains FOS (prebiotic that may help maintain gut health) and arginine. Gluten-free, lactose-free, low-residue.		8 containers/case	arginine, L-carnitine
			Fat (30% kcals)
Per 8 fl oz: 355 kcals (1.5 kcals/oz), 22.2 g pro, 12 g fat, 40.9 g CHO, 4.3 mg iron, 1.8			- Structured lipid
g fiber			(interesterified sardine
			oil and MCT), soy oil,
CAUTION: For use only under strict medical supervision. Not for parenteral use.			canola oil
			CHO (45% kcals)
			- Corn syrup solids, FOS
PKU Lophlex LQ (Nutricia Advanced Medical Nutrition)	Approved with Medical	4.2 fl oz (125ml) pouches	Protein (70% kcals)
	Documentation form.	30 pouches/case	- Amino Acids (without
USE: A phyenylalanine-free <u>medical food</u> (Nutritional) for <u>children 4 years and older</u>			phenylalanie)
<u>including pregnant women</u> with <u>phenylketonuria</u> . Contains a balanced mixture of all			
other essential and non-essential amino acids, carbohydrate, vitamins, minterals			Fat (0% kcals)
and trace elements.			- C Cohnii oil
Per 125 mL: 120 kcals, 20 g pro, 0.44 g fat, 9.3 g CHO iron 5.1 mg			CHO (30% kcals)
			- Maltodextrin, sugar,
Osmolality: 2460 mOsm/kg			Microcrystalline
			Cellulose, cellulose
Flavors: Juicy Tropical, Mixed Berry Blast, Juicy Orange			(orange) OJ (Mixed
			berry) fruit juice
CAUTION: For use only under strict medical supervision for individuals with proven			concentrations
phenylketonuria. Not intended as a sole source of nutrition. Not for parenteral use.			
Not intended for infants.			Additive
			- Acesulfame Potassium
			(juicy orange and mixed
			berry) Sucralose



<u> </u>			
Polycal (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400g)	Protein (0% kcals)
	Documentation form.	12 cans/case	- N/A
USE: A medical food (Nutritional- metabolic) For the dietary management of <u>adults</u>			
and children over 1 year of age with disease related malnutrition and conditions		1 scoop = 5g powder (20 kcal)	Fat (0% kcals)
requiring a high energy, low fluid diet. Dissolves readily and has neutral taste to add			- N/A
to drinks and foods without altering taste. Suitable for use in cooking. Milk protein		Intake to be determined by a	
free-manufactured in a dairy-free environment. Lactose free and gluten free.		medical professional and is	CHO (100%)
		dependent on the age, body	- Maltodextrin
Per 100g: 384 kcals, 0 g pro, 0 g fat, 96 g CHO, 0 mg iron		weight and medical condition of	
		the patient.	
Osmolality: 104 MOsm/kg		·	
Flavors: unflavored			
CAUTION: For use under medical supervision. Not intended as a sole source of			
nutrition. Not for parenteral use. Not intended for infants.			
PORTAGEN (Mead Johnson)	Approved with Medical	14.4 oz (410 g) can powder	Protein (14% kcals)
	Documentation form.	6 cans/case	- Sodium caseinate (Milk)
USE: A milk-based medical food (Nutritional) for children and adults with defects in		Reconstituted: 70 fl oz	, ,
the intraluminal hydrolysis of fat (decreased pancreatic lipase, decreased bile salts),			Fat (40% kcals)
defective mucosal fat absorption (decreased mucosal permeability, decreased		Standard dilution = 30 kcals/oz:	- MCT oil (87%), corn oil,
absorptive surface), and/or defective lymphatic transport of fat (intestinal lymphatic		Add 3 scoops powder (28.2 g) to 4	Soy Lecithin
obstruction). Lactose-free, low-residue, Kosher.		fl oz water to yield 4.5 fl oz	
		formula	CHO (46% kcals)
Per 100 g: 470 kcals, 16.5 g pro, 22 g fat, 54 g CHO, 8.8 mg iron			- Corn syrup solids, sugar
Osmolality: 350 mOsm/kg			
CAUTION : For use only under strict medical supervision. Not nutritionally			
complete. Not intended as a sole source of nutrition. If used long-term,			
supplementation of essential fatty acids and ultra- trace minerals should be			
considered. Persons should start Portagen beverage slowly and start with one or			
two small servings per day until they become accustomed to the product, since			
abdominal discomfort and/or diarrhea may occur. Not for parenteral use. Not for			
individuals with galactosemia.			



	1		
PREGESTIMIL (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (11% kcals)
PREGESTIMIL 20/24	Documentation form.	6 cans/case	- Casein hydrolysate,
USE : An <u>infant formula</u> (hypoallergenic) for <u>infants</u> with <u>gastrointestinal problems</u>		Reconstituted: 112 fl oz	amino acids
(fat malabsorption and sensitivity to intact proteins). Fat Malabsorption or			
steatorrhea may be associated with cystic fibrosis, SBS, intractable diarrhea, and		Standard dilution = 20 kcals/oz:	Fat (49% kcals)
severe protein calorie malnutrition. DHA, ARA. Iron-fortified. Lactose-free.		1 scoop (8.9 g) powder to 2 fl oz	- MCT oil, soy oil, corn
Available in 24 cals in 2 fl oz bottles only.		water	oil, high oleic oil
			(safflower or sunflower),
Per 100 kcals: 2.8 g pro, 5.6 g fat, 10.2 g CHO, 1.8 mg iron		2 fl oz bottle RTF	DHA, ARA
		48 bottles/case	
Osmolality: 290-340 mOsm/kg		(available in 20 and 24 kcal)	CHO (40% kcals)
			- Corn syrup solids,
CAUTION : For use only under medical supervision. Not recommended for routine			modified corn starch
use in VLBW infants who may be at increased risk of developing gastrointestinal			
complications.			
PRODUCT 3232A (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (11% kcals)
USE: A protein hydrolysate <u>infant formula and medical food</u> (hypoallergenic) for	Documentation form.	6 cans/case	- Casein hydrolysate,
infants and children with disaccharidase deficiencies or other disorders of		Reconstituted amount	amino acids
<u>carbohydrate metabolism.</u> To be used with added carbohydrate. Contains tapioca		unavailable.	
starch. Lactose-free.		Follow Rx as directed by physician	Fat (35% kcals)
			- MCT (82%), corn oil
Per 100 g: 500 kcals, 22 g pro, 33 g fat, 33 g CHO, 11.8 mg iron		Standard dilution = 20 kcals/oz	
			CHO (54% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole		1/2 cup powder = 81 g	- Modified tapioca starch
source of nutrition. For long-term use, additional fatty acids should be considered.			
Not for parenteral use. Contains milk and soy			
PROMOD LIQUID PROTEIN (Abbott Nutrition)	Approved with Medical	32 fl oz bottle	Protein (40% kcals)
USE: A <u>medical food</u> (Nutritional) for <u>children and adults</u> with <u>increased protein</u>	Documentation form.	6 bottles/case	- Hydrolyzed beef
needs with hydrolyzed collagen including wounds, protein-energy malnutrition,			collagen, L-tryptophan
involuntary weight loss, pre/post surgery, anorexia, stress, trauma, cancer, and			
<u>burns</u> . Gluten-free, lactose-free.			Fat (0% kcals)
Per 1 fl oz: 100 kcals (3.3 kcals/ml), 10 g pro, 0 g fat, 14 g CHO,			CHO (60% kcals)
			- Glycerin
Flavors: Fruit punch			
CAUTION: Use under medical supervision. Not intended as sole source of nutrition.			



PROMOTE	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (25% kcals)
PROMOTE with FIBER (Abbott Nutrition)	Documentation form.	24 cans/case	- Sodium caseinates, soy
USE: A nutritionally complete, very-high protein <u>medical food</u> (Nutritional - tube			protein isolate, L-
feed/oral supplement) for older children and adults with low caloric needs or at risk		1000 ml Ready-To-Hang	Carnitine
for protein-energy malnutrition or pressure ulcers. Kosher, gluten-free, lactose-free,		8 containers/case	
low-residue (without fiber).		0 00.114013, 0400	Fat (23-25% kcals)
		1500 ml Ready-To-Hang	- Soy oil, MCT, Safflower
Per 8 fl oz: 237 kcals (1 kcal/ml), 14.8 g pro, 6.2-6.7 g fat, 30.8-32.8 g CHO, 4.3 mg		6 containers/case	oil, Soy Lecithin
iron (w/fiber 3.4g)			S., 55, 255.
11011 (11) 1102. 3. 18)			CHO (50-52% kcals)
Osmolality: 340-380 mOsm/kg			- Corn maltodextrin,
Same lane, 1 o 10 oos mesmy kg			sucrose, oat fiber, soy
Flavors: vanilla			fiber (with fiber)
			June (minus)
CAUTION: For use only under medical supervision. Not for parenteral use.			
PRO-PHREE (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (0% kcals)
USE: A protein-free <u>infant formula and medical food (Nutritional)</u> for <u>infants and</u>	Documentation form.	6 cans/case	- None added
toddlers in need of extra calories, minerals and vitamins or on a protein restriction.			
Supplemented with L-carnitine and taurine. Iron-fortified. Lactose free, Gluten-free.		Reconstituted: 102 fl oz	Fat (49% kcals)
			- High oleic safflower oil,
Per 100 g: 510 kcals, 0 g pro, 28 g fat, 65 g CHO, 11.9 mg iron		Standard dilution = 20 kcals/oz	coconut oil, soy oil
		Follow Rx as directed by physician.	
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (50% kcals)
source of nutrition. Not for parenteral use.		1 Tbsp powder = 8 g	- Corn syrup solids
PROPIMEX - 1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A methionine- and valine-free <u>infant formula and medical food</u> (Nutritional)	Documentation form.	6 cans/case	- L-Amino acids (without
for infants and toddlers with propionic or methylmalonic acidemia. Low in			methionine, valine)
isoleucine, threonine. Supplemented with taurine. Fortified with L-carnitine and		Reconstituted: 96 fl oz	
iron.			Fat (40% kcals)
		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		Follow Rx as directed by physician.	coconut oil, soy oil
CAUTION: Must only be given to infants and toddlers with proven propionic or		1 Tbsp powder = 8 g	CHO (44% kcals)
methylmalonic acidemia, under strict medical supervision. Not intended as a sole			- Corn syrup solids
source of nutrition. Not for parenteral use.			



PROPIMEX - 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (29% kcals)
USE: A methionine- and valine-free <u>medical food</u> (Nutritional) for <u>children and</u>	Documentation form.	6 cans/case	- L-Amino acids (without
adults with propionic or methylmalonic acidemia. Low in isoleucine, threonine.			methionine, valine)
Supplemented with taurine. Fortified with L-carnitine.		Reconstituted: 82 fl oz (20	
		kcals/oz)	Fat (29% kcals)
Per 100 g: 410 kcals, 30 g pro, 13 g fat, 35 g CHO, 13 mg iron			- High oleic safflower oil,
		Standard dilution = 30 kcals/oz	coconut oil, soy oil
CAUTION: Must only be given to children and adults with proven propionic or		Follow Rx as directed by physician.	,
methylmalonic acidemia, under strict medical supervision. Not intended as a sole		, , ,	CHO (34% kcals)
source of nutrition. Not for parenteral use.		1 Tbsp powder = 8 g	- Corn syrup solids
PROVIMIN (Abbott Nutrition)	Approved with Medical	5.3 oz (150 g) can powder	Protein (93% kcals)
USE: A protein-vitamin-mineral <u>infant formula and medical food</u> (Nutritional) for	Documentation form.	6 cans/case	- Sodium Caseinate, L-
infants, children and adults with abetalipoproteinemia, hypobetalipoproteinemia,			Amino acids
cholestasis, chylothorax, chylous ascites, fatty acid oxidation defects, glutaric		Reconstituted: 23.4 fl oz	
aciduria type II, glycogen storage disease types II, III, and IV, hyperlipoproteinemia			Fat (4% kcals)
type I (fasting chylomicronemia), lymphangiectasis, intestinal malabsorption of		Standard dilution = 20 kcals/oz	- Coconut oil
carbohydrate and/or fat, malonyl coenzyme A decarboxylase deficiency,			
neurologically handicapped patients with low energy needs, X-linked		To prepare 1000 ml formula, add	CHO (3% kcals)
adrenoleukodystrophy or in need of increased protein, minerals and vitamins.		30 g ProViMin, 34 g fat and 69 g	- None Added
Virtually carbohydrate- and fat-free. Supplemented with L-carnitine and taurine.		CHO to 900 ml water.	(Negligible)
Iron-fortified. Gluten-free, lactose-free.			
		1 Tbsp powder = 2.9 g	
Per 100 g: 313 kcals, 73 g pro, 1.4 g fat, 2.0 g CHO, 40 mg iron			
CAUTION: For use only under strict medical supervision. Not intended as a sole			
source of nutrition. Not for parenteral use.			
PULMOCARE (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE: A nutritionally complete, low-carbohydrate, high-calorie medical food	Documentation form.	24 cans/case	- Sodium and calcium
(Nutritional - pulmonary tube feed/oral supplement) for older children and adults			caseinates
with chronic obstructive pulmonary disease, cystic fibrosis or respiratory failure.		1000 ml container Ready-To-Hang	
Designed to help reduce carbon dioxide production. Fortified with antioxidants.		8 containers/case	Fat (55.1% kcals)
Kosher, gluten-free, lactose-free, low-residue.			- Canola oil, MCT, corn
			oil, high oleic safflower
Per 8 fl oz: 355 kcals (1.5 kcals/oz), 14.8 g pro, 25 g CHO, 22.1 g fat, 4.5 mg iron			oil, soy lecithin
Flavor: vanilla			CHO (28.2% kcals)
			- Sucrose, corn
CAUTION: For use only under strict medical supervision. Not for parenteral use.			maltodextrin



RCF Ross Carbohydrate Free Formula Base (Abbott Nutrition)	Approved with Medical	13 fl oz can concentrate	Protein (20% kcals)
USE : A soy-based, carbohydrate-free <u>infant formula</u> (Nutritional) for <u>infants</u> with	Documentation form.	12 cans/case	- Soy protein isolate
seizure disorders requiring a ketogenic diet or unable to tolerate the type or amount			
of carbohydrate in milk or conventional infant formulas. Supplemented with L-		Reconstituted: 25.6 fl oz	Fat (80% kcals)
carnitine and taurine. Iron-fortified.			- High oleic safflower oil,
		Standard dilution = 20 kcals/oz	soy oil, coconut oil
Per 100 kcals (with 52 g CHO and 12 oz H₂o mixed with 13 oz RCF):		Follow Rx as directed by physician	
3 g pro, 5.3 g fat, 10.1 g CHO, 1.8 mg iron			CHO (0% kcals)
			- None
Osmolality: 168 mOsm/kg			
CAUTION : For use only under strict medical supervision. Not for parenteral use.			
RE/GEN HP/HC	Not WIC Approved.	6 oz carton RTF	Protein (14-15% kcals)
RE/GEN HP/HC SF (Nutra/Balance)		27 cartons/case	
USE: A high-calorie and protein <u>medical food</u> (Nutritional - renal oral supplement)			Fat (41-42% kcals)
for <u>older children and adults</u> with <u>phosphorous</u> , <u>potassium or fluid -restricted diets</u>			
or on dialysis. Kosher, low-lactose.			CHO (41-50% kcals)
Per 6 oz: 345-375 kcals, 12-14 g pro, 16-17 g fat, 35-47 g CHO, 0 mg iron			
Flavors: regular – vanilla, strawberry; sf - vanilla			
RENALCAL (Nestle Health Science)	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (7% kcals)
USE: A very high-calorie, low-protein, low-electrolyte <u>medical food</u> (Nutritional -	Documentation form.	24 cans/case	- Whey protein
renal tube feed/oral supplement) for older children and adults with acute renal			concentrate, amino acid
failure. Contains 67% indispensable AA and 33% dispensable AA. Contains arginine			blend
(to reduce potential for hyperammonemia). Kosher, lactose-free, gluten-free, low			
residue. Nestle flavor packets available.			Fat (36% kcals)
			(MCT 70%, LCT 30%)
Per 8.5 oz: 500 kcals (2 kcals/mL), 8.5 g pro, 20.5 g fat, 73 g CHO, 0 mg iron			- MCT (fractionated
			coconut and palm kernel
Osmolality: 600 mOsm/kg			oil), canola oil, corn oil
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (57% kcals)
source of nutrition. Not for individuals with galactosemia. Not for parenteral use.			- Maltodextrin,
			cornstarch



RESOURCE 2.0 (Nestle Health Science)	Approved with Medical	8 fl oz (237 ml) carton	Protein (17% kcals)
USE: A nutritionally complete, high-calorie and protein <u>medical food</u> (Nutritional-	Documentation form.	27 cartons/case	- Calcium and sodium
oral supplement/tube feed) for older children and adults with malnutrition, fluid			caseinate (milk)
restriction, inadequate oral intake, and unintentional weight loss. Kosher, lactose-		32 fl oz carton	
free, low-residue, gluten-free.		12 cartons/case	Fat (40% kcals)
			- Canola oil, distilled
Per 8 oz: 480 kcals (2 kcals/ml), 20 g pro, 21 g fat, 52 g CHO, 4.5 mg iron			monoglycerides, soy
			lecithin
Osmolality: 790 mOsm/kg			
			CHO (43% kcals)
Flavors: very vanilla			- Corn syrup, sugar,
			maltodextrin
CAUTION: For use only under medical supervision. Not for individuals with			
galactosemia. Not for parenteral use. Contains milk and soy.			
RESOURCE THICKEN-UP (Nestle Healthcare Nutrition)	Not WIC approved.	6.4 g packets	СНО
USE : A low caloriemedical food (Nutritional) for children over age 3 and adults with		75 packets/case	-Modified cornstarch
dysphagia. Kosher, lactose-free, gluten-free, low-residue		• •	
		8 oz cans	
Per 6.4 g packet: 25 kcals, 0 g pro, 0 g fat, 6 g CHO		12 cans/case	
, 51 , 5 , 10 , 1		,	
CAUTION : For use under medical supervision. Not for individuals with galactosemia.		25 lb (11.34 kg) box	
May contain soy, milk, egg, and wheat due to equipment cross-contact.			



REPLETE	Approved with Medical	8.45 fl oz (250 ml) can RTF	Protein (25% kcals)
REPLETE FIBER (Nestle Health Science)	Documentation form.	24 cans/case	- Sodium, and calcium
(Previously NUTREN REPLETE)			caseinate (Milk)
USE: A nutritionally complete, high-protein medical food (Nutritional - oral		UltraPak enteral closed system:	(with fiber only) soy
supplement/tube feed) for older children and adults recovering from surgery, stage			protein isolate
1 to unstageable pressure sores, burns or minor surgical wounds, and high protein		1000 ml bag RTF	
needs. Formulated to support healing and protein repletion. Kosher, lactose-free,		6 bags/case	Fat (30% kcals)
gluten-free, low-residue (without fiber).			(MCT 25%, LCT 75%)
		1500 liter bag RTF	- Canola oil, MCT
Per 250 ml: 250 kcals, (1kcal/mL) 16 g pro, 8.5 g fat, 28 -31 g CHO, 3.5- 4 mg iron		4 bags/case	(fractionated coconut
(w/ fiber 3.8 g fiber)		(Nutren Replete Fiber only)	and palm kernel oil)
			(with fiber only) soy
Osmolality: 300-330 mOsm/kg			lecithin
Flavors: unflavored			CHO (45% kcals)
			- Corn syrup,
CAUTION: For use only under strict medical supervision. Not for individuals with			maltodextrin,
galactosemia. Not for parenteral use.			(With fiber only) pea
			fiber, FOS, inulin, gum
			acacia,
SIMILAC Pro-ADVANCE (Abbott Nutrition)	Not WIC Approved	30.8 oz (873 g) can powder 4	Protein (8% kcals)
Previously Similac Advance Pro		cans/case	- Nonfat milk, whey
USE: A milk-based <u>infant formula</u> for <u>infants</u> birth to 12 months old with <u>no special</u>		Reconstituted: 90 fl oz	protein concentrate
nutritional requirements. Contains blend of prebiotics, nucleotides, and			
antioxidants. Considered Stage 1. DHA, ARA. Iron-fortified. Gluten- free. Lutein.		Standard dilution = 19 kcals/oz:	Fat (49% kcals)
		1 scoop (8.2 g) powder to every 2	- High oleic safflower,
Per 100 kcals: 2.07 g pro, 5.6 g fat, 10.5 g CHO, 1.9 mg iron		fl oz water.	soy, and coconut oil,
			DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		13 fl oz can concentrate	
		12 cans/case	CHO (43% kcals)
		Reconstituted: 26 fl oz	- Lactose, Galacto-
		20 (1 1 11 277	Oligosaccharides (GOS),
		32 fl oz bottle RTF	FOS
		6 or 8 bottles/case	



SIMILAC ADVANCE (Abbott Nutrition)	Standard WIC Contract	30.8 oz (873 g) can powder	Protein
USE: A milk-based <u>infant formula</u> for <u>infants</u> 0-12 months old with <u>no special</u>	Formula.	4 cans/case or 6 cans/case	- Nonfat milk, whey
nutritional requirements with iron. Designed for older infants when feeding solids.	(No RX needed for		protein concentrate
Considered Stage1. DHA, ARA. Iron-fortified. Gluten- free, Lutein.	infants)	Reconstituted: 234 fl oz	
			Fat
Per 100 kcals: 2.07 g pro, 5.6 g fat, 10.7 g CHO, 1.9 mg iron		Standard dilution = 19 kcals/oz:	- High oleic safflower,
		1 scoop (8.3 g) powder to every 2	soy, and coconut oil,
CAUTION: Evaluate if formula is mixed, used, and stored properly.		fl oz water.	DHA, ARA, soy lecithin
		RTF options available.	сно
			- Lactose, GOS
SIMILAC ADVANCE NON-GMO (Abbott Nutrition)	Not WIC Approved.	23.2 oz (658 g) can powder	Protein
USE: A milk-based <u>infant formula</u> for <u>infants</u> 0-12 months old with <u>no special</u>		6/case	- Nonfat milk, whey
nutritional requirements. Designed for older infants when feeding solids. Ingredients not genetically engineered. Considered Stage 1. DHA, ARA. Iron-fortified.		Reconstituted: 176 fl oz	protein concentrate
Gluten- free, Lutein.		Standard dilution = 19 kcals/oz:	Fat
Gluten Tree, Euteni.		1 scoop (8.3 g) powder to every 2	- High oleic safflower,
Per 100 kcals (5.3 fl oz): 2.07 g pro, 5.6 g fat, 10.7 g CHO, 1.9 mg iron		fl oz water.	soy, and coconut oil,
			DHA, ARA
CAUTION: Evaluate if formula is mixed, used, and stored properly.		RTF option available.	,
		·	СНО
			- Lactose, GOS
SIMILAC ORGANIC (Abbott Nutrition)	Not WIC Approved.	23.2 oz (658 g) can powder	Protein (8% kcals)
USE: A milk-based infant formula (certified USDA organic) for infants with no special		6 cans/case	- Organic nonfat milk
nutritional requirements. DHA, ARA. Iron-fortified. Lutein.			
		Standard dilution = 20 kcals/oz:	Fat (49% kcals)
Per 100 kcals (5 fl oz): 2.07 g pro, 5.63 g fat, 10.4 g CHO, 1.8 mg iron		1 scoop (8.6 g) powder to every 2	- Organic high oleic
		fl oz water.	safflower oil, organic soy
CAUTION: Evaluate if formula is mixed, used, and stored properly.			oil, organic coconut oil,
		32 fl oz bottle RTF	DHA, ARA
		6 bottles/case	
			CHO (43% kcals)
			- Organic maltodextrin,
			organic sugar



SIMILAC ALIMENTUM (Abbott Nutrition)	Approved with Medical	12.1 oz (343 g) can powder	Protein (11% kcals)
(Previously SIMILAC EXPERT CARE ALIMENTUM)	Documentation form.	6 cans/case	- Casein hydrolysate,
USE : An <u>infant formula</u> (Nutritional - hypoallergenic) for <u>infants</u> with colic symptoms		Reconstituted: 87 fl oz	amino acids
due to protein sensitivity, <u>severe food allergies</u> , <u>sensitivity to intact protein</u> , <u>protein</u>			E . (400() .)
maldigestion or fat malabsorption. Hydrolyzed casein supplemented with free		Standard dilution = 20 kcals/oz:	Fat (48% kcals)
amino acids. MCT, DHA, ARA. Iron-fortified. Gluten-free. Corn-free (RTF only).		1 scoop (8.7 g) powder to every 2	- High oleic Safflower oil,
D 4001 1 /5 (1) 2.75		fl oz water.	MCT, soy oil, DHA, ARA
Per 100 kcals (5 fl oz): 2.75 g pro, 5.54 g fat, 10.2 g CHO, 1.8 mg iron		0.0	SUC /440/ L
CALITION. For use and our design and itself account in its		8 fl oz can RTF	CHO (41% kcals)
CAUTION: For use only under medical supervision.		6 cans/case	- corn maltodextrin,
		32 fl oz bottle RTF	sugar
		6 bottles/case	
SIMILAC FOR DIARRHEA (Abbott Nutrition)	Approved with Medical	8 fl oz (237mL) can RTF	Protein (11% kcals)
(Previously SIMILAC EXPERT CARE FOR DIARRHEA)	Documentation form.	24 cans/case	- Soy protein isolate,
USE : A soy-based <u>infant formula</u> (lactose-free) for <u>infants older than 6 months and</u>			amino acids
toddlers with diarrhea. Iron-fortified. Gluten-free. Soy fiber.		32 fl oz (946 mL) can RTF	
		6 cans/case	Fat (49% kcals)
Per 100 kcals (5 fl oz): 2.66 g pro, 5.46 g fat, 10.1 g CHO, 1.8 mg iron, 0.9 g fiber			- Soy oil, coconut oil
		Standard dilution = 20 kcals/oz	
Osmolality: 240 mOsm/kg			CHO (40% kcals)
			- Corn syrup, sugar, soy
CAUTION: Must only be used under medical supervision. Should not be fed to			fiber.
infants or toddlers with constipation. May not be appropriate for long-term use.			
SIMILAC NEOSURE (Abbott Nutrition)	Approved with Medical	13.1 oz (371 g) can powder	Protein (11% kcals)
(Previously SIMILAC EXPERT CARE NEOSURE)	Documentation form.	6 cans/case	- Nonfat milk, whey
USE: A high-calorie <u>infant formula</u> (premature) for <u>infants</u> in need of <u>extra calories</u>		Reconstituted: 87 fl oz	protein concentrate
and nutrients. For use as a preterm, post discharge formula. Contains higher levels			
of protein, vitamins, and minerals than standard term formulas to promote greater		Standard dilution = 22 kcals/oz:	Fat (50% kcals)
weight gain and growth. MCT, DHA, ARA. Gluten-free, halal, kosher, Iron-fortified.		1 scoop (9.6 g) powder to every 2	- Soy oil, high oleic
		fl oz water.	safflower oil, MCT,
Per 100 kcals (4.5 fl oz): 2.8 g pro, 5.5 g fat, 10.1 g CHO, 1.8 mg iron			coconut oil, DHA, ARA
		2 fl oz (59 mL) plastic bottle RTF	
Osmolality: 250 mOsm/kg		48 bottles/case	CHO (40% kcals)
			- Corn syrup solids,
CAUTION: For use only under strict medical supervision. The AAP supports the use		32 fl oz (946 mL) bottle RTF	lactose
of preterm discharge formulas to a postnatal age of 9 months.		6 bottles/case	



SIMILAC GO & GROW Toddler Drink— MILK BASED FORMULA (Abbott Nutrition) USE: A milk-based medical food (Nutritional) for toddlers (12-24 months) with no special nutritional requirements. DHA, ARA, Prebiotics, Lutein, Carotenoids. Ironfortified. Gluten- Free, Halal, Kosher. Per 1/3 cup powder (35g dry powder): 150 kcals, 4 g pro, 8 g fat, 16 g CHO Osmolality: 300 mOsm/kg CAUTION: Not for children with galactosemia. Evaluate if formula is mixed, used, and stored properly.	Not Idaho WIC Approved.	2.13-LB (964 g) or 1.38-LB (624 g) SimplePac 6/case Standard dilution = 19 kcals/oz: Add 8 fl oz water to 1/3 cup powder	Protein (12% kcals) - Nonfat milk Fat (49% kcals) - High oleic safflower oil, soy oil, coconut oil, DHA, ARA CHO (39% kcals) - Lactose, GOS
SIMILAC GO & GROW NON-GMO- MILK BASED FORMULA (Abbott Nutrition) USE: A milk-based medical food (Nutritional) for toddlers (12-24 months) with no special nutritional requirements. Ingredients not genetically engineered. DHA, ARA, Prebiotics, Lutein, Carotenoids. Iron-fortified. Gluten- Free. Per 1/3 cup (35g dry powder) = 150 kcals, 4g pro, 8g fat, 16 g CHO CAUTION: Not for children with galactosemia. Evaluate if formula is mixed, used, and stored properly.	Not WIC Approved.	1.38-LB (624 g) SimplePac 6/case Standard dilution = 19 kcals/oz: Add 8 fl oz water to 1/3 cup powder	Protein - Nonfat milk Fat - High oleic safflower oil, soy oil, coconut oil, DHA, ARA CHO - Lactose, GOS
SIMILAC GO & GROW SENSITIVE— MILK BASED FORMULA (Abbott Nutrition) USE: A milk-based medical food (Nutritional) for toddlers (12-24 months) with lactose sensitivity. DHA. Kosher. Gluten- Free. Prebiotics, Lutein. Per 1/3 cup (35g dry powder) = 150 kcals, 4g pro, 8g fat, 16 g CHO CAUTION: Not for children with galactosemia. Evaluate if formula is mixed, used, and stored properly.	Not Idaho WIC Approved.	1.38-LB (624 g) or 1.38-LB (624 g) SimplePac 6/case Add 8 fl oz water to 1/3 cup powder	Protein - Milk Protein Isolate Fat - High oleic safflower oil, soy oil, coconut oil, DHA, ARA CHO - Corn Syrup, GOS



SIMILAC PM 60/40 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (9% kcals)
USE : An <u>infant formula</u> (low iron) for <u>infants</u> with <u>impaired renal function or who</u>	Documentation form.	6 cans/case	(60% whey, 40% casein)
would benefit from lower mineral intake. Calcium-to-phosphorus ratio and content		Reconstituted: 102 fl oz	- Whey protein
designed to treat serum calcium disorders (hypercalcemia and hypocalcemia due to			concentrate, sodium
hyperphosphatemia). Gluten-free.		Standard dilution = 20 kcals/oz:	caseinate
		1 scoop (8.7 g) powder to every 2	
Per 100 kcals (5 fl oz): 2.2 g pro, 5.6 g fat, 10.2 g CHO, 0.7 mg iron		fl oz water.	Fat (50% kcals)
			- High oleic safflower oil,
Osmolality: 280 mOsm/kg			soy oil, coconut oil
CAUTION: For use only under strict medical supervision. In conditions where infant			CHO (41% kcals)
is losing abnormal quantities of one or more electrolytes, it may be necessary to			- Lactose
supply electrolytes from sources other than the formula. It may be necessary to			
supply LBW infants weighing less than 1500 g at birth additional calcium,			
phosphorus, and sodium during periods of rapid growth.			
SIMILAC SOY ISOMIL (Abbott Nutrition)	Standard WIC Contract	1.45 lb (658 g) can powder (19	Protein (10% kcals)
SIMILAC SOY ISOMIL 20	Formula (No Rx needed	kcal) 6 cans/case	- Soy protein isolate, L-
USE : A soy-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>feeding problems</u>	for infants)	Reconstituted: 176 fl oz	methionine
such as fussiness, gas, spit-up or with IgE-mediated allergy or sensitivity to cow's-			
milk protein, lactose deficiency, lactose intolerance, and galactosemia DHA, ARA.		12.4 oz (352 g) can powder (20	Fat (49% kcals)
Iron-fortified, Gluten-free, Kosher, Halal.		kcal) 6 cans/case	- High oleic safflower oil,
		Reconstituted: 90 fl oz	soy oil, coconut oil, DHA,
Per 100 kcals: 2.45 g pro, 5.46 g fat, 10.4 g CHO, 1.8-1.9 mg iron			ARA
		Standard dilution = 19 kcals/oz:	
Osmolality: 200 mOsm/kg		1 scoop (8.3 g) powder to every 2	CHO (41% kcals)
		fl oz water.	- Corn syrup, Sugar,
CAUTION: Evaluate if formula is mixed, used, and stored properly. Soy formulas are		Standard dilution = 20 kcals/oz:	fructooligosaccharide
not recommended for premature infants with birth weights less than 1800 g.		1 scoop (8.8 g) powder to every 2	(FOS)
		fl oz water.	



SIMILAC SENSITIVE (Abbott Nutrition)	Approved with Medical	12 oz (340g g) can powder	Protein (8% kcals)
USE: A milk-based infant formula (lactose-free) for infants with mild tolerance	Documentation form.	6 cans/case	- Milk protein isolate
symptoms such as fussiness and gas due to lactose sensitivity. Considered Stage 1.	Documentation form.	Reconstituted: 90 fl oz	Willik protein isolate
DHA, ARA. Iron-fortified. Gluten-free, Halal, Kosher. Lutein		Reconstituted: 50 H 02	Fat (49% kcals)
brief, Arta. Hori fortifica. Glateri fice, flaidi, Rosfier. Editeri		Standard dilution = 19 kcals/oz:	- High oleic safflower oil,
Per 100 kcals (5.3 fl oz): 2.1 g pro, 5.4 g fat, 11.1 g CHO, 1.9 mg iron		1 scoop (8.3 g) powder to every 2	soy oil, coconut oil, DHA,
1 100 Kcais (3.3 ii 02). 2.1 g pro, 3.4 g lat, 11.1 g crio, 1.3 iiig ii 0ii		fl oz water.	ARA
Osmolality: 200 mOsm/kg		11 02 water.	ANA
Osmolality. 200 mosm, kg		8 fl oz (237 mL) bottle RTF	CHO (44% kcals)
CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for		24 bottles/case	- Corn syrup, sugar, GOS,
individuals with galactosemia.		32 fl oz bottle RTF	(maltodextrin in RTF),
individuals with galactosemia.		6 or 8 bottles/case	(martodextriii iii Kii),
CIRALLAC CENCITIVE NONL CRAO (Abbatt Nictoria)	Not MIC American	·	Protein
SIMILAC SENSITIVE NON- GMO (Abbott Nutrition)	Not WIC Approved.	1.41-Lb (638-g) Simplepac	
USE: A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>mild tolerance</u>		6/case	- Milk protein isolate
symptoms such as fussiness and gas due to lactose sensitivity. Ingredients not		Standard dilution = 19 kcals/oz:	Fat
genetically engineered. Considered Stage 1. DHA, ARA. Iron-fortified. Gluten-free.			
Lutein		1 scoop (8.3 g) powder to every 2 fl oz water.	- High oleic safflower oil,
Dor 100 keels, 2.1 g pro F 4 g fot 11.1 g CHO 1.0 mg iron		11 02 water.	soy oil, coconut oil, DHA,
Per 100 kcals: 2.1 g pro, 5.4 g fat, 11.1 g CHO, 1.9 mg iron		32 fl oz bottle RTF	ARA
Ocmololitus 200 mOcm/kg		6 bottles/case	СНО
Osmolality: 200 mOsm/kg		o bottles/case	- Corn syrup
CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for			
individuals with galactosemia.			(maltodextrin in RTF), GOS
SIMILAC SENSITIVE 20 (Abbott Nutrition)	Not Idaho WIC	13 fl oz can concentrate	Protein
USE: A milk-based infant formula (lactose-free) for infants with mild tolerance	Approved.	6 /case	- Milk protein isolate
symptoms such as fussiness and gas due to lactose sensitivity. Considered Stage 1.		Reconstituted: 90 fl oz	
DHA, ARA. Iron-fortified. Gluten-free. Lutein			Fat
		Standard dilution = 20 kcals/oz:	- High oleic safflower oil,
Per 100 kcals: 2.14 g pro, 5.4 g fat, 11.1 g CHO, 1.8 mg iron		Shake well; pour equal amounts of	
		formula and water.	ARA
Osmolality: 200 mOsm/kg			8110
CAUTION. Such at iffermula is arised and standard and standard			CHO
CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for			- Maltodextrin, sucrose,
individuals with galactosemia.			GOS



		1	,
SIMILAC FOR SPIT UP (Abbott Nutrition)	Approved with Medical	12 oz can powder	Protein (9% kcals)
USE : A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> to <u>reduce spit-up</u> .	Documentation form	6 cans/case	- Milk protein isolate
Contains rice starch. DHA, ARA. Iron-fortified. Gluten-free, Halal, Kosher.		Reconsitituted: 90 fl oz	
			Fat (49% kcals)
Per 100 kcals (5.3 fl oz): 2.14 g pro, 5.4 g fat, 11 g CHO, 1.9 mg iron		Standard dilution = 19 kcals/oz:	- High oleic safflower oil,
		1 scoop (8.3 g) powder to every 2	soy oil, coconut oil, DHA,
Osmolality: 180 mOsm/kg		fl oz water.	ARA
Osmolanty. 100 mosniy kg		11 02 water.	AVA
CAUTION: Evaluate if formula is mixed, used, and stored properly. Not for			CHO (43% kcals)
			1 1
individuals with galactosemia.			- Corn syrup, rice starch,
			sugar, GOS
SIMILAC FOR SUPPLEMENTATION (Abbott Nutrition)	Not WIC approved.	2 fl oz bottle RTF	Protein (8%)
USE: Supplement breastfeeding if desired for infants 0-12 months old. ARA/DHA.		6 x 8 ct	- Whey protein
Gluten free. Unflavored.			concentrate and nonfat
		1.45 lb (658 g) can powder	milk
Per 100 kcals: 2.07 g protein, 5.6 g fat, 10.8 g CHO, 1.9 mg iron		4 ct	
100 Keals. 2.07 & protein, 5.0 & lat, 10.0 & erro, 1.5 mg non		7 00	Fat (49%)
CAUTION: Evaluate if formula is mixed, used, and stored properly. Follow			- Soy, coconut and high
physician's instructions.			oleic sunflower oils,
			DHA, ARA
			CHO (43%)
			- Lactose,
			Galactooligosaccharides
SIMILAC SPECIAL CARE 20 with IRON (Abbott Nutrition)	Approved with Medical	2 fl oz (59 mL) bottle RTF	Protein (12% kcals)
USE : An <u>infant formula</u> (premature) for <u>premature infants</u> with <u>normal calorie</u>	Documentation form.	48 bottles/case	- Nonfat milk, whey
needs. Lutein, DHA, ARA. Iron-fortified.			protein concentrate
		Standard dilution = 20 kcals/oz	·
Per 100 kcals (20 kcals/oz): 3 g pro, 5.43 g fat, 10.3 g CHO, 1.8 mg iron		· ·	Fat (47% kcals)
			- MCT, soy oil, coconut
Osmolality: 235 mOsm/kg			oil, DHA, ARA
Osmolality. 255 mosnifikg			טוו, טוות, תות
CAUTION : For use only under strict medical supervision. VLBW infants are			CHO (41% kcals)
· ·			
particularly susceptible to gastrointestinal complications; therefore, feeding should			- Corn syrup solids,
be initiated cautiously. Tolerance to enteral feedings should be confirmed by			lactose
initially offerings small volumes. Spitting up, excessive gastric residuals, abdominal			
distention, abnormal stools or stool patterns, or other signs of intestinal dysfunction			
have been associated with enteral feeding before the intestinal tract is ready to			
accommodate the regimen. At the first sign of these problems, enteral feeding			
should be slowed or discontinued.			
	•	•	



SIMILAC SPECIAL CARE 24 WITH IRON (Abbott Nutrition)	Approved with Medical	2 fl oz (59 mL) bottle RTF	Protein (12% kcals)
USE : A high-calorie infant formula (low iron, premature) for premature infants with	Documentation form.	48 bottles/case	- Nonfat milk, whey
high calorie needs. DHA, ARA.			protein concentrate
		Standard dilution = 24 kcals/oz	
Per 100 kcals (24 kcal/oz): 3 g pro, 5.43 g fat, 10.3 g CHO, 1.8 mg iron			Fat (47% kcals)
			- MCT, soy oil, coconut
Osmolality: 280 mOsm/kg			oil, DHA, ARA
CAUTION : For use only under strict medical supervision. Not intended for feeding			CHO (41% kcals)
low-birth-weight infants after they reach a weight of 3600 g or as directed by a			- Corn syrup solids,
doctor. If signs if intolerance develop, slow feeding or discontinue.			lactose
SIMILAC SPECIAL CARE 24 HIGH PROTEIN (Abbott Nutrition)	Not WIC Approved.	2 fl oz (59 mL) bottle RTF	Protein (12% kcals)
USE : A high-calorie infant formula (low iron, premature) for premature infants with		48 bottles/case	- Nonfat milk, whey
high calorie needs. DHA, ARA.			protein concentrate
		Standard dilution = 24 kcals/oz	
Per 100 kcals (24 kcal/oz): 3.3 g pro, 5.43 g fat, 10 g CHO, 1.8 mg iron			Fat (47% kcals)
			- MCT, soy oil, coconut
Osmolality: 280 mOsm/kg			oil, DHA, ARA
CAUTION : For use only under strict medical supervision. Not intended for feeding			CHO (41% kcals)
low-birth-weight infants after they reach a weight of 3600 g or as directed by a			- Corn syrup solids,
doctor. If signs if intolerance develop, slow feeding or discontinue.			lactose
SIMILAC SPECIAL CARE 30 with IRON (Abbott Nutrition)	Not WIC Approved.	2 fl oz plastic bottle RTF	Protein (12% kcals)
USE : A very high-calorie <u>infant formula</u> (premature) for <u>premature infants</u> with <u>very</u>		48 bottles/case	- Nonfat milk, whey
high calorie needs or fluid restrictions. Can be mixed to a variety of caloric densities			protein concentrate
(26, 27, 28 calories). Can also be used as a sole-source feeding or a human milk		Standard dilution = 30 kcals/oz	
fortifier. DHA, ARA. Iron-fortified.			Fat (57% kcals)
			- MCT, soy oil, coconut
Per 100 kcals (30 kcal/oz): 3 g pro, 6.61 g fat, 7.73 g CHO, 1.8 mg iron			oil, DHA, ARA
Osmolality: 325 mOsm/kg			CHO (31% kcals)
			- Corn syrup solids,
CAUTION : For use only under strict medical supervision. Not intended for feeding			lactose
low-birth-weight infants after they reach a weight of 3600 g or as directed by a			
doctor. If signs if intolerance develop, slow feeding or discontinue.			



SIMILAC TOTAL COMFORT (Abbott Nutrition)	Approved with Medical	12 oz can powder	Protein (9% kcals)
USE: Milk-based Infant formula with partially hydrolyzed protein for easy digestion.	Documentation form	6 cans/case	- Whey Protein
For mild tolerance symptoms such as fussiness, and gas due to lactose sensitivity.		Reconsitituted: 90 fl oz	Hydrolysate
Lutein, DHA, and Prebiotics. Low lactose. Gluten -free, Kosher, Halal. Iron-fortified.			
		Standard dilution = 19 kcals/oz:	Fat (49% kcals)
Per 100 kcals (5.3 fl oz): 2.32 g pro, 5.4 g fat, 11 g CHO, 1.9 mg iron		1 scoop (8.4 g) powder to every 2	- High oleic safflower oil,
		fl oz water.	soy oil, coconut oil, DHA,
Osmolality: 242 mOsm/kg			ARA
CALITION. Fundants if formula is unived used and stored property. Not for			CHO (420/ Isaala)
CAUTION : Evaluate if formula is mixed, used, and stored properly. Not for			CHO (42% kcals)
individuals with galactosemia. Consult with health care provide when switching			- Maltodextrin, sugar.
formulas.			GOS
SOLCARB (Medica Nutrition)	WIC eligible Medical	Powder: 6 can/case	СНО
Use: Provides a <u>soluble form of powdered carbohydrate</u> for additional calories when	Food.	1 can =454 g	- Maltodextrin
added to tube feedings, liquids, or moist foods. Indicated for inborn errors of		AThera Communication	
metabolism, gastrointestinal volume restriction, and limited renal solute load in		1Tbsp= 6 g powder	
individuals from one year of age.			
Per 100 g: 376 kcals, 94.5 g CHO			
CAUTION: Consult with healthcare provider to determine caloric needs. Scale is			
recommended for measurement. When using with TF, ensure powder has dissolved			
to avoid tube blockage.			



STORE BRAND FORMULAS Milk-Based (Perrigo Nutritionals)	Not Idaho WIC	14.1 oz (400 g) can powder	Protein (8-10% kcals)
(Formerly know as PBM Product)	approved.	Reconstituted: ~ 105 fl oz	- Nonfat milk, whey
			protein concentrate,
Store Brand formulas are manufactured by Perrigo, in Vermont, and sold under		24 oz (681 g) can powder	whey
private brand labels. All Perrigo manufactured infant formulas are federally WIC		Reconstituted:	
eligible.		- Gentle: ~ 174 fl oz	Fat (48% kcals)
			- Palm oil or palm olein,
With Iron and Lipids		- Probiotic: ~ 179 fl oz	high oleic (safflower or
USE : A milk-based <u>infant formula</u> for <u>infants</u> with <u>no special nutritional</u>			sunflower) oil, coconut
<u>requirements.</u> Iron-fortified. DHA, ARA.		-Added Rice: ~ 172 fl oz	oil, soybean oil
Gentle		23.2 oz (658 g) can powder	CHO (43-44% kcals)
USE : A milk-based <u>infant formula</u> (partially hydrolyzed) for <u>infants</u> with <u>fussiness or</u>		Reconstituted: ~172 fl oz	- Lactose
gas. Iron-fortified. DHA, ARA.			
		25.75 oz (730 g) can powder	
Lactose Free		Reconstituted:	
USE : A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>mild tolerance</u>		- With iron and lipids: ~ 190 fl oz	
symptoms such as fussiness and gas due to lactose sensitivity. Iron-fortified. DHA,			
ARA.		- Infant formula 2/Next Step:	
		~179 fl oz	
Lactose Sensitive			
USE: A milk-based <u>infant formula</u> (lactose-free) for <u>infants</u> with lactose sensitivity or		- Lactose Free: ~ 187 fl oz	
are avoiding lactose in the diet. Iron fortified. DHA, ARA		Landana Camaikikina /Camaikinika	
Fallentha		- Lactose-Sensititive/Sensitivity: ~ 186 fl oz	
Follow Up USE: A milk-based infant formula for infants age 4 months and older with no special		186 11 02	
nutritional requirements. Iron-fortified. DHA, ARA.		13 oz can concentrate	
indititional requirements. Iron-fortified. Dria, Aka.		Reconstituted: 26 fl oz	
Per 100 kcals: 2.1-2.6 g protein, 5.3-5.46 g fat, 10.4-11.1 g CHO, 1.8-1.9 mg iron		Reconstituted. 20 ii 02	
1 CT 100 Reals. 2.1 2.0 § protein, 5.5 5.40 § fat, 10.4 11.1 § CHO, 1.0 1.5 Highlin		32 oz bottle RTF	
Osmolality: 290 mOsm/kg		of the state in th	
		Standard dilution = 20 kcals/oz	
CAUTION: Evaluate if formula is mixed, used, and stored properly.			



STORE BRAND FORMULAS Pediatric Drinks (Perrigo Nutritionals)	Not Idaho WIC	8 fl oz (237 ml) can	Protein (12% kcals)
(Formerly know as PBM Product)	approved.	6 cans/case	- Sodium caseinate,
			calcium caseinate
Store Brand formulas are manufactured by Perrigo, in Vermont, and sold under		May also come in bottles	
private brand labels. All Perrigo manufactured infant formulas are federally WIC			Fat (45% kcals)
eligible.			- High-oleic safflower oil,
EVANDIE DRODUCTO.			soy oil, fractionated
EXAMPLE PRODUCTS:			coconut oil
Kroger:			CHO (42-45% kcals)
Kroger Comforts Pediatric Drink			- Sucrose, maltodextrin
Kroger Comforts Pediatric Drink with Fiber			ouer east, manage and m
Target:			
Target Pediatric Drink			
Walmart:			
Parent's Choice Pediatric Drink			
Parent's Choice Pediatric Drink with Fiber			
USE: A nutritionally complete, milk-based medical food (pediatric oral			
supplement/tube feed) for children ages 1-10 with malnutrition, severe or chronic			
illness or recovering from trauma. May also be used as a nutritional supplement			
with or between meals. Kosher, lactose-free, gluten-free.			
Per 8 fl oz: 237 kcals (1 kcal/oz), 7.1-7.4 g pro, 11.8 g fat, 25.7-26.9 g CHO, 3.3 mg			
iron			
Nutritional content varies with flavor and fiber forms.			
Flavors: Chocolate, vanilla, strawberry. Fiber form only available in vanilla.			



STORE BRAND FORMULAS <u>Soy</u> -Based (Perrigo Nutritionals)	Not Idaho WIC	14.1 oz (400 g) can powder	Protein (10% kcals)
(Formerly know as PBM Product)	approved.	Reconstituted: ~ 104 fl oz	- Soy protein isolate
Store Brand formulas are manufactured by Perrigo, in Vermont, and sold under		25.75 fl oz can powder	Fat (48% kcals)
private brand labels. All Perrigo manufactured infant formulas are federally WIC		Reconstituted: ~ 190 fl oz	- Palm oil, coconut oil,
eligible.			soy oil, high oleic
		32 fl oz bottle RTF	(safflower or sunflower)
With Iron and Lipids			oil
USE : A soy-based <u>infant formula</u> (lactose-free) for <u>infants</u> with <u>lactose intolerance</u> ,		Standard dilution = 20 kcals/oz	
<u>allergy to cow's milk protein or recovering from diarrhea.</u> Iron-fortified. DHA, ARA			CHO (42% kcals)
2 400 1 0 5			- Corn syrup solids,
Per 100 kcals: 2.5 g pro, 5.3 g fat, 10.6 g CHO, 1.8 mg iron			sucrose
Osmolality: 290 mOsm/kg			
Osinolality. 250 mosini/kg			
CAUTION: Evaluate if formula is mixed, used, and stored properly.			
DUOCAL (Nutricia Advanced Medical Nutrition)	Approved with Medical	14 oz (400 g) can powder	Protein (0% kcals)
(Previously Super Soluble Duocal)	Documentation form.	6 cans/case	- None
USE: A high-calorie, protein-free medical food (Nutritional) for children with			
disorders of protein and amino acid metabolism, protein restricted diets, electrolyte		1 Tbsp powder = 8.5 g	Fat (41% kcals)
restricted diets or high energy diets. Completely soluble in water, liquids and moist			(MCT 35%, LCT 65%)
foods. Protein-, lactose- and gluten-free. For oral use or tube feeding.		No reconstituted amount.	- Blend of refined
			vegetable oils (corn,
Per 100 g: 492 kcals, 0 g pro, 22.3 g fat, 72.7 g CHO		Intake dependent on age, body	coconut,) MCT
		weight and medical condition.	(fractionated coconut oil,
Osmolality (1:3 dilution): 310 mOsm/kg		Follow Rx as directed by physician	palm kernel oil)
Osmolanty (1.5 dilation). 510 mosnif kg		Tomoth the do an edical by projection.	1' '
CAUTION: For use only under strict medical supervision. Not intended as the sole		, , , , , , , , , , , , , , , , , , ,	CHO (59% kcals)



SUPLENA with CARB STEADY (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (10% kcals)
USE: A nutritionally complete, low-protein, phosphorus, potassium, and sodium,	Documentation form.	24 cans/case	- Milk Protein isolate,
high-calorie medical food (Nutritional - renal oral supplement/tube feed) for older			Sodium caseinate, amino
children and adults with chronic or acute kidney failure. Carb steady may help			acids
manage glucose response. Kosher, gluten-free, lactose-free, low-residue.			
			Fat (48% kcals)
Per 8 fl oz: 425 kcals (1.8 kcals/ml), 10.6 g pro, 22.7 g fat, 46.4 g CHO, 4.5 mg iron			- High oleic safflower oil,
			canola oil, soy lecithin
Osmolality: 600 mOsm/kg			
			CHO (42% kcals)
Flavors: homemade vanilla			- Corn maltodextrin,
			isomaltulose, sugar,
CAUTION: For use only under strict medical supervision. Not for parenteral use.			glycerin, SCFOS
TOLEREX (Nestle Health Science)	Approved with Medical	2.82 oz packet	Protein (8% kcals)
USE: A nutritionally complete <u>medical food</u> (Nutritional - elemental tube feed/oral	Documentation form.	60 packets/case	- Free amino acids
supplement) for children greater than 3 years of age and adults with severely			
impaired GI functions including the following severe protein and fat malabsorption		Standard Dilution: Mix 1 packet	Fat (2% kcals)
and specialized nutrient needs. 100% free amino acids. Kosher, lactose-free, low-		powder with 255 ml water to	- Safflower oil
residue, gluten-free.		make 300 ml formula.	
			CHO (90% kcals)
Per 300 ml formula: 300 kcal (1 kcal/mL), 6.2 g pro, 0.6 g fat, 68 g CHO, 3 mg iron			- Maltodextrin, modified
			cornstarch
Osmolality: 550 mOsm/kg			
CAUTION: For use only under medical supervision. Not for parenteral use.			



	1		
TWOCAL HN (Abbott Nutrition)	Approved with Medical	8 fl oz (237 ml) can RTF	Protein (16.7% kcals)
USE: A nutritionally complete, high-calorie, high protein, and low volume <u>medical</u>	Documentation form.	24 cans/case	- Sodium and calcium
<u>food</u> (Nutritional - oral supplement/tube feed) for <u>older children and adults</u> with			caseinates, amino acids
elevated energy and protein requirements or on fluid restrictions. Contains FOS (a		1000 ml container Ready-To-Hang	
prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free,		8 containers/case	Fat (40.1% kcals)
Halal.			- High oleic safflower oil,
			MCT, canola oil, soy
Per 8 fl oz: 475 kcals (2 kcals/mL), 19.9 g pro, 21.5 g fat, 51.8 g CHO, 4.5 mg iron, 1.2			lecithin
g fiber			
			CHO (43.2% kcals)
Osmolality: 725 mOsm/kg			- Corn syrup solids, corn
, , , ,			maltodextrin, sugar,
Flavors: unflavored (Ready-To-Hang), vanilla, butter pecan			SCFOS
3,,			
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
people with galactosemia.			
TYREX-1 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A phenylaline- and tyrosine-free <u>infant formula and medical food</u> (Nutritional)	Documentation form.	6 cans/case	- Amino acids (without
for infants and toddlers with tyrosinemia type I, II or III. Supplemented with L-		0 00113/ 0030	phenylalanine, tyrosine)
carnitine and taurine. Iron-fortified. Lactose-free, Gluten-free, Halal.		Reconstituted: 96 fl oz	
darmane and taarmer non forthear Eastose free, statem free, fidain		Neconstituted: 30 H oz	Fat (40% kcals)
Per 100 g: 480 kcals, 15 g pro, 21.7 g fat, 53 g CHO, 9 mg iron		Standard dilution = 20 kcals/oz	- High oleic safflower oil,
100 g. 400 kcais, 13 g pro, 21.7 g lat, 33 g crio, 3 mg non		Follow Rx as directed by physician	coconut oil, soy oil
Osmolality: 380 mOsm/kg at 20 kcals/oz		Tollow tix as all cerea by physician	coconac on, soy on
osmolaticy. Soo mostly kg at 25 keats/ 62		1 Tbsp powder = 8 g	CHO (44% kcals)
CAUTION : Must only be given only to infants and toddlers with proven tyrosinemia		1 103p powder - 0 g	- Corn syrup solids
type I, II, or III, under strict medical supervision. Not intended as a sole source of			Com syrup sonus
nutrition. Not for parenteral use.			
TYREX - 2 (Abbott Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein (13% kcals)
USE: A phenylaline- and tyrosine-free <u>medical food</u> (Nutritional) for <u>children and</u>	Documentation form.	6 cans/case	- Amino acids (without
adults (metabolic) with tyrosinemia type I, II or III. Supplemented with L-carnitine	Documentation form.	o cans/case	phenylalanine, tyrosine)
and taurine.		Decemptituted, 92 flor /20	phenylalanne, tyrosine)
and taurine.		Reconstituted: 82 fl oz (20	Fat (200/ Isaala)
Dor 100 gr. 410 keeks 20 g pro 14 g feet 25 = CUO 42 meetings		kcal/oz)	Fat (30% kcals)
Per 100 g: 410 kcals, 30 g pro, 14 g fat, 35 g CHO, 13 mg iron		Chandand dilution 20 leads/	- High oleic safflower oil,
One alalitus 4220 m One /lum at 20 has la /an		Standard dilution = 30 kcals/oz	coconut oil, soy oil
Osmolality: 1330 mOsm/kg at 30 kcals/oz		4.71	SUO (440(L. L.)
		1 Tbsp powder = 8 g	CHO (44% kcals)
CAUTION : Must only be given only to children and adults with proven tyrosinemia			- Corn syrup solids
type I, II, or III, under strict medical supervision. Not intended as a sole source of			
nutrition. Not for parenteral use.			
	I	1	1



TYR ANAMIX NEXT (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
USE: A tyrosine and phenylalanine-free <u>medical food</u> (Nutritional) <u>suitable for</u>	Documentation form.	6 cans/case	- Amino acids (without
individuals over 1 year of age with tyrosinemia. Contains a balanced mixture of all			phenylalanine, tyrosine)
other essential and non-essential amino acids, CHO, vitamins, minerals and DHA.		Reconstituted 46 fl oz	·
Contains Soy, Coconut.			Fat
		The recommended dilution is 3.5	- Refined vegetable oils
Per 100g: 385 kcals, 28 g pro, 12.5 g fat, 43.2 g CHO, 10 mg iron		fl oz. (100 mL) water plus 36 g	(high oleic sunflower,
		powder (approx. 4 scoops) made	canola, MCT, (Palm
Osmolality: 1220 mOsm/kg (at 1.1 kcal/mL)		up to final volume of approx. 4.3 fl	Kernel, and or coconut,
		oz. (126 mL).	sunflower) DHA (C.
Flavors: Plain			Cohnii oil)
		Intake dependent on age, body	
CAUTION: Must only be given to children with proven tyrosinemia under strict		weight and medical condition.	СНО
medical supervision. Not intended as a sole source of nutrition. Not for parenteral		Follow Rx as directed by physician	- Corn syrup solids, corn
use.			starch, FOS, inulin, corn
			starch
TYR LOPHLEX LQ (Nutricia Advanced Medical Nutrition)	Approved with Medical	4.2 fl oz (125 ml) pouch	Protein (67% kcals)
USE: A tyrosine and phenylalanine-free <u>medical food</u> (Nutritional) for <u>children (4+)</u>	Documentation form.	30 pouches/case	- Amino acids (without
and adults with tyrosinemia Contains a balanced mixture of all other essential and			phenylalanie, tyrosine)
non-essential amino acids, CHO, vitamins, minerals and 150 mg of DHA. No artificial		Reconstituted amount	
flavors.		unavailable. Intake dependent on	Fat (< 1% kcals)
		age, body weight and medical	- DHA (C. Cohnii oil)
Per pouch (4.2 fl oz): 120 kcals, 20 g pro, 0.44 g fat, 8.8 g CHO, 5.3 mg iron		condition. Follow Rx as directed by	
		physician	CHO (31% kcals)
Osmolality: 2460 mOsm/kg			- Fruit juice from
			concentrate (apple,
Flavors: Mixed berry blast			grape, blackcurrant,
CAUTION: Must only be given to children with proven tyrosinemia under strict			elderberry), corn syrup
medical supervision. Not intended as a sole source of nutrition. Not for parenteral			solids, maltodextrin,
use.			sugar
			Additive
			- Acesulfame Potassium



TYROS 1 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (13% kcals)
USE: A phenylalanine- and tyrosine-free infant formula and medical food	Documentation form.	6 cans/case	- Amino acids (without
(Nutritional) for infants and toddlers with tyrosinemia. Contains increased levels of			tyrosine, phenylalanine)
B vitamins for cofactor production, choline. DHA, ARA. Lactose-free, Halal. Vanilla		Reconstituted amount	
scent.		unavailable.	Fat (47% kcals)
		Follow Rx as directed by physician.	- Vegetable oil (palm
Per 100 g: 500 kcals, 16.7 pro, 26 g fat, 51 g CHO, 9.6 mg iron			olein, coconut, soy, and
		1 scoop powder = 4.5 g	high oleic sunflower oils),
Osmolaltiy: 360 mOsm/kg			DHA, ARA
CAUTION: For use only under strict medical supervision. Not intended as a sole			CHO (40% kcals)
source of nutrition. Not for parenteral use.			- Corn syrup solids,
parameter and the parameter and asset			modified corn starch,
			sugar
TYROS 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (22% kcals)
USE: A phenylalanine- and tyrosine-free <u>medical food</u> (Nutritional) for <u>children and</u>	Documentation form.	6 cans/case	- Amino acids (without
adults with inborn errors of tyrosine metabolism. Provides essential and non-			tyrosine, phenylalanine)
essential amino acids, CHO, fat, vitamins and minerals. Contains higher levels of		Reconstituted amount	
protein than found in Tyros 1. Lactose-free, Halal. Vanilla scent.		unavailable.	Fat (19% kcals)
		Follow Rx as directed by physician.	- Soy oil
Per 100 g: 410 kcals, 22 g pro, 8.5 g fat, 60 g CHO, 12.2 mg iron			
		1 scoop powder = 14.5 g	CHO (59% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole			- Corn syrup solids,
source of nutrition. Not for parenteral use.			sugar, modified corn
			starch
UCD Anamix Junior (Nutricia Advanced Medical Nutrition)	Approved with Medical	14 oz (400 g) can powder	Protein (12% kcals)
USE: An essential L-amino acid <u>medical food</u> (Nutritional) for <u>children over the age</u>	Documentation form.	6 cans/case	- essential L-amino acids
of 1 with Urea Cycle disorders, hyperammonemia, hyperornithinemia,			(BCAA)
homocitrullinemia (HHH) syndrome and gyrate atrophy. Enriched with vitamins,		Reconstitued at 56 fl oz	- · /400/ L
minerals and trace elements.		1 5- (Fat (40% kcals)
Day 400 at 205 hards 42 a grap 47 a feet 46 a CHO 26 0 mariner		1 scoop = 5g (provides 0.6g pro)	-refined vegetable oild
Per 100 g: 385 kcals, 12 g pro, 17 g fat, 46 g CHO, 26.9 mg iron		The management of dilution is 4 to	(high oleic safflower,
Consolality (at a 1 to 2 5 dilytics), 1040 m Cons (lys		The recommended dilution is 1 to	canola, fractionated
Osmolality (at a 1 to 3.5 dilution): 1040 mOsm/kg		3.5 (i.e. 50 g (10 scoops) of	coconut)
Flavors: unflavored, vanilla		powder plus 175 mL (approx. 6 fl oz) of water	CHO (48% kcals)
riavois. uiiiavoieu, valiilia		Ozj or water	-corn syrup solids, sugar,
CAUTION: For use only under strict medical supervision. Not intended as a sole		Intake dependent on age, body	-com syrup somus, sugar,
source of nutrition. Not for parenteral use.		weight and medical condition.	Vanilla contains artificial
Source of flutificiti. Not for parefiteral use.		Follow Rx as directed by physician	flavor
	1	I onow ith as unected by physician	Havoi



VITAFLO USA LLC – Vitaflo has 30+ produ	ucts that are WIC eligible. Please call the			
State Office for clarification if a prescrip	tion is received for any of these products.			
Website for more information on the pr	oducts listed below: (Nestle Health			
Science)	·			
http://www.vitaflousa.com/				
Citrulline 1000 Amino Acid Supplement	Lipistart			
Cystine Amino Acid Supplement	MCT Pro-Cal			
EAA Supplement	MMA/PA Express Powder			
HCU Cooler	MMA/PA Gel			
HCU Express Powder	MMA/PA			
PKU Trio	Mma/pa cOOLER			
HCU Gel	MSUD Cooler			
Isoleucine 1000 Amino Acid Supplement	MSUD Express Powder			
Isoleucine Amino Acid Supplement	MSUD Gel			
PKU Cooler 10	Phenylalanine Amino Acid Supplement			
PKU Cooler 20	PKU Cooler 15			
PKU Express	PKU Gel			
Pro-Cal	UCDTio			
TYR Express Powder	TYR Cooler			
Valine 1000 Amino Acid Supplement	TYR Gel			
Methionine Amino Acid Supplement	DOC Omega			
Renastart	Key Omega			
S.O.S	Pro-Cal			
GA Gel	Solvil			
LEU Free Cooler	GA Express 15			
VITAL 1.0 CAL (Abbott Nutrition)		Not WIC Approved	8 fl oz (237 ml) can RTF	Protein (16% kcals)
USE: A medical food (Nutritional - peptic	de-based elemental oral supplement/tube		24 cans/case	- Whey protein
feed) for older children and adults with n	nalabsorption, maldigestion and other GI			hydrolysate, sodium
conditions when hydrolyzed protein is in	dicated. Contains FOS (a prebiotic that may		1000 ml container Ready-To-Hang	caseinate
help promote gut health). Kosher, gluten	-free. lactose-free.		8 containers/case	
				Fat (33% kcals)
Per 8 fl αz: 237 kcals (1 kcal/ml) 9 5 σ nr	o 9 g fat 30 7 g CHO 3 mg iron			
1 C1 0 11 02. 237 Real3 (1 Real/1111), 5.5 g pi	0, 9 g lat, 30.7 g crio, 3 mg non			•
Osmalality, 200 m Osm/kg				•
Osmolality: 390 mOsm/kg				-
CAUTION 5				OII, FUS
-	ical supervision. Not for individuals with			
galactosemia. Not for parenteral use.				
				- Corn maltodextrin,
				sucrose
Per 8 fl oz: 237 kcals (1 kcal/ml), 9.5 g pr Osmolality: 390 mOsm/kg CAUTION: For use only under strict med galactosemia. Not for parenteral use.				- Structured lipid (interesterified canola and MCT), MCT, canola oil, FOS CHO (51% kcals) - Corn maltodextrin,



VITAL 1.5 CAL (Abbott Nutrition) USE: A medical food (Nutritional - peptide-based elemental oral supplement/tube feed) for older children and adults with malabsorption, maldigestion and other Gl conditions when hydrolyzed protein is indicated. Contains FOS (a prebiotic that may help promote gut health). Kosher, gluten-free, lactose-free. Per 8 fl oz: 355 kcals (1.5 kcal/ml), 16 g pro, 13.5 g fat, 44.2 g CHO, 4.3 mg iron Osmolality: 610 mOsm/kg	Not WIC Approved	8 fl oz (237 ml) can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case	Protein (18% kcals) - Whey protein hydrolysate, sodium caseinate Fat (33% kcals) - Structured lipid (interesterified canola and MCT), MCT, canola
CAUTION: For use only under strict medical supervision. Not for individuals with galactosemia. Not for parenteral use.			oil, FOS CHO (49% kcals) - Corn maltodextrin, sucrose
VITAL AF 1.2 CAL (Abbott Nutrition) USE: A medical food (Nutritional - partially hydrolyzed oral supplement/tube feed) for older children and adults with chronically impaired gastrointestinal function (maldigestion, malabsorption). Contains peptides and free amino acids to use the dual protein absorption system of the gut. Gluten-free, low-lactose, low-residue, low fat. Per 8fl oz: 284 kcals (1.2 kcal/ml), 17.8 g pro, 12.8 g fat, 26.2 g CHO, 3.6 mg iron Osmolality: 424 mOsm/kg Flavors: vanilla CAUTION: For use only under strict medical supervision. Not for parenteral use. Not for individuals with galactosemia.	Not WIC approved.	8 fl oz can RTF 24 cans/case 1000 ml container Ready-To-Hang 8 containers/case	Protein (16.7% kcals) - Partially hydrolyzed soy/collagen, whey protein concentrate, whey protein hydrolysate, amino acids Fat (9.5% kcals) - Safflower oil, MCT CHO (73.8% kcals) - Corn maltodextrin, sucrose



Vital Peptide 1.5 (Abbott Nutrition) USE: The only peptide-based nutrition specifically developed to meet the DRIs of patients ages 14-18. Contains hydrolyzed protein, structure lipids, and prebiotics to provide complete balanced nutrition.	Not Idaho WIC Approved	8fl oz 24 carton/case	Protein: 18% kcals Fat: 33% kcals
Per 8oz: 355kcal, 16g pro, 13.5g fat, 44.3g CHO, 4.3mg Iron			CHO: 49% kcals
Osmolality: 610mOsm/kg H20 Flavors: Vanilla			
CAUTION: Not for IV use, not for people with galactosemia.	Approved with Medical	1.7 oz /AS F.g.) poskot povidor	Protein (120/ keels)
VIVONEX PEDIATRIC (Nestle Health Science) USE: A nutritionally complete <u>medical food</u> (Nutritional - pediatric elemental tube feed/oral supplement) for <u>children ages 1-13</u> with <u>severely impaired GI function</u>	Approved with Medical Documentation form.	1.7 oz (48.5 g) packet powder 36 packets/case	Protein (12% kcals) - Free amino acids
from severe short bowel syndrome, Crohn's disease, fat malabsorption, intestinal failure, GI trauma/ surgery, malabsorption syndrome, burn injuries, and transition to <u>TPN.</u> Kosher, lactose-free, low-residue, gluten-free.		Standard dilution: Mix 1 packet powder with 220 ml water to yield 250 ml formula.	Fat (25% kcals) - MCT oil, soybean oil
Per 250 ml formula (1 pkt): 200 kcals (0.8 kcal/mL), 6 g pro, 5.8 g fat, 32 g CHO, 2.5 mg iron			CHO (63% kcals) - Maltodextrin, modified cornstarch
Osmolality: 360 mOsm/kg			
CAUTION: For use only under medical supervision. Not for parenteral use. Not for individuals with galactosemia.			



VIVONEX PLUS (Nestle Health Science)	Approved with Medical	2.8 oz (79.5 g) packet powder	Protein (17% kcals)
USE: A nutritionally complete, high-protein, low-fat <u>medical food</u> (Nutritional) for	Documentation form.	36 packets/case	(30% from BCAA)
children greater than 3 years of age and adults with severely impaired GI function			- Free amino acids
from severe protein and fat malabsorption, transitional feeding, extensive bowel		Standard dilution: Mix 1 packet	
resections, malabsorption syndrome, severe trauma/ surgery, early post-op feeding,		powder with 250 ml water to yield	Fat (6% kcals)
intestinal failure, pancreatitis, chylothorax, trophic feeding, TPN alternative, Dual		300 ml formula.	- Soybean oil
feeding with TPN. Kosher, lactose-free, low-residue, gluten-free.			-
			CHO (77% kcals)
Per 300 ml formula (1 pkt): 300 kcals (1 kcal/mL), 13 g pro, 2 g fat, 58 g CHO, 3 mg			- Maltodextrin, modified
iron			cornstarch
Osmolality: 650 mOsm/kg			
CAUTION: For use only under medical supervision. Not for parenteral use. Not			
appropriate for use in individuals 0-3 years old.			
VIVONEX RTF (Nestle Health Science)	Approved with Medical	8.45 oz (250 ml) can RTF	Protein (20% kcals)
USE: A nutritionally complete, high-protein, low-fat medical food (Nutritional) for	Documentation form.	24 cans/case	(29% from BCAA)
children greater than 3 years of age and adults with severely impaired GI function			- Free amino acids
from severe protein and fat malabsorption, transitional feeding, extensive bowel		1000 ml closed system container	
resections, malabsorption syndrome, severe trauma/ surgery, early post-op feeding,		6 containers/case	Fat (10% kcals)
intestinal failure, pancreatitis, chylothorax, trophic feeding, TPN alternative, dual			- Soybean oil, MCT oil
feeding with TPN. Contains arginine and BCAA. This has low fat to reduce pancreatic			(coconut or palm kernel
stimulation. Kosher, lactose-free, low-residue, gluten-free.			oil)
Per 250 mL: 250 kcals (1 kcal/mL), 12.5 g pro, 2.9 g fat, 44 g CHO, 3 mg iron			CHO (70% kcals)
			- Maltodextrin, modified
Osmolality: 630 mOsm/kg			cornstarch, dextrose
CAUTION: For use only under medical supervision. Not for parenteral use. Not for			
individuals with galactosemia.			



G			
VIVONEX T.E.N (Nestle Health Science)	Approved with Medical	2.84 oz packet powder	Protein (14% kcals)
USE: A nutritionally complete, high-nitrogen, low-fat medical food (Nutritional) for	Documentation form.	10 packets/ box	- Free amino acids
children greater than 3 years of age and adults with severely impaired GI function		6 boxes/case	
from severe protein and fat malabsorption, transitional feeding, extensive bowel			Fat (3% kcals)
resections, malabsorption syndrome, severe trauma/ surgery, early post-op feeding,		Standard dilution: Mix 1 packet	- Safflower oil
intestinal failure, pancreatitis, chylothorax, trophic feeding, TPN alternative, dual		powder with 250 ml water to yield	
<u>feeding with TPN.</u> Enriched with glutamineand arginine. Kosher, lactose-free, low-		300 ml formula.	CHO (83% kcals)
residue, gluten-free.			- Maltodextrin, modified
			cornstarch
Per 300 mL (1 pkt): 300 kcals (1 kcal/mL), 11.5 g pro, 0.8 g fat, 61.7 g CHO, 2.7 mg			
iron			
O -			
Osmolality: 630 mOsm/kg			
CAUTION: For use only under medical supervision. Not appropriate for use in			
individuals 0-3 years old. Not for parenteral use.			
WND 1 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (5% kcals)
USE: A non-essential amino-acid free infant formula (metabolic) for infants and	Documentation form.	6 cans/case	- Essential amino acids
toddlers with urea cycle disorders. Contains increased levels of B vitamins for			255511111111111111111111111111111111111
cofactor production, choline. Iron- fortified. DHA/ARA. Lactose-free, Halal. Vanilla		Reconstituted amount unavailable	Fat (47% kcals)
scent.		Follow Rx as directed by physician.	- Vegetable oil (palm
			olein, coconut, soy, and
Per 100 g: 500 kcals, 6.5 g pro, 26 g fat, 60 g CHO, 9.6 mg iron		1 scoop powder = 4.5 g	high oleic sunflower oils),
			DHA, ARA
Osmolality: 280 mOsm/kg at 20 kcal/oz			
			CHO (48% kcals)
CAUTION: For use only under strict medical supervision. Not intended as a sole			- Corn syrup solids,
source of nutrition. Not for parenteral use.			modified corn starch,
			sugar
WND 2 (Mead Johnson)	Approved with Medical	16 oz (454 g) can powder	Protein (8% kcals)
USE: A non-essential amino-acid free <u>medical food</u> (Nutritional) for <u>children and</u>	Documentation form.	6 cans/case	- Essential amino acids
<u>adults</u> with <u>urea cycle disorders.</u> Provides essential amino acids, CHO, fats, essential			
fatty acids, vitamins and minerals. Iron fortified. Lactose-free, Halal. Vanilla scent.		Reconstituted amount	Fat (23% kcals)
		unavailable.	- Soy oil
Per 100 g: 410 kcals, 8.2 g pro, 10.2 g fat, 71 g CHO, 14.3 mg iron		Follow Rx as directed by physician.	
CAUTION: For use only under strict medical supervision. Not intended as a sole		1 scoop powder = 14.5 g	CHO (69% kcals)
source of nutrition. Not for parenteral use.		1 3000p powdei – 14.3 g	- Corn syrup solids,
Source of fluctition. Not for parenteral use.			sugar, modified corn
			starch
			364.611



IVA ANAMIX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
(will replace XLEU ANALOG)	Documentation form.	6 cans/case	- Amino acids (without
USE: A leucine-free <u>infant formula</u> (metabolic) for <u>infants</u> 0-12 months and as a			leucine)
supplementary with <u>isovaleric acidemia and other proven disorders of leucine</u>		Recommened dilution =	
metabolism. Contains a balanced mixture of all other essential and non-essential		21kcals/oz: 1 scoop (5 g) powder	Fat
amino acids, CHO, fat vitamins, minerals and trace elements. For oral use or tube		to every 1 fl oz water	- Refined vegetable oil
feeding. Contains DHA, ARA. Prebiotics. Iron fortified. Unflavored. Contains milk,			(High oleic
soy, coconut.		Reconstituted 90 fl oz	sunflower,soy, non-
			hydrogenated coconut,
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron		Intake dependent on age, body	canola, sunflower) DHA,
		weight and medical condition.	ARA
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg			
			СНО
CAUTION: Must only be given to infants with proven isovaleric acidemia and other			- Corn syrup solids, GOS,
disorders of leucine metabolism under strict medical supervision. Not intended as a			Dried Syrup, FOS
sole source of nutrition. Not for parenteral use.			
·			
IVA ANAMIX NEXT (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with	Approved with Medical Documentation form.	14.1 oz (400 g) can powder 6 cans/case	Protein - Amino acids (without
USE: A leucine-free medical food (Nutritional) for <u>individuals over 1 year of age</u> with <u>isovaleric acidemia and other proven disorders of leucine metabolism</u> . Contains a	• •	6 cans/case	
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat,	• •	6 cans/case Recommened dilution = 1.1	- Amino acids (without
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain.	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to	- Amino acids (without leucine)
USE: A leucine-free <u>medical food</u> (Nutritional) for <u>individuals over 1 year of age</u> with <u>isovaleric acidemia and other proven disorders of leucine metabolism</u> . Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat,	• •	6 cans/case Recommened dilution = 1.1	- Amino acids (without leucine) Fat - Refined vegetable oil
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut.	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower,
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain.	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut.	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil) sunflower), C. Cohnii oil
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron Osmolality (at 1 kcal/ml): 1220 mOsm/kg	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz amount varies. Intake dependent	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron Osmolality (at 1 kcal/ml): 1220 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B₀ non-responsive	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz amount varies. Intake dependent on age, body weight and medical	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil) sunflower), C. Cohnii oil (DHA)
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron Osmolality (at 1 kcal/ml): 1220 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive homocystinuria or hypermethioninemia under strict medical supervision. This	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz amount varies. Intake dependent on age, body weight and medical condition. Follow Rx as directed by	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil) sunflower), C. Cohnii oil (DHA) CHO
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron Osmolality (at 1 kcal/ml): 1220 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B₀ non-responsive	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz amount varies. Intake dependent on age, body weight and medical	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil) sunflower), C. Cohnii oil (DHA) CHO - Corn syrup solids, FOS,
USE: A leucine-free medical food (Nutritional) for individuals over 1 year of age with isovaleric acidemia and other proven disorders of leucine metabolism. Contains a balanced mixture of all other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut. Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron Osmolality (at 1 kcal/ml): 1220 mOsm/kg CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive homocystinuria or hypermethioninemia under strict medical supervision. This	• •	6 cans/case Recommened dilution = 1.1 kcal/ml: 4 scoop (36 g) powder to every 3.5 fl oz (100ml) water Reconstituted 46 fl oz amount varies. Intake dependent on age, body weight and medical condition. Follow Rx as directed by	- Amino acids (without leucine) Fat - Refined vegetable oil (High oleic sunflower, canola, MCT (palm kernel and/or coconut oil) sunflower), C. Cohnii oil (DHA) CHO



XLEU MAXAMUM (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (52% kcals)
USE: A leucine-free <u>medical food</u> (Nutritional) for <u>older children and adults</u>	Documentation form.	6 cans/case	- Amino acids (without
(including pregnant women) with isovaleric acidemia and other proven disorders of			leucine)
leucine metabolism. Contains a balanced mixture of all other essential and non-		Recommended dilution (1 to 7) is	
essential amino acids, CHO, vitamins, minerals and trace elements and less than 1 g		¼ cup (35 g) powder to 8 fl oz	Fat (<3% kcals)
of fat. Contains Soy.		water.	- Negligible
Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron.		1 Tbsp powder = 9 g	CHO (45% kcals)
			- Sugar, corn syrup solids
Osmolality:		Reconstituted 115 fl oz.	
1 to 7 dilution - 800 mOsm/kg			
1 to 5 dilution - 1120 mOsm/kg		Intake dependent on age, body	
		weight and medical condition.	
Flavors: orange		Follow Rx as directed by physician	
CAUTION: Must only be given to individuals with proven isovaleric acidemia and			
other disorders of leucine metabolism under strict medical supervision. Not			
intended as a sole source of nutrition. Not for parenteral use.			
GA-1 ANAMIX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
USE: A lysine-free and low tryptophan powdered <u>infant formula with iron</u>	Documentation form.	6 cans/case	- Amino acids (without
(metabolic) for <u>infants</u> 0-12 months with <u>glutaric acidemia type I</u> . Contains a			lysine and minimal
balanced mixture of all other essential and non-essential amino acids, CHO, fat,		Recommened dilution =	tryptophan)
vitamins, minerals and trace elements. For oral use or tube feeding. Contains DHA,		21kcals/oz: 1 scoop (5 g) powder	
ARA. Prebiotics. Unflavored. Contains milk, soy, coconut.		to every 1 fl oz water	Fat
			- Refined vegetable oil
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron			(High oleic sunflower,
		Reconstituted 90 fl oz	soy, non-hydrogenated
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg			coconut, canola,
		Intake dependent on age, body	sunflower), DHA, ARA
CAUTION: Must only be given to infants with proven glutaric academia type I under		weight and medical condition.	
strict medical supervision. Not intended as a sole source of nutrition. Not for		Follow Rx as directed by physician	CHO
parenteral use			- Corn syrup solids, GOS,
			Dried syrup, FOS,



HCU ANAMIX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
(replaced XMET ANALOG)	Documentation form.	6 cans/case	- Amino acids (without
USE: A methionine-free <u>infant formula</u> with iron (metabolic) for <u>infants</u> 0-12 months		5 535, 53.55	methionine)
with vitamin B ₆ non-responsive homocystinuria or hypermethioninemia. Contains a		Recommened dilution =	,
balanced mixture of all other essential and non-essential amino acids, CHO, fat,		21kcals/oz: 1 scoop (5 g) powder	Fat
vitamins, minerals and trace elements. For oral use or tube feeding. Contains DHA,		to every 1 fl oz water	- Refined vegetable oil
ARA. Prebiotics. Unflavored. Contains milk, soy, coconut.		·	(High oleic sunflower,
			soy, non-hydrogenated
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron		Reconstituted 90 fl oz	coconut, canola,
			sunflower), DHA, ARA
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg		Intake dependent on age, body	
		weight and medical condition.	СНО
CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive		Follow Rx as directed by physician	- Corn syrup solids, GOS,
homocystinuria or hypermethioninemia under strict medical supervision This			Dried Syrup, FOS
product is not intended as a sole source of nutrition. Not for parenteral use.			
HCU ANAMIX NEXT (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
USE: A methionine-free <u>medical food</u> (Nutritional) for <u>individuals over 1 year of age</u>	Documentation form.	6 cans/case	- Amino acids (without
with <u>vitamin B₆ non-responsive homocystinuria or hypermethioninemia</u> . Contains a			methionine)
balanced mixture of all other essential and non-essential amino acids, CHO, fat,		Recommened dilution = 1.1	
vitamins, minerals and trace elements. Contains DHA. Multi-fiber mix. Plain.		kcal/ml: 4 scoop (36 g) powder to	Fat
Contains soy, coconut.		every 3.5 fl oz (100ml) water	- Refined vegetable oil
			(High oleic sunflower,
Per 100 g: 385 kcals, 28 g pro, 12.5 g fat, 43.2 g CHO, 10 mg iron			canola, MCT (palm
		Reconstituted 46 fl oz	kernel and/or coconut oil
Osmolality (at 1 kcal/ml): 1340 mOsm/kg) sunflower), C. Cohnii oil
CAUTION: No et au la la circa de infrade vittle accessing D		amount varies. Intake dependent	(DHA)
CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive		on age, body weight and medical	сно
homocystinuria or hypermethioninemia under strict medical supervision. <u>Must be</u> given in conjunction with a natural protein and other nutrients to supply the		condition. Follow Rx as directed by	
		physician	- Corn syrup solids
methionine, fluid and general nutrition requirements of the patient in medically prescribed quantities. This product is not intended as a sole source of nutrition. Not			
for parenteral use.			
ioi parenteraruse.			



<u>o</u> .			
XMET MAXAMUM (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (52% kcals)
USE: A methionine-free medical food (Nutritional) for children over 8 and adults	Documentation form.	6 cans/case	- Amino acids (without
(including pregnant women) with vitamin B ₆ non-responsive homocystinuria or			methionine)
hypermethioninemia. Contains a balanced mixture of all other essential and non-		Recommended dilution (1 to 7) is	
essential amino acids, CHO, vitamins, minerals and trace elements. Does not		¼ cup (35 g) powder to 8 fl oz	Fat (<3% kcals)
contain fat, allowing for flexibility in modifying energy intake.		water.	- Negligible
Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron		1 Tbsp powder = 9 g	CHO (45% kcals) - Sugar, corn syrup solids
Osmolality:		Reconstituted 115 fl oz.	
1 to 7 dilution - 800 mOsm/kg			
1 to 5 dilution - 1190 mOsm/kg		Intake dependent on age, body	
		weight and medical condition.	
Flavors: orange		Follow Rx as directed by physician	
CAUTION: Must only be given to individuals with proven vitamin B ₆ non-responsive			
homocystinuria or hypermethioninemia under strict medical supervision. This			1
product is not intended as a sole source of nutrition. Not for parenteral use.			1
MMA/PA ANAMIX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
(replaced XMTVI ANALOG)	Documentation form.	6 cans/case	- Amino acids (without
USE: A methionine-, threonine-, valine-free and low-isoleucine <u>infant formula</u>			methionine, threonine or
(metabolic) for infants 0-12 months and as a supplementary feed up to three (3)		Recommened dilution =	valine; low-isoleucine)
years of age with vitamin B ₁₂ non-responsive methylmalonic acidemia or propionic		21kcals/oz: 1 scoop (5 g) powder	
acidemia. Contains a balanced mixture of all other essential and non-essential		to every 1 fl oz water	Fat
amino acids, CHO, fat, vitamins, minerals and trace elements. For oral use or tube			- Refined vegetable oil
feeding. Contains DHA, ARA. Prebiotics. Iron fortified. Unflavored. Contains milk,			(High oleic sunflower,
soy, coconut.		Reconstituted 90 fl oz	soy, non-hydrogenated
			coconut, canola,
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron		Intake dependent on age, body	sunflower), DHA and
		weight and medical condition.	ARA
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg		Follow Rx as directed by physician	
			СНО
CAUTION: Must only be given to infants with proven vitamin B ₁₂ non-responsive			- Corn syrup solids, GOS,
methylmalonic acidemia or propionic acidemia under strict medical supervision.			FOS, Dried syrup.
This product is not intended as a sole source of nutrition. Not for parenteral use.			



•			
MMA/PA ANAMIX NEXT (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
USE: A methionine-, threonine-, valine-free and low-isoleucine medical food	Documentation form.	6 cans/case	- Amino acids (without
(Nutritional) for individuals over 1 year of age with vitamin B ₁₂ non-responsive			methionine, threonine or
methylmalonic acidemia or propionic acidemia. Contains a balanced mixture of all		Recommened dilution = 1.1	valine; low-isoleucine)
other essential and non-essential amino acids, CHO, fat, vitamins, minerals and trace		kcal/ml: 4 scoop (36 g) powder to	
elements. Contains DHA. Multi-fiber mix. Plain. Contains soy, coconut.		every 3.5 fl oz (100ml) water	Fat
			- Refined vegetable oil
Per 100 g: 377 kcals, 28 g pro, 12.5 g fat, 41.2 g CHO, 12.5 mg iron			(High oleic sunflower,
		Reconstituted 46 fl oz	canola, MCT (palm
Osmolality (at 1.1 kcal/ml): 1220 mOsm/kg			kernel and.or coconut oil
		amount varies. Intake dependent) sunflower), C. Cohnii oil
CAUTION: Must only be given to infants with proven vitamin B ₆ non-responsive		on age, body weight and medical	(DHA)
homocystinuria or hypermethioninemia under strict medical supervision. This		condition. Follow Rx as directed by	
product is not intended as a sole source of nutrition. Not for parenteral use.		physician	СНО
			- Corn syrup solids, FOS,
			unulin, corn starch,
			maltodextrin, soy fiber
XMTVI MAXAMUM (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (52% kcals)
USE: A methionine-, threonine-, valine-free and low-isoleucine medical food	Documentation form.	6 cans/case	- Amino acids (without
(Nutritional) for older children and adults (including pregnant women) with vitamin			methionine, threonine,
B ₁₂ non-responsive methylmalonic acidemia or propionic acidemia. Contains a		Recommended dilution (1 to 7) is	valine; low-isoleucine)
balanced mixture of other essential and non-essential amino acids, CHO, vitamins,		¼ cup (35 g) powder to 8 fl oz	
minerals and trace elements. Does not contain fat, allowing for flexibility in		water.	Fat (<3% kcals)
modifying energy intake.			- soy lecithin
		1 Tbsp powder = 9 g	
Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron			CHO (45% kcals)
		Reconstituted 115 fl oz.	- Sugar, corn syrup solids
Osmolality:			
1 to 7 dilution - 740 mOsm/kg		Intake dependent on age, body	
1 to 5 dilution - 1070 mOsm/kg		weight and medical condition.	
		Follow Rx as directed by physician	
Flavors: orange			
CAUTION: Must only be given to individuals with proven vitamin B ₁₂ non-responsive			
methylmalonic acidemia or propionic acidemia under strict medical supervision.			
This product is not intended as a sole source of nutrition. Not for parenteral use.			
·			



XPHE MAXAMUM (Nutricia Advanced Medical Nutrition)	Approved with Medical	16 oz (454 g) can powder	Protein (52% kcals)
USE: A phenylalanine-free <u>medical food</u> (Nutritional) for <u>older children and adults</u>	Documentation form.	6 cans/case	- Amino acids (without
(including pregnant women) with phenylketonuria (PKU.) Contains a balanced			phenylalanine)
mixture of all other essential and non-essential amino acids, CHO, vitamins,		Reconstituted amount 115 fl oz	
minerals, trace elements and less than 1g fat per 10 gram allowing for flexibility in			Fat (<3% kcals)
modifying energy intake. Contains soy.		1.8oz (50 g) pouches	- Soy lecithin
		30 pouches/case	
Per 100 g: 305 kcals, 40 g pro, <1 g fat, 34 g CHO, 14.7 mg iron			CHO (45% kcals)
		Recommended dilution (1 to 7) is	- Sugar
Osmalility:		1/4 cup (35 g) powder to 8 fl oz	
1 to 7 dilution – unflavored: 770 mOsm/kg, orange: 790 mOsm/kg		water.	Additive
1 to 5 dilution – unflavored: 1090 mOsm/kg, orange: 1140 mOsm/kg			- Acesulfame Potassium
		1.8 oz (50 g) sachet	
Flavors: unflavored, orange		30 sachets/case	
CAUTION: Must only be given to individuals with proven phenylketonuria under		1 Tbsp powder = 9 g	
strict medical supervision. Not intended as a sole source of nutrition. Not for			
parenteral use.		Intake dependent on age, body	
		weight and medical condition.	
		Follow Rx as directed by physician	
TYR ANAMIX EARLY YEARS (Nutricia Advanced Medical Nutrition)	Approved with Medical	14.1 oz (400 g) can powder	Protein
(replaced XPHE, XTYR ANALOG)	Documentation form.	6 cans/case	- Amino acids (without
USE: A phenylalanine- and tyrosine-free <u>infant formula with iron</u> (metabolic) for			phenylalanine, tyrosine)
infants infants 0-12 months with tyrosinemia (when plasma methionine levels are		Recommened dilution =	
<u>normal</u>). Contains a balanced mixture of all other essential and non-essential amino		21kcals/oz: 1 scoop (5 g) powder	Fat
acids, CHO, fat, vitamins, minerals and trace elements. Can be used for oral or tube		to every 1 fl oz water	- Refined vegetable oil
feeding. Contains DHA, ARA. Prebiotics. Unflavored. Contains milk, soy, coconut.			(High oleic sunflower,
		Reconstituted 90 fl oz	soy, non-hydrogenated
Per 100 g: 473 kcals, 13.5 g pro, 23 g fat, 53 g CHO, 7.3 mg iron			coconut, canola,
		Intake dependent on age, body	sunflower), DHA , ARA
Osmolality (at 21 kcal/fl oz): 380 mOsm/kg		weight and medical condition.	
		Follow Rx as directed by physician	СНО
CAUTION: Must only be given to infants with proven tyrosinemia, when plasma			- Corn syrup solids, GOS,
methionine levels are normal, under strict medical supervision. Not intended as a			Dried Milk, FOS,
sole source of nutrition. Not for parenteral use.			



ZONEPERFECT Products (Abbott Nutrition)	Not WIC approved.	Variable	N/A
Fruitified ZonePerfect Nutrition Bars Perfectly Simple by ZonePerfect			
ZonePerfect Classic Nutrition Bars			
ZonePerfect Cookie Dough Bars ZonePerfect Dark Chocolate Nutrition Bars			
ZonePErfect Sweet and Salty			

